Performance Report for cbt-27thFeb-main-4k-8vol-cacheon-rbdoff

Table of contents

- Summary of results for cbt-27thFeb-main-4k-8vol-cacheon-rbdoff
- Response Curves
  - Sequential Read
  - Sequential Write
  - Random Read
  - Random Write
 - Random Read/Write
- Configuration yaml

Summary of results for cbt-27thFeb-main-4k-8vol-cacheon-rbdoff

| Workload Name	Maximum Throughput	Latency (ms)
4096B_read	65463 IOps	2.9
8192B_read	39371 IOps	4.9
16384B_read	22050 IOps	8.7
32768B_read	19022 IOps	10.1
65536B_read	1149 MB/s	14.6
262144B_read	1550 MB/s	10.8
524288B_read	1557 MB/s	10.8
1048576B_read	1565 MB/s	13.4
4096B_write	3207 IOps	119.8
8192B_write	1942 IOps	264.7
16384B_write	5131 IOps	99.7
32768B_write	9614 IOps	79.8
65536B_write	231 MB/s	145.4
262144B_write	382 MB/s	65.9
524288B_write	326 MB/s	206.1
1048576B_write	397 MB/s	253.5
4096B_randread	70946 IOps	5.4
8192B_randread	46872 IOps	8.2
16384B_randread	29411 IOps	13.0
32768B_randread	26497 IOps	9.6
65536B_randread	1500 MB/s	11.2
262144B_randread	1715 MB/s	19.6
524288B_randread	1777 MB/s	14.2
1048576B_randread	1771 MB/s	16.6
4096B_randwrite	1908 IOps	201.5
8192B_randwrite	1821 IOps	211.0
16384B_randwrite	4016 IOps	95.5
32768B_randwrite	3411 IOps	112.5
65536B_randwrite	169 MB/s	99.4
262144B_randwrite	280 MB/s	239.8
524288B_randwrite	248 MB/s	135.0
1048576B_randwrite	314 MB/s	159.9
16384B_70_30_randrw	4628 IOps	55.4
65536B_30_70_randrw	179 MB/s	93.6
65536B_70_30_randrw	208 MB/s	80.8

# Response Curves

Sequential Read

Sequential Write

64K Sequential Write

256K Sequential Write

512K Sequential Write

1024K Sequential Write

Random Read

4K Random Read

8K Random Read

Random Write

4K Random Write

8K Random Write

16K Random Write

32K Random Write

64K Random Write

256K Random Write

Random Read/Write

Configuration yaml

```
librbdfio:
  cmd_path: /usr/local/bin/fio
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
  norandommap: true
  osd_ra:
  - 4096
  poolname: rbd_replicated
  prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
  - 1
  ramp: 30
  time: 90
  time_based: true
  use_existing_volumes: true
  vol_size: 52500
  volumes_per_client:
  - 8
  workloads:
    16k7030:
      jobname: randmix
      mode: randrw
      numjobs:
      - 1
      op_size: 16384
      rwmixread: 70
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
    16krandomread:
      jobname: randread
      mode: randread
      numjobs:
      - 1
      op_size: 16384
      total_iodepth:
      - 4
```

```
      - 8
      - 12
      - 16
      - 24
      - 48
      - 64
      - 128
      - 256
      - 384
    16krandomwrite:
      jobname: randwrite
      mode: randwrite
      numjobs:
      - 1
      op_size: 16384
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 16
      - 32
      - 64
      - 128
      - 256
      - 384
    1Mrandomread:
      jobname: randread
      mode: randread
      numjobs:
      - 1
      op_size: 1048576
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 12
      - 16
      - 20
      - 24
      - 28
      - 32
    1Mrandomwrite:
      jobname: randwrite
      mode: randwrite
      numjobs:
      - 1
      op_size: 1048576
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 5
      - 6
      - 8
      - 16
      - 24
      - 32
      - 48
```

Configuration yaml

```yaml
    1Mseqread:
      jobname: seqread
      mode: read
      numjobs:
      - 1
      op_size: 1048576
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 6
      - 8
      - 10
      - 12
      - 14
      - 16
      - 20
    1Mseqwrite:
      jobname: seqwrite
      mode: write
      numjobs:
      - 1
      op_size: 1048576
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 6
      - 8
      - 16
      - 32
      - 48
      - 64
      - 96
    256krandomread:
      jobname: randread
      mode: randread
      numjobs:
      - 1
      op_size: 262144
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 5
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
    256krandomwrite:
      jobname: randwrite
      mode: randwrite
      numjobs:
      - 1
      op_size: 262144
      total_iodepth:
      - 1
      - 2
```

```
            - 3
            - 4
            - 5
            - 8
            - 16
            - 32
            - 64
            - 96
            - 128
            - 256
      32krandomread:
        jobname: randread
        mode: randread
        numjobs:
        - 1
        op_size: 32768
        total_iodepth:
        - 2
        - 4
        - 6
        - 8
        - 12
        - 16
        - 24
        - 32
        - 64
        - 128
        - 256
      32krandomwrite:
        jobname: randwrite
        mode: randwrite
        numjobs:
        - 1
        op_size: 32768
        total_iodepth:
        - 1
        - 2
        - 3
        - 4
        - 8
        - 16
        - 32
        - 64
        - 128
        - 256
        - 384
      4k7030:
        jobname: randmix
        mode: randrw
        numjobs:
        - 1
        op_size: 16384
        rwmixread: 70
        total_iodepth:
        - 1
        - 2
        - 3
        - 4
        - 8
        - 16
        - 24
        - 32
        - 64
```

Configuration yaml

```
        - 128
        - 256
    4krandomread:
      jobname: randread
      mode: randread
      numjobs:
      - 1
      op_size: 4096
      total_iodepth:
      - 4
      - 8
      - 12
      - 16
      - 32
      - 48
      - 64
      - 128
      - 256
      - 384
    4krandomwrite:
      jobname: randwrite
      mode: randwrite
      numjobs:
      - 1
      op_size: 4096
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 16
      - 32
      - 64
      - 128
      - 256
      - 384
    512krandomread:
      jobname: randread
      mode: randread
      numjobs:
      - 1
      op_size: 524288
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 16
      - 24
      - 32
      - 40
      - 48
      - 64
    512krandomwrite:
      jobname: randwrite
      mode: randwrite
      numjobs:
      - 1
      op_size: 524288
      total_iodepth:
      - 1
```

Configuration yaml

```
        - 2
        - 3
        - 4
        - 5
        - 6
        - 8
        - 16
        - 24
        - 32
        - 48
        - 64
    512kseqread:
      jobname: seqread
      mode: read
      numjobs:
      - 1
      op_size: 524288
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 6
      - 8
      - 12
      - 16
      - 20
      - 24
      - 32
    512kseqwrite:
      jobname: seqwrite
      mode: write
      numjobs:
      - 1
      op_size: 524288
      total_iodepth:
      - 1
      - 2
      - 4
      - 6
      - 8
      - 16
      - 32
      - 48
      - 64
      - 96
      - 128
    64k3070:
      jobname: randmix
      mode: randrw
      numjobs:
      - 1
      op_size: 65536
      rwmixread: 30
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 16
      - 32
      - 64
```

Configuration yaml

```yaml
      - 96
      - 128
      - 256
    64k7030:
      jobname: randmix
      mode: randrw
      numjobs:
      - 1
      op_size: 65536
      rwmixread: 70
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 16
      - 32
      - 64
      - 96
      - 128
      - 256
    64krandomread:
      jobname: randread
      mode: randread
      numjobs:
      - 1
      op_size: 65536
      total_iodepth:
      - 2
      - 4
      - 6
      - 8
      - 12
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
    64krandomwrite:
      jobname: randwrite
      mode: randwrite
      numjobs:
      - 1
      op_size: 65536
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
    64kseqread:
      jobname: read
      mode: read
      numjobs:
      - 1
```

```yaml
      op_size: 65536
      total_iodepth:
      - 2
      - 4
      - 6
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
      - 192
      - 256
    64kseqwrite:
      jobname: write
      mode: write
      numjobs:
      - 1
      op_size: 65536
      total_iodepth:
      - 4
      - 8
      - 12
      - 16
      - 32
      - 48
      - 64
      - 128
      - 256
      - 384
      - 512
    8krandomread:
      jobname: randread
      mode: randread
      numjobs:
      - 1
      op_size: 8192
      total_iodepth:
      - 4
      - 8
      - 12
      - 16
      - 32
      - 48
      - 64
      - 128
      - 256
      - 384
    8krandomwrite:
      jobname: randwrite
      mode: randwrite
      numjobs:
      - 1
      op_size: 8192
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 16
      - 32
      - 64
```

```yaml
      - 128
      - 256
      - 384
    precondition:
      jobname: precond1rw
      mode: randwrite
      monitor: false
      numjobs:
      - 1
      op_size: 65536
      time: 600
      total_iodepth:
      - 16
    seq16kread:
      jobname: seqread
      mode: read
      numjobs:
      - 1
      op_size: 16384
      total_iodepth:
      - 2
      - 4
      - 8
      - 12
      - 16
      - 24
      - 32
      - 64
      - 96
      - 128
      - 192
    seq16kwrite:
      jobname: seqwrite
      mode: write
      numjobs:
      - 1
      op_size: 16384
      total_iodepth:
      - 2
      - 4
      - 8
      - 16
      - 32
      - 48
      - 64
      - 128
      - 256
      - 384
      - 512
    seq256kread:
      jobname: seqread
      mode: read
      numjobs:
      - 1
      op_size: 262144
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 5
      - 8
      - 16
```

```
        - 24
        - 32
        - 48
        - 64
    seq256kwrite:
      jobname: seqwrite
      mode: write
      numjobs:
      - 1
      op_size: 262144
      total_iodepth:
      - 1
      - 2
      - 4
      - 8
      - 16
      - 24
      - 32
      - 64
      - 96
      - 128
      - 256
    seq32kread:
      jobname: seqread
      mode: read
      numjobs:
      - 1
      op_size: 32768
      total_iodepth:
      - 2
      - 4
      - 8
      - 12
      - 16
      - 24
      - 32
      - 64
      - 96
      - 128
      - 192
    seq32kwrite:
      jobname: seqwrite
      mode: write
      numjobs:
      - 1
      op_size: 32768
      total_iodepth:
      - 2
      - 4
      - 8
      - 16
      - 32
      - 64
      - 128
      - 256
      - 512
      - 768
    seq4kread:
      jobname: seqread
      mode: read
      numjobs:
      - 1
      op_size: 4096
```

```yaml
        total_iodepth:
        - 2
        - 4
        - 8
        - 12
        - 16
        - 24
        - 32
        - 64
        - 96
        - 128
        - 192
      seq4kwrite:
        jobname: seqwrite
        mode: write
        numjobs:
        - 1
        op_size: 4096
        total_iodepth:
        - 2
        - 8
        - 16
        - 24
        - 32
        - 48
        - 64
        - 128
        - 256
        - 384
        - 512
        - 768
        - 1024
      seq8kread:
        jobname: seqread
        mode: read
        numjobs:
        - 1
        op_size: 8192
        total_iodepth:
        - 2
        - 4
        - 8
        - 12
        - 16
        - 24
        - 32
        - 64
        - 96
        - 128
        - 192
      seq8kwrite:
        jobname: seqwrite
        mode: write
        numjobs:
        - 1
        op_size: 8192
        total_iodepth:
        - 2
        - 8
        - 16
        - 24
        - 32
        - 48
```

Configuration yaml

```
            - 64
            - 128
            - 256
            - 384
            - 512
            - 768
            - 1024
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
      a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
      a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: root
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
```