Comparitive Performance Report for cbt-5thAug-4k-o01-4+2-squid vs cbt-4thAug-16k-o01-4+2-ecopt2 vs cbt-16thAug-16k-o01-4+2-ecopt2-pdwon

# Table of contents

- $\bullet \ \ Comparison \ summary \ for \ cbt-5thAug-4k-o01-4+2-squid \ vs \ cbt-4thAug-16k-o01-4+2-ecopt2 \ vs \ cbt-16thAug-16k-o01-4+2-ecopt2 \ vs$
- Response Curves
  - Sequential Read
  - Sequential Write
  - Random Read
  - Random Write
  - Random Read/Write
- Configuration yaml files
  - results

# Comparison summary for cbt-5thAug-4k-o01-4+2-squid vs cbt-4thAug-16k-o01-4+2-ecopt2 vs cbt-16thAug-16k-o01-4+2-ecopt2-pdwon

Sequential Read	cbt_5thAug_4k_o0t	<u>bt1+4th</u> <b>A</b> quid 16k_00	1_4+2_@cdpt2ge	cbt_16thAug_16k_o0	$1_4+2$ % colored point $2e$ pdwo
4.0K	81908@4.7ms	143642@2.7	75%	144251@2.7	$\overline{76\%}$
8.0K	67577@5.7ms	140289@2.7	108%	139797@2.7	107%
16.0 K	51153@5.6ms	126594@2.3	147%	131862@2.2	158%
32.0K	48711@3.9ms	76709@2.5	57%	78903@2.4	62%
64.0K	2675@6.3ms	2998@5.6	12%	2994@5.6	12%
256.0K	5814@2.9ms	5947@2.8	2%	6203@2.7	7%
512.0K	6157@2.7ms	6420@2.6	4%	6699@2.5	9%
$1024.0 \mathrm{K}$	$5832@3.6\mathrm{ms}$	6346@3.3	9%	6492@3.2	11%

Sequential Write	cbt_5thAug_4k_o0t	b <b>t1+42</b> th <b>s</b> qugid_16ko01	l_4+2_ <b>%cdpti2</b> ge	cbt_16thAug_16k_c	001_4+2 <u>%</u> <b>edopt@</b> pdwon
4.0K	151417@10.1ms	280184@5.5	85%	227544@6.7	50%
8.0K	154665@9.9ms	217309@7.1	41%	161376@9.5	4%
16.0K	131050@7.8ms	131110@7.8	0%	93602@10.9	-29%
32.0 K	78224@9.8ms	79346@9.7	1%	55397@13.8	-29%
64.0K	2783@12.0ms	2908@11.5	4%	3019@11.1	8%
256.0 K	3506@19.0ms	3621@18.4	3%	3794@17.6	8%
512.0 K	3562@18.6 ms	3809@17.4	7%	3994@16.5	12%
1024.0 K	4308@30.7 ms	4645@35.6	8%	4856@34.0	13%

Random Read	cbt_5thAug_4k_o0bl	o <b>t4+4</b> 2th <b>Aqui</b> d 16k_o01	1_4+2_ <b>&amp;cclptt2</b> ge	cbt_16thAug_16k_o0	$1\_4+2$ % edopt $\underline{2e}$ pdwor
4.0K	53372@14.4ms	125142@6.1	134%	125194@6.1	135%
$8.0 \mathrm{K}$	53802@14.3 ms	118048@6.5	119%	113337@6.8	111%
16.0 K	53274@11.0 ms	110136@5.3	107%	109412@5.4	105%
32.0K	48583@2.6ms	70582@3.6	45%	69601@5.5	43%
64.0 K	$2926@5.7 \mathrm{ms}$	2749@6.1	-6%	2678@9.4	-8%
256.0K	$6280@5.3\mathrm{ms}$	5778@5.8	-8%	6138@5.5	-2%
512.0K	7318@4.6ms	7132@4.7	-3%	7350@4.6	0%
$1024.0\mathrm{K}$	7028@4.8ms	7381@4.5	5%	7614@4.4	8%


Random Write	$cbt\_5thAug\_4k\_o0$	1 <u>bt4+42th</u> <b>A</b> qui <u>d</u> 16k_001	_4+2_ <b>@cclptt2</b> ge	cbt_16thAug_16k_o01	4+2 <u>%</u>
4.0K	14381@8.9ms	18916@40.6	32%	19987@12.8	$\overline{39\%}$
8.0K	13490@28.4ms	17888@42.9	33%	19744@38.9	46%
16.0K	16340@31.3ms	17659@14.5	8%	18701@27.4	14%
32.0K	15972@32.0 ms	15931@24.1	-0%	15249@25.1	-5%
64.0K	1108@22.7 ms	890@9.4	-20%	977@25.7	-12%
256.0K	2853@23.4ms	2623@25.5	-8%	2939@22.7	3%

 $\label{lem:comparison} Comparison summary for cbt-5thAug-4k-o01-4+2-squid vs cbt-4thAug-16k-o01-4+2-ecopt2 vs cbt-16thAug-16k-o01-4+2-ecopt2-pdwon$ 


Random Write	$cbt\_5thAug\_4k\_o0$ £b	<u>t4+42thsAquid</u> 16k_o01_/	4+2_ <b>%cdpt2</b> ge	cbt_16thAug_16k_o01_	
512.0K 1024.0K	3623@9.0ms 4264@11.3ms	3507@9.3 4309@11.2	-3% 1%	3844@8.5 4550@10.5	$\frac{6\%}{7\%}$
Random					
Read/Write	$cbt\_5thAug\_4k\_o0t\underline{b}$	<u>v4+42th</u> Aqu <u>id</u> 16k_o01_4	4+2_ <b>&amp;cclpt2</b> ge	cbt_16thAug_16k_o01_	4+2 <u>%</u>
4.0K_70/30	24698@15.5ms	39936@6.4	62%	42889@9.0	$\overline{74\%}$
1.C. OTZ 70 /20				22222	~ <b>-</b> 04
$16.0 \mathrm{K}_{-}70/30$	25335@2.5 ms	36732@7.0	45%	39665@6.4	57%
64.0K_30/70	$25335@2.5 ms \ 1215@6.9 ms$	$36732@7.0 \\ 968@6.5$	$\begin{array}{c} 45\% \\ -20\% \end{array}$	$39665@6.4 \\ 1022@16.4$	57% -16%


# Response Curves

## Sequential Read



Response Curves Sequential Write






## Sequential Write

10

Latency (ms)



cbt\_5thAug\_4k\_o01\_4+2\_squid

80000

lOps

40000


20000


cbt\_4thAug\_16k\_o01\_4+2\_ecopt2

cbt\_16thAug\_16k\_o01\_4+2\_ecopt2\_pdwon


100000 120000









Response Curves Random Read




### Random Read






Response Curves Random Write





### Random Write

Response Curves Random Write




Response Curves Random Read/Write





### Random Read/Write



# Configuration yaml files

Only yaml files that differ by more than 20 lines from the yaml file for the baseline directory will be added here in addition to the baseline yaml

### results

```
librbdfio:
  cmd_path: /usr/local/bin/fio
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
 norandommap: true
  osd_ra:
  - 4096
 poolname: rbd_replicated
 prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
  - 1
  ramp: 30
  rbdname: cbt-librbdfio
  time: 90
  time_based: true
  use_existing_volumes: true
  vol_size: 1204500
  volumes_per_client:
  - 16
  workloads:
    16k7030:
      jobname: randmix
      mode: randrw
      numjobs:
      - 1
      op_size: 16384
      rwmixread: 70
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
    16krandomread:
      jobname: randread
      mode: randread
      numjobs:
      - 1
      op_size: 16384
      total_iodepth:
      - 8
      - 12
      - 16
      - 24
      - 48
      - 64
      - 128
      - 256
      - 384
```

```
- 588
16krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 16384
  total_iodepth:
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
 - 512
1Mrandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 28
  - 32
1Mrandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 16
 - 24
  - 32
  - 48
1Mseqread:
 jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
```

```
- 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
  - 12
  - 14
  - 16
  - 20
1Mseqwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 1048576
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 32
  - 48
  - 64
  - 96
  - 128
  - 160
256krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
256krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 262144
 total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 32
  - 64
```

- 96 - 128 - 256 32krandomread: jobname: randread mode: randread numjobs: - 1 op\_size: 32768 total\_iodepth: - 2 - 4 - 6 - 8 - 12 - 16 - 24 - 32 - 64 - 128 - 256 32krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op\_size: 32768 total\_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512 4k7030: jobname: randmix mode: randrw numjobs: - 1 op\_size: 4096 rwmixread: 70 total\_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 64 - 128 - 256 - 384 4krandomread: jobname: randread mode: randread

```
numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
 - 256
  - 384
 - 588
  - 768
4krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 4096
 total_iodepth:
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
 - 256
  - 384
  - 512
  - 768
512krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 524288
  {\tt total\_iodepth:}
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 40
  - 48
  - 64
512krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 524288
 total_iodepth:
  - 1
  - 2
  - 3
  - 4
```

```
- 5
  - 6
  - 8
  - 16
  - 24
  - 32
  - 48
  - 64
512kseqread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 12
  - 16
  - 20
  - 24
  - 32
512kseqwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 4
  - 6
  - 8
  - 16
  - 32
  - 48
  - 64
  - 96
  - 128
64k3070:
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
  op_size: 65536
 rwmixread: 30
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 96
  - 128
```

- 256

```
64k7030:
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
 op_size: 65536
 rwmixread: 70
  total_iodepth:
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 96
  - 128
  - 256
64krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
64 krandom write:\\
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
 - 64
 - 128
 - 256
  - 384
64kseqread:
  jobname: read
 mode: read
 numjobs:
  op_size: 65536
  total_iodepth:
  - 2
```

- 4 - 6 - 8 - 16 - 24 - 32 - 64 - 128 - 192 - 256 64kseqwrite: jobname: write mode: write numjobs: - 1 op\_size: 65536 total\_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 - 384 - 512 8krandomread: jobname: randread mode: randread numjobs: - 1 op\_size: 8192 total\_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 - 384 - 588 - 768 8krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op\_size: 8192 total\_iodepth: - 2 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384

```
- 512
  - 768
precondition:
 jobname: precond1rw
 mode: randwrite
 monitor: false
 numjobs:
  - 1
 op_size: 65536
  time: 600
  total_iodepth:
  - 16
seq16kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 16384
  {\tt total\_iodepth:}
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  - 288
seq16kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 48
 - 64
 - 128
 - 256
  - 384
  - 512
 - 768
  - 1024
seq256kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 262144
 total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
```

```
- 8
  - 16
  - 24
  - 32
  - 48
  - 64
seq256kwrite:
  jobname: seqwrite
  mode: write
 numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 4
  - 8
  - 16
  - 24
  - 32
  - 64
  - 96
 - 128
  - 256
seq32kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 32768
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
seq32kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 512
  - 768
seq4kread:
  jobname: seqread
 mode: read
 numjobs:
```

```
- 1
  op_size: 4096
 total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
 - 128
 - 192
 - 288
  - 384
seq4kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 4096
 total_iodepth:
  - 8
  - 16
  - 24
  - 32
  - 48
 - 64
 - 128
  - 256
  - 384
 - 512
 - 768
 - 1024
 - 1280
  - 1536
seq8kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 8192
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
 - 64
 - 96
  - 128
  - 192
  - 288
  - 384
seq8kwrite:
 jobname: seqwrite
 mode: write
 numjobs:
  - 1
```

```
op_size: 8192
        total iodepth:
        - 2
        - 8
        - 16
        - 24
        - 32
        - 48
        - 64
        - 128
        - 256
        - 384
        - 512
        - 768
        - 1024
        - 1280
        - 1536
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
     a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
     a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 8
  pdsh_ssh_args: -a -x -1%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: ljsanders
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
  librbdfio:
    cmd_path: /usr/local/bin/fio
    fio_out_format: json
    log_avg_msec: 100
    log_bw: true
    log_iops: true
    log_lat: true
   norandommap: true
   osd ra:
    - 4096
    poolname: rbd_replicated
```

```
prefill:
 blocksize: 64k
 numjobs: 1
procs_per_volume:
- 1
ramp: 30
rbdname: cbt-librbdfio
time: 90
time_based: true
use_existing_volumes: true
vol_size: 1204500
volumes_per_client:
- 16
workloads:
  16k7030:
    jobname: randmix
    mode: randrw
    numjobs:
    - 1
    op_size: 16384
    rwmixread: 70
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
  16krandomread:
    jobname: randread
    mode: randread
    numjobs:
    - 1
    op_size: 16384
    total_iodepth:
    - 8
    - 12
    - 16
    - 24
    - 48
    - 64
    - 128
    - 256
    - 384
    - 588
  16krandomwrite:
    jobname: randwrite
    mode: randwrite
    numjobs:
    - 1
    op_size: 16384
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
```

```
- 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
1Mrandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 28
  - 32
1Mrandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 16
  - 24
  - 32
  - 48
1Mseqread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
  - 12
  - 14
  - 16
  - 20
1Mseqwrite:
  jobname: seqwrite
```

```
mode: write
 numjobs:
  - 1
 op_size: 1048576
 total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 32
  - 48
  - 64
  - 96
 - 128
  - 160
256krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 262144
 total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
256krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 32
  - 64
 - 96
  - 128
  - 256
32 krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 32768
 total_iodepth:
  - 2
  - 4
  - 6
```

```
- 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
32krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
4k7030:
  jobname: randmix
  mode: randrw
  numjobs:
  - 1
  op_size: 4096
  rwmixread: 70
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 384
4krandomread:
  jobname: randread
  {\tt mode: randread}
  numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
```

- 256

- 384 - 588 - 768 4krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op\_size: 4096 total\_iodepth: - 2 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512 - 768 512krandomread: jobname: randread mode: randread numjobs: - 1 op\_size: 524288 total\_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 40 - 48 - 64 512krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op\_size: 524288 total\_iodepth: - 1 - 2 - 3 - 4 - 5 - 6 - 8 - 16 - 24 - 32 - 48 - 64 512kseqread: jobname: seqread mode: read numjobs: - 1

```
op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 12
  - 16
  - 20
  - 24
  - 32
512kseqwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 524288
 total_iodepth:
  - 1
  - 2
  - 4
  - 6
  - 8
  - 16
  - 32
  - 48
  - 64
  - 96
  - 128
64k3070:
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
 op_size: 65536
 rwmixread: 30
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 96
  - 128
  - 256
64k7030:
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
 op_size: 65536
 rwmixread: 70
 total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
```

- 16 - 32 - 64 - 96 - 128 - 256 64krandomread: jobname: randread mode: randread numjobs: - 1 op\_size: 65536 total\_iodepth: - 2 - 4 - 6 - 8 - 12 - 16 - 24 - 32 - 64 - 128 - 256 64krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op\_size: 65536 total\_iodepth: - 2 - 4 - 6 - 8 - 16 - 24 - 32 - 64 - 128 - 256 - 384 64kseqread: jobname: read mode: read numjobs: - 1 op\_size: 65536 total\_iodepth: - 2 - 4 - 6 - 8 - 16 - 24 - 32 - 64 - 128 - 192 - 256 64kseqwrite: jobname: write

mode: write

```
numjobs:
  op_size: 65536
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
 - 256
  - 384
 - 512
8krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 8192
 total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 588
  - 768
8krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 8192
  {\tt total\_iodepth:}
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
 - 384
 - 512
 - 768
precondition:
  jobname: precond1rw
 mode: randwrite
 monitor: false
 numjobs:
  - 1
 op_size: 65536
 time: 600
 total_iodepth:
  - 16
seq16kread:
```

```
jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
 - 96
 - 128
  - 192
  - 288
seq16kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 16384
 total_iodepth:
  - 4
  - 8
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
 - 384
 - 512
 - 768
  - 1024
seq256kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
 - 32
  - 48
  - 64
seq256kwrite:
 jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 262144
  total_iodepth:
```

```
- 1
  - 2
  - 4
  - 8
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 256
seq32kread:
  jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
seq32kwrite:
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 512
  - 768
seq4kread:
  jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 4096
  {\tt total\_iodepth:}
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
```

```
- 192
  - 288
  - 384
seq4kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 4096
  total_iodepth:
  - 2
  - 8
  - 16
  - 24
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 512
  - 768
 - 1024
  - 1280
  - 1536
seq8kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 8192
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  - 288
  - 384
seq8kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 8192
  total_iodepth:
  - 2
  - 8
  - 16
  - 24
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
```

- 512

```
- 768
        - 1024
        - 1280
        - 1536
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
     a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
     a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 8
  pdsh_ssh_args: -a -x -1%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: ljsanders
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
```