

Comparative Performance Report for cbt-17thDec-main-4k vs cbt-20thDec-alexls12-4k vs cbt-24thDec-squid1920-4k

Table of contents

- Comparison summary for cbt-17thDec-main-4k vs cbt-20thDec-alexls12-4k vs cbt-24thDec-squid1920-4k
- Response Curves
 - Sequential Read
 - Sequential Write
 - Random Read
 - Random Write
 - Random Read/Write
- Configuration yaml files
 - results
 - results
 - results

Comparison summary for cbt-17thDec-main-4k vs cbt-20thDec-alexls12-4k vs cbt-24thDec-squid1920-4k

Sequential Read	cbt_17thDec_main_4k	cbt_20thDec_alexls12_4k	cbt_24thDec_squid1920_4k
4K	25339 IOps@7.6ms	24109 IOps@8.0ms	14096 IOps@13.6ms
8K	17196 IOps@11.2ms	16069 IOps@11.9ms	13542 IOps@14.2ms
16K	10428 IOps@18.4ms	10917 IOps@17.6ms	11838 IOps@16.2ms
32K	11409 IOps@16.8ms	10925 IOps@17.6ms	11321 IOps@17.0ms
64K	977 MB/s@17.2ms	970 MB/s@17.3ms	988 MB/s@17.0ms
256K	1495 MB/s@11.2ms	1482 MB/s@11.3ms	1499 MB/s@11.2ms
512K	1501 MB/s@11.2ms	1502 MB/s@11.2ms	1510 MB/s@11.1ms
1024K	1533 MB/s@13.7ms	1527 MB/s@13.7ms	1534 MB/s@13.7ms

Sequential Write	cbt_17thDec_main_4k	cbt_20thDec_alexls12_4k	cbt_24thDec_squid1920_4k
4K	2024 IOps@126.4ms	3764 IOps@68.0ms	2289 IOps@111.7ms
8K	2019 IOps@126.6ms	3599 IOps@71.1ms	2168 IOps@118.0ms
16K	5117 IOps@37.5ms	4895 IOps@39.2ms	5314 IOps@36.1ms
32K	3621 IOps@35.3ms	5601 IOps@22.8ms	6173 IOps@20.7ms
64K	196 MB/s@42.8ms	200 MB/s@42.0ms	207 MB/s@40.6ms
256K	400 MB/s@31.3ms	517 MB/s@8.0ms	359 MB/s@5.8ms
512K	439 MB/s@28.5ms	432 MB/s@29.0ms	444 MB/s@28.2ms
1024K	472 MB/s@26.3ms	505 MB/s@28.7ms	479 MB/s@43.5ms

Random Read	cbt_17thDec_main_4k	cbt_20thDec_alexls12_4k	cbt_24thDec_squid1920_4k
4K	95501 IOps@4.0ms	94377 IOps@4.1ms	34521 IOps@7.4ms
8K	60546 IOps@6.3ms	59367 IOps@6.5ms	34758 IOps@11.0ms
16K	34618 IOps@11.1ms	33414 IOps@7.7ms	35946 IOps@7.1ms
32K	31326 IOps@4.1ms	30473 IOps@4.2ms	31867 IOps@8.0ms
64K	1642 MB/s@10.2ms	1623 MB/s@10.3ms	1607 MB/s@10.4ms
256K	1680 MB/s@20.0ms	1694 MB/s@19.8ms	1688 MB/s@19.9ms
512K	1698 MB/s@19.8ms	1699 MB/s@19.8ms	1703 MB/s@19.7ms
1024K	1709 MB/s@19.6ms	1707 MB/s@19.7ms	1708 MB/s@19.6ms


Random Write	cbt_17thDec_main_4k	cbt_20thDec_alexls12_4k	cbt_24thDec_squid1920_4k
4K	2897 IOps@44.2ms	5072 IOps@25.2ms	2970 IOps@43.1ms
8K	2791 IOps@45.9ms	4734 IOps@27.0ms	2634 IOps@48.6ms
16K	5726 IOps@22.3ms	4757 IOps@26.9ms	5279 IOps@24.2ms
32K	3245 IOps@39.4ms	3674 IOps@34.8ms	3591 IOps@35.6ms
64K	193 MB/s@21.7ms	178 MB/s@23.6ms	208 MB/s@40.3ms
256K	335 MB/s@100.2ms	387 MB/s@21.6ms	407 MB/s@82.5ms


Random Write	cbt_17thDec_main_4k	cbt_20thDec_alexsls12_4k	cbt_24thDec_squid1920_4k
512K	464 MB/s@72.2ms	472 MB/s@70.9ms	471 MB/s@71.1ms
1024K	472 MB/s@35.2ms	517 MB/s@32.1ms	488 MB/s@68.4ms

Random Read/Write	cbt_17thDec_main_4k	cbt_20thDec_alexsls12_4k	cbt_24thDec_squid1920_4k
16K_70/30	6191 IOps@20.7ms	6580 IOps@9.7ms	6920 IOps@18.5ms
64K_70/30	288 MB/s@29.2ms	275 MB/s@30.5ms	292 MB/s@14.4ms
64K_30/70	166 MB/s@12.6ms	191 MB/s@43.8ms	214 MB/s@39.2ms


Response Curves


Sequential Read







Sequential Write












Random Read






Random Write





Random Read/Write



Configuration yaml files

results

```
librbd fio:
  cmd_path: /usr/local/bin/fio
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
  norandommap: true
  osd_ra:
    - 4096
  poolname: rbd_replicated
  precondition_time: 600
  prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
    - 1
  ramp: 30
  time: 60
  time_based: true
  use_existing_volumes: true
  vol_size: 420000
  volumes_per_client:
    - 1
  workloads:
    16k7030:
      iodepth:
        - 1
        - 2
        - 3
        - 4
        - 5
        - 8
        - 16
        - 24
        - 32
        - 64
        - 128
      jobname: randmix
      mode: randrw
      numjobs:
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
```

```

- 1
- 1
- 1
  op_size: 16384
  rwmixread: 70
16krandomread:
  iodepth:
    - 4
    - 8
    - 12
    - 16
    - 24
    - 48
    - 64
    - 128
    - 256
    - 384
  jobname: randread
  mode: randread
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 16384
16krandomwrite:
  iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 16384
1Mrandomread:
  iodepth:
    - 1

```

```

- 2
- 3
- 4
- 8
- 12
- 16
- 20
- 24
- 28
- 32
jobname: randread
mode: randread
numjobs:
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
op_size: 1048576
1Mrandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 28
  - 32
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 1048576
1Mseqread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
  - 12

```

```
- 14
- 16
- 20
jobname: seqread
mode: read
numjobs:
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
op_size: 1048576
1Mseqwrite:
iodepth:
- 1
- 2
- 3
- 4
- 6
- 8
- 10
- 12
- 14
- 16
- 20
jobname: seqwrite
mode: write
numjobs:
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
op_size: 1048576
256krandomread:
iodepth:
- 1
- 2
- 3
- 4
- 5
- 8
- 16
- 24
- 32
- 64
- 128
jobname: randread
mode: randread
numjobs:
- 1
```

```

- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
  op_size: 262144
256krandomwrite:
  iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 262144
32krandomread:
  iodepth:
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
  jobname: randread
  mode: randread
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1

```

```

- 1
- 1
- 1
  op_size: 32768
32krandomwrite:
  iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 32768
4krandomread:
  iodepth:
    - 4
    - 8
    - 12
    - 16
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384
  jobname: randread
  mode: randread
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 4096
4krandomwrite:
  iodepth:
    - 1
    - 2

```



```

- 3
- 4
- 5
- 8
- 16
- 24
- 32
- 64
- 128
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 4096
512krandomread:
  iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 24
    - 32
    - 40
    - 48
    - 64
  jobname: randread
  mode: randread
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 524288
512krandomwrite:
  iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 24
    - 32
    - 40

```

```

- 48
- 64
jobname: randwrite
mode: randwrite
numjobs:
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
op_size: 524288
512kseqread:
iodepth:
- 1
- 2
- 3
- 4
- 6
- 8
- 12
- 16
- 20
- 24
- 32
jobname: seqread
mode: read
numjobs:
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
op_size: 524288
512kseqwrite:
iodepth:
- 1
- 2
- 3
- 4
- 6
- 8
- 12
- 16
- 20
- 24
- 32
jobname: seqwrite
mode: write
numjobs:
- 1
- 1

```

```
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
  op_size: 524288
64k3070:
  iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
  jobname: randmix
  mode: randrw
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 65536
  rwmixread: 30
64k7030:
  iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
  jobname: randmix
  mode: randrw
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
```

```

- 1
- 1
- 1
  op_size: 65536
  rwmixread: 70
64krandomread:
  iodepth:
- 2
- 4
- 6
- 8
- 12
- 16
- 24
- 32
- 64
- 128
- 256
  jobname: randread
  mode: randread
  numjobs:
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
  op_size: 65536
64krandomwrite:
  iodepth:
- 1
- 2
- 3
- 4
- 5
- 8
- 16
- 24
- 32
- 64
- 128
  jobname: randwrite
  mode: randwrite
  numjobs:
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
  op_size: 65536
64kseqread:
  iodepth:

```

```

- 2
- 4
- 6
- 8
- 16
- 24
- 32
- 64
- 128
- 192
- 256
  jobname: read
  mode: read
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 65536
64kseqwrite:
  iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
  jobname: write
  mode: write
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 65536
8krandomread:
  iodepth:
    - 4
    - 8
    - 12
    - 16
    - 32
    - 48
    - 64

```

```

- 128
- 256
- 384
  jobname: randread
  mode: randread
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 8192
8krandomwrite:
  iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 8192
precondition:
  iodepth:
    - 4
  jobname: precond1rw
  mode: randwrite
  monitor: false
  numjobs:
    - 1
  op_size: 65536
  precondition: true
seq16kread:
  iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16

```

```

- 24
- 32
- 64
- 96
- 128
- 192
jobname: seqread
mode: read
numjobs:
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
op_size: 16384
seq16kwrite:
iodepth:
- 2
- 4
- 8
- 12
- 16
- 24
- 32
- 64
- 96
- 128
- 192
jobname: seqwrite
mode: write
numjobs:
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
op_size: 16384
seq256kread:
iodepth:
- 1
- 2
- 3
- 4
- 5
- 8
- 16
- 24
- 32
- 48
- 64
jobname: seqread

```

```

mode: read
numjobs:
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
  op_size: 262144
seq256kwrite:
  iodepth:
- 1
- 2
- 3
- 5
- 8
- 12
- 16
- 24
- 32
- 48
- 64
  jobname: seqwrite
  mode: write
  numjobs:
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
  op_size: 262144
seq32kread:
  iodepth:
- 2
- 4
- 8
- 12
- 16
- 24
- 32
- 64
- 96
- 128
- 192
  jobname: seqread
  mode: read
  numjobs:
- 1
- 1
- 1
- 1
- 1

```



```

- 1
- 1
- 1
- 1
- 1
- 1
  op_size: 32768
seq32kwrite:
  iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 32768
seq4kread:
  iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 192
  jobname: seqread
  mode: read
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 4096

```

```

seq4kwrite:
  iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 192
    - 256
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 4096
seq8kread:
  iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 192
  jobname: seqread
  mode: read
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 8192
seq8kwrite:
  iodepth:
    - 2
    - 4
    - 8

```

```

- 12
- 16
- 24
- 32
- 64
- 96
- 128
- 192
- 256
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 8192
cluster:
  archive_dir: /tmp/cbt
  ceph_mgr_cmd: /usr/bin/ceph-mgr
  ceph_mon_cmd: /usr/bin/ceph-mon
  ceph_osd_cmd: /usr/bin/ceph-osd
  ceph_run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
    - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
      a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
      a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
    - --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: root
monitoring_profiles:
  collect1:
    args: -c 18 -sCD -i 10 -P -oz -FO --rawtoo --sep "," -f {collect1_dir}

```

results

```

librbd fio:
  cmd_path: /usr/local/bin/fio
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
  norandommap: true
  osd_ra:
    - 4096
  poolname: rbd_replicated
  precondition_time: 600
  prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
    - 1
  ramp: 30
  time: 60
  time_based: true
  use_existing_volumes: true
  vol_size: 420000
  volumes_per_client:
    - 1
  workloads:
    16k7030:
      iodepth:
        - 1
        - 2
        - 3
        - 4
        - 5
        - 8
        - 16
        - 24
        - 32
        - 64
        - 128
      jobname: randmix
      mode: randrw
      numjobs:
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
      op_size: 16384
      rwmixread: 70
    16krandomread:
      iodepth:
        - 4
        - 8
        - 12
        - 16
        - 24

```

```

- 48
- 64
- 128
- 256
- 384
  jobname: randread
  mode: randread
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 16384
16krandomwrite:
  iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 16384
1Mrandomread:
  iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 12
    - 16
    - 20
    - 24
    - 28
    - 32
  jobname: randread
  mode: randread

```

```

  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 1048576
1Mrandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 28
  - 32
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 1048576
1Mseqread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
  - 12
  - 14
  - 16
  - 20
  jobname: seqread
  mode: read
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1

```

```

- 1
- 1
- 1
- 1
- 1
  op_size: 1048576
1Mseqwrite:
  iodepth:
    - 1
    - 2
    - 3
    - 4
    - 6
    - 8
    - 10
    - 12
    - 14
    - 16
    - 20
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 1048576
256krandomread:
  iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
  jobname: randread
  mode: randread
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 262144
256krandomwrite:

```

```

iodepth:
- 1
- 2
- 3
- 4
- 5
- 8
- 16
- 24
- 32
- 64
- 128
jobname: randwrite
mode: randwrite
numjobs:
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
op_size: 262144
32krandomread:
  iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  jobname: randread
  mode: randread
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 32768
32krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8

```



```

- 16
- 24
- 32
- 64
- 128
jobname: randwrite
mode: randwrite
numjobs:
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
op_size: 32768
4krandomread:
iodepth:
- 4
- 8
- 12
- 16
- 32
- 48
- 64
- 128
- 256
- 384
jobname: randread
mode: randread
numjobs:
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
op_size: 4096
4krandomwrite:
iodepth:
- 1
- 2
- 3
- 4
- 5
- 8
- 16
- 24
- 32
- 64
- 128
jobname: randwrite
mode: randwrite
numjobs:

```

```

- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
  op_size: 4096
512krandomread:
  iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 24
    - 32
    - 40
    - 48
    - 64
  jobname: randread
  mode: randread
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 524288
512krandomwrite:
  iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 24
    - 32
    - 40
    - 48
    - 64
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1

```

```

- 1
- 1
- 1
- 1
  op_size: 524288
512kseqread:
  iodepth:
    - 1
    - 2
    - 3
    - 4
    - 6
    - 8
    - 12
    - 16
    - 20
    - 24
    - 32
  jobname: seqread
  mode: read
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 524288
512kseqwrite:
  iodepth:
    - 1
    - 2
    - 3
    - 4
    - 6
    - 8
    - 12
    - 16
    - 20
    - 24
    - 32
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 524288
64k3070:
  iodepth:

```

```

- 1
- 2
- 3
- 4
- 5
- 8
- 16
- 24
- 32
- 64
- 128
jobname: randmix
mode: randrw
numjobs:
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
op_size: 65536
rwmixread: 30
64k7030:
iodepth:
- 1
- 2
- 3
- 4
- 5
- 8
- 16
- 24
- 32
- 64
- 128
jobname: randmix
mode: randrw
numjobs:
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
op_size: 65536
rwmixread: 70
64krandomread:
iodepth:
- 2
- 4
- 6
- 8
- 12

```

```

- 16
- 24
- 32
- 64
- 128
- 256
jobname: randread
mode: randread
numjobs:
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
op_size: 65536
64krandomwrite:
  iodepth:
- 1
- 2
- 3
- 4
- 5
- 8
- 16
- 24
- 32
- 64
- 128
  jobname: randwrite
  mode: randwrite
  numjobs:
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
op_size: 65536
64kseqread:
  iodepth:
- 2
- 4
- 6
- 8
- 16
- 24
- 32
- 64
- 128
- 192
- 256
  jobname: read

```

```

mode: read
numjobs:
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
op_size: 65536
64kseqwrite:
iodepth:
- 1
- 2
- 3
- 4
- 5
- 8
- 16
- 24
- 32
- 64
- 128
jobname: write
mode: write
numjobs:
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
op_size: 65536
8krandomread:
iodepth:
- 4
- 8
- 12
- 16
- 32
- 48
- 64
- 128
- 256
- 384
jobname: randread
mode: randread
numjobs:
- 1
- 1
- 1
- 1
- 1
- 1

```

```

- 1
- 1
- 1
- 1
- 1
  op_size: 8192
8krandomwrite:
  iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 8192
precondition:
  iodepth:
    - 4
  jobname: precond1rw
  mode: randwrite
  monitor: false
  numjobs:
    - 1
  op_size: 65536
  precondition: true
seq16kread:
  iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 192
  jobname: seqread
  mode: read
  numjobs:
    - 1
    - 1
    - 1

```

```

- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
  op_size: 16384
seq16kwrite:
  iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 192
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 16384
seq256kread:
  iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 48
    - 64
  jobname: seqread
  mode: read
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1

```



```

- 1
  op_size: 262144
seq256kwrite:
  iodepth:
    - 1
    - 2
    - 3
    - 5
    - 8
    - 12
    - 16
    - 24
    - 32
    - 48
    - 64
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 262144
seq32kread:
  iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 192
  jobname: seqread
  mode: read
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 32768
seq32kwrite:
  iodepth:
    - 1
    - 2
    - 3

```

```

- 4
- 5
- 8
- 16
- 24
- 32
- 64
- 128
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 32768
seq4kread:
  iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 192
  jobname: seqread
  mode: read
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 4096
seq4kwrite:
  iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128

```

```

- 192
- 256
jobname: seqwrite
mode: write
numjobs:
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
op_size: 4096
seq8kread:
iodepth:
- 2
- 4
- 8
- 12
- 16
- 24
- 32
- 64
- 96
- 128
- 192
jobname: seqread
mode: read
numjobs:
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
op_size: 8192
seq8kwrite:
iodepth:
- 2
- 4
- 8
- 12
- 16
- 24
- 32
- 64
- 96
- 128
- 192
- 256
jobname: seqwrite
mode: write
numjobs:

```

```

    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    op_size: 8192
cluster:
  archive_dir: /tmp/cbt
  ceph_mgr_cmd: /usr/bin/ceph-mgr
  ceph_mon_cmd: /usr/bin/ceph-mon
  ceph_osd_cmd: /usr/bin/ceph-osd
  ceph_run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
    - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
      a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
      a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
    - --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: root
monitoring_profiles:
  collect1:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collect1_dir}

```

results

```

librbd fio:
  cmd_path: /usr/local/bin/fio
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
  norandommap: true
  osd_ra:
    - 4096
  poolname: rbd_replicated
  precondition_time: 600
  prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
    - 1
  ramp: 30
  time: 60
  time_based: true
  use_existing_volumes: true
  vol_size: 420000
  volumes_per_client:
    - 1
  workloads:
    16k7030:
      iodepth:
        - 1
        - 2
        - 3
        - 4
        - 5
        - 8
        - 16
        - 24
        - 32
        - 64
        - 128
      jobname: randmix
      mode: randrw
      numjobs:
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
      op_size: 16384
      rwmixread: 70
    16krandomread:
      iodepth:
        - 4
        - 8
        - 12
        - 16
        - 24

```

```

- 48
- 64
- 128
- 256
- 384
  jobname: randread
  mode: randread
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 16384
16krandomwrite:
  iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 16384
1Mrandomread:
  iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 12
    - 16
    - 20
    - 24
    - 28
    - 32
  jobname: randread
  mode: randread

```

```

  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 1048576
1Mrandomwrite:
  iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 12
    - 16
    - 20
    - 24
    - 28
    - 32
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 1048576
1Mseqread:
  iodepth:
    - 1
    - 2
    - 3
    - 4
    - 6
    - 8
    - 10
    - 12
    - 14
    - 16
    - 20
  jobname: seqread
  mode: read
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1

```

```

- 1
- 1
- 1
- 1
- 1
  op_size: 1048576
1Mseqwrite:
  iodepth:
    - 1
    - 2
    - 3
    - 4
    - 6
    - 8
    - 10
    - 12
    - 14
    - 16
    - 20
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 1048576
256krandomread:
  iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
  jobname: randread
  mode: randread
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 262144
256krandomwrite:

```



```

  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 262144
32krandomread:
  iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  jobname: randread
  mode: randread
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 32768
32krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8

```

```

- 16
- 24
- 32
- 64
- 128
jobname: randwrite
mode: randwrite
numjobs:
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
op_size: 32768
4krandomread:
iodepth:
- 4
- 8
- 12
- 16
- 32
- 48
- 64
- 128
- 256
- 384
jobname: randread
mode: randread
numjobs:
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
op_size: 4096
4krandomwrite:
iodepth:
- 1
- 2
- 3
- 4
- 5
- 8
- 16
- 24
- 32
- 64
- 128
jobname: randwrite
mode: randwrite
numjobs:

```

```

- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
  op_size: 4096
512krandomread:
  iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 24
    - 32
    - 40
    - 48
    - 64
  jobname: randread
  mode: randread
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 524288
512krandomwrite:
  iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 24
    - 32
    - 40
    - 48
    - 64
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1

```

```

- 1
- 1
- 1
- 1
  op_size: 524288
512kseqread:
  iodepth:
    - 1
    - 2
    - 3
    - 4
    - 6
    - 8
    - 12
    - 16
    - 20
    - 24
    - 32
  jobname: seqread
  mode: read
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 524288
512kseqwrite:
  iodepth:
    - 1
    - 2
    - 3
    - 4
    - 6
    - 8
    - 12
    - 16
    - 20
    - 24
    - 32
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 524288
64k3070:
  iodepth:

```

10thDec-main-4k vs cbt-20thDec-alex12-4k vs cbt-25thDec-squid1920-4k

```

- 16
- 24
- 32
- 64
- 128
- 256
  jobname: randread
  mode: randread
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 65536
64krandomwrite:
  iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 65536
64kseqread:
  iodepth:
    - 2
    - 4
    - 6
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
    - 192
    - 256
  jobname: read

```

```

mode: read
numjobs:
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
op_size: 65536
64kseqwrite:
iodepth:
- 1
- 2
- 3
- 4
- 5
- 8
- 16
- 24
- 32
- 64
- 128
jobname: write
mode: write
numjobs:
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
op_size: 65536
8krandomread:
iodepth:
- 4
- 8
- 12
- 16
- 32
- 48
- 64
- 128
- 256
- 384
jobname: randread
mode: randread
numjobs:
- 1
- 1
- 1
- 1
- 1
- 1

```

```

- 1
- 1
- 1
- 1
- 1
  op_size: 8192
8krandomwrite:
  iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 8192
precondition:
  iodepth:
    - 4
  jobname: precond1rw
  mode: randwrite
  monitor: false
  numjobs:
    - 1
  op_size: 65536
  precondition: true
seq16kread:
  iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 192
  jobname: seqread
  mode: read
  numjobs:
    - 1
    - 1
    - 1

```



```

- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
  op_size: 16384
seq16kwrite:
  iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 192
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 16384
seq256kread:
  iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 48
    - 64
  jobname: seqread
  mode: read
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1

```

```

- 1
  op_size: 262144
seq256kwrite:
  iodepth:
    - 1
    - 2
    - 3
    - 5
    - 8
    - 12
    - 16
    - 24
    - 32
    - 48
    - 64
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    op_size: 262144
seq32kread:
  iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 192
  jobname: seqread
  mode: read
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    op_size: 32768
seq32kwrite:
  iodepth:
    - 1
    - 2
    - 3

```

```

- 4
- 5
- 8
- 16
- 24
- 32
- 64
- 128
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 32768
seq4kread:
  iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 192
  jobname: seqread
  mode: read
  numjobs:
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
  op_size: 4096
seq4kwrite:
  iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128

```

```

- 192
- 256
jobname: seqwrite
mode: write
numjobs:
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
op_size: 4096
seq8kread:
iodepth:
- 2
- 4
- 8
- 12
- 16
- 24
- 32
- 64
- 96
- 128
- 192
jobname: seqread
mode: read
numjobs:
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
op_size: 8192
seq8kwrite:
iodepth:
- 2
- 4
- 8
- 12
- 16
- 24
- 32
- 64
- 96
- 128
- 192
- 256
jobname: seqwrite
mode: write
numjobs:

```

```

    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    - 1
    op_size: 8192
cluster:
  archive_dir: /tmp/cbt
  ceph_mgr_cmd: /usr/bin/ceph-mgr
  ceph_mon_cmd: /usr/bin/ceph-mon
  ceph_osd_cmd: /usr/bin/ceph-osd
  ceph_run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
    - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
      a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
      a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
    - --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: root
monitoring_profiles:
  collect1:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collect1_dir}

```