Performance Report for cbt-11thFeb-alexls20-econ4k-8vol-writesonly-finegrain

Table of contents

Summary of results for cbt-11thFeb-alexls20-econ4k-8vol-writesonly-finegrain

Workload Name	Maximum Throughput	Latency (ms)
4096B_write	5861 IOps	43.7
8192B_write	4928 IOps	51.9
16384B_write	5953 IOps	32.2
32768B_write	8047 IOps	7.9
65536B_write	200 MB/s	21.0
262144B_write	274 MB/s	2.8
524288B_write	439 MB/s	14.1
4096B_randwrite	4172 IOps	30.7
8192B_randwrite	4824 IOps	26.5
16384B_randwrite	4611 IOps	13.9
32768B_randwrite	3191 IOps	40.1
65536B_randwrite	168 MB/s	12.4
262144B_randwrite	345 MB/s	6.0
524288B_randwrite	442 MB/s	47.1
16384B_70_30_randrw	5847 IOps	21.9

Response Curves

Sequential Write

512K Sequential Write

Random Write

4K Random Write

8K Random Write

16K Random Write

32K Random Write

64K Random Write

### 256K Random Write

### 512K Random Write

Random Read/Write

16K 70/30 Random Read/Write

Configuration yaml

```
librbdfio:
  cmd_path: /usr/local/bin/fio
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
  norandommap: true
  osd_ra:
  - 4096
  poolname: rbd_replicated
  precond_time: 600
  prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
  - 1
  ramp: 30
  time: 90
  time_based: true
  use_existing_volumes: true
  vol_size: 52500
  volumes_per_client:
  - 8
  workloads:
    16k7030:
      jobname: randmix
      mode: randrw
      numjobs:
      - 1
      op_size: 16384
      rwmixread: 70
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 5
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
    16krandomwrite:
      jobname: randwrite
      mode: randwrite
      numjobs:
      - 1
      op_size: 16384
      total_iodepth:
```

Configuration yaml

```yaml
        - 1
        - 2
        - 3
        - 4
        - 5
        - 8
        - 16
        - 24
        - 32
        - 64
        - 128
    256krandomwrite:
      jobname: randwrite
      mode: randwrite
      numjobs:
      - 1
      op_size: 262144
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 5
      - 8
      - 16
      - 24
      - 32
      - 48
      - 64
      - 128
    32krandomwrite:
      jobname: randwrite
      mode: randwrite
      numjobs:
      - 1
      op_size: 32768
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 5
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
    4krandomwrite:
      jobname: randwrite
      mode: randwrite
      numjobs:
      - 1
      op_size: 4096
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 5
      - 8
      - 16
      - 24
```

Configuration yaml

```yaml
        - 32
        - 64
        - 128
    512krandomwrite:
      jobname: randwrite
      mode: randwrite
      numjobs:
      - 1
      op_size: 524288
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 5
      - 6
      - 8
      - 12
      - 16
      - 24
      - 32
      - 40
    512kseqwrite:
      jobname: seqwrite
      mode: write
      numjobs:
      - 1
      op_size: 524288
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 5
      - 6
      - 7
      - 8
      - 10
      - 12
      - 14
    64krandomwrite:
      jobname: randwrite
      mode: randwrite
      numjobs:
      - 1
      op_size: 65536
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 5
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
    64kseqwrite:
      jobname: write
      mode: write
      numjobs:
      - 1
```

Configuration yaml

```yaml
        op_size: 65536
        total_iodepth:
        - 1
        - 2
        - 3
        - 4
        - 5
        - 8
        - 16
        - 24
        - 32
        - 48
        - 64
    8krandomwrite:
      jobname: randwrite
      mode: randwrite
      numjobs:
      - 1
      op_size: 8192
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 5
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
    precondition:
      jobname: precond1rw
      mode: randwrite
      monitor: false
      numjobs:
      - 1
      op_size: 65536
      precond: true
      total_iodepth:
      - 16
    seq16kwrite:
      jobname: seqwrite
      mode: write
      numjobs:
      - 1
      op_size: 16384
      total_iodepth:
      - 2
      - 4
      - 8
      - 12
      - 16
      - 24
      - 32
      - 64
      - 96
      - 128
      - 192
    seq256kwrite:
      jobname: seqwrite
      mode: write
      numjobs:
```

Configuration yaml

```
        - 1
        op_size: 262144
        total_iodepth:
        - 1
        - 2
        - 3
        - 4
        - 5
        - 6
        - 7
        - 8
        - 10
        - 12
        - 14
      seq32kwrite:
        jobname: seqwrite
        mode: write
        numjobs:
        - 1
        op_size: 32768
        total_iodepth:
        - 1
        - 2
        - 3
        - 4
        - 5
        - 8
        - 16
        - 24
        - 32
        - 64
        - 128
      seq4kwrite:
        jobname: seqwrite
        mode: write
        numjobs:
        - 1
        op_size: 4096
        total_iodepth:
        - 2
        - 4
        - 8
        - 12
        - 16
        - 24
        - 32
        - 64
        - 96
        - 128
        - 192
        - 256
      seq8kwrite:
        jobname: seqwrite
        mode: write
        numjobs:
        - 1
        op_size: 8192
        total_iodepth:
        - 2
        - 4
        - 8
        - 12
        - 16
```

Configuration yaml

```
            - 24
            - 32
            - 64
            - 96
            - 128
            - 192
            - 256
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
      a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
      a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: root
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
```