

Comparitive Performance Report for  
cbt-5thAug-4k-o01-4+2-squid vs  
cbt-4thAug-16k-o01-4+2-ecopt2 vs  
cbt-17thAug-o01-4+2-4k-ecopt2-optoff vs  
cbt-16thAug-16k-o01-4+2-ecopt2-pdwon

# Table of contents

- Comparison summary for cbt-5thAug-4k-o01-4+2-squid vs cbt-4thAug-16k-o01-4+2-ecopt2 vs cbt-17thAug-o01-4+2-4k-ecopt2-optoff vs cbt-16thAug-16k-o01-4+2-ecopt2-pdwon
- Response Curves
  - Sequential Read
  - Sequential Write
  - Random Read
  - Random Write
  - Random Read/Write
- Configuration yaml files
  - results

Comparison summary for  
cbt-5thAug-4k-o01-4+2-squid vs  
cbt-4thAug-16k-o01-4+2-ecopt2 vs  
cbt-17thAug-o01-4+2-4k-ecopt2-optoff vs  
cbt-16thAug-16k-o01-4+2-ecopt2-pdwon

Sequential							
Read	cbt_5thAug_4k-o01-4+2-squid	cbt_4thAug_16k-o01-4+2-ecopt2	%change	cbt_17thAug_o01-4+2-4k-ecopt2-optoff	%change	cbt_16thAug_16k-o01-4+2-ecopt2-pdwon	%change
4.0K	81908@4.7ms	143642@2.7	75%	150415@2.5	84%	144251@2.7	76%
8.0K	67577@5.7ms	140289@2.7	108%	89863@4.3	33%	139797@2.7	107%
16.0K	51153@5.6ms	126594@2.3	147%	51905@5.5	1%	131862@2.2	158%
32.0K	48711@3.9ms	76709@2.5	57%	48580@3.9	-0%	78903@2.4	62%
64.0K	2675@6.3ms	2998@5.6	12%	2722@4.6	2%	2994@5.6	12%
256.0K	5814@2.9ms	5947@2.8	2%	5918@2.8	2%	6203@2.7	7%
512.0K	6157@2.7ms	6420@2.6	4%	6185@2.7	0%	6699@2.5	9%
1024.0K	5832@3.6ms	6346@3.3	9%	5752@3.6	-1%	6492@3.2	11%

Sequential							
Write	cbt_5thAug_4k-o01-4+2-squid	cbt_4thAug_16k-o01-4+2-ecopt2	%change	cbt_17thAug_o01-4+2-4k-ecopt2-optoff	%change	cbt_16thAug_16k-o01-4+2-ecopt2-pdwon	%change
4.0K	151417@10.1ms	280184@5.5	85%	149073@10.3	-2%	227544@6.7	50%
8.0K	154665@9.9ms	217309@7.1	41%	156466@9.8	1%	161376@9.5	4%
16.0K	131050@7.8ms	131110@7.8	0%	133000@7.7	1%	93602@10.9	-29%
32.0K	78224@9.8ms	79346@9.7	1%	78365@9.8	0%	55397@13.8	-29%
64.0K	2783@12.0ms	2908@11.5	4%	2800@11.9	1%	3019@11.1	8%
256.0K	3506@19.0ms	3621@18.4	3%	3467@19.2	-1%	3794@17.6	8%
512.0K	3562@18.6ms	3809@17.4	7%	3559@18.6	-0%	3994@16.5	12%
1024.0K	4308@30.7ms	4645@35.6	8%	4299@30.7	-0%	4856@34.0	13%


Random							
Read	cbt_5thAug_4k-o01-4+2-squid	cbt_4thAug_16k-o01-4+2-ecopt2	%change	cbt_17thAug_o01-4+2-4k-ecopt2-optoff	%change	cbt_16thAug_16k-o01-4+2-ecopt2-pdwon	%change
4.0K	53372@14.4ms	125142@6.1	134%	128714@6.0	141%	125194@6.1	135%
8.0K	53802@14.3ms	118048@6.5	119%	89969@6.5	67%	113337@6.8	111%
16.0K	53274@11.0ms	110136@5.3	107%	54173@10.9	2%	109412@5.4	105%
32.0K	48583@2.6ms	70582@3.6	45%	49080@7.8	1%	69601@5.5	43%
64.0K	2926@5.7ms	2749@6.1	-6%	2899@5.8	-1%	2678@9.4	-8%
256.0K	6280@5.3ms	5778@5.8	-8%	6279@5.3	-0%	6138@5.5	-2%
512.0K	7318@4.6ms	7132@4.7	-3%	7490@4.5	2%	7350@4.6	0%
1024.0K	7028@4.8ms	7381@4.5	5%	7073@4.7	1%	7614@4.4	8%


Random							
Write	cbt_5thAug_4k-o01-4+2-squid	cbt_4thAug-16k-o01-4+2-ecopt2	%change	cbt_17thAug_o01-4+2-4k-ecopt2-optoff	%change	cbt_16thAug-16k-o01-4+2-ecopt2-pdwon	%change
4.0K	14381@8.9ms	18916@40.6	32%	14479@8.8	1%	19987@12.8	39%
8.0K	13490@28.4ms	17888@42.9	33%	13623@9.4	1%	19744@38.9	46%
16.0K	16340@31.3ms	17659@14.5	8%	15892@32.2	-3%	18701@27.4	14%
32.0K	15972@32.0ms	15931@24.1	-0%	15739@32.5	-1%	15249@25.1	-5%
64.0K	1108@22.7ms	890@9.4	-20%	1075@15.6	-3%	977@25.7	-12%
256.0K	2853@23.4ms	2623@25.5	-8%	2773@24.1	-3%	2939@22.7	3%
512.0K	3623@9.0ms	3507@9.3	-3%	3586@9.1	-1%	3844@8.5	6%
1024.0K	4264@11.3ms	4309@11.2	1%	4229@11.5	-1%	4550@10.5	7%

Random							
Read/Write	cbt_5thAug_4k-o01-4+2-squid	cbt_4thAug-16k-o01-4+2-ecopt2	%change	cbt_17thAug_o01-4+2-4k-ecopt2-optoff	%change	cbt_16thAug-16k-o01-4+2-ecopt2-pdwon	%change
4.0K_70/30	24698@15.5ms	39936@6.4	62%	32290@4.0	31%	42889@9.0	74%
16.0K_70/30	25335@2.5ms	36732@7.0	45%	26063@4.9	3%	39665@6.4	57%
64.0K_70/30	1621@5.2ms	1415@11.8	-13%	1651@5.1	2%	1444@5.8	-11%
64.0K_30/70	1215@6.9ms	968@6.5	-20%	1240@13.5	2%	1022@16.4	-16%


# Response Curves


## Sequential Read







## Sequential Write






Random Read







Random Write







Random Read/Write



# Configuration yaml files

Only yaml files that differ by more than 20 lines from the yaml file for the baseline directory will be added here in addition to the baseline yaml

## results

```

librbd fio:
  cmd_path: /usr/local/bin/fio
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
  norandommap: true
  osd_ra:
    - 4096
  poolname: rbd_replicated
  prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
    - 1
  ramp: 30
  rbdname: cbt-librbd fio
  time: 90
  time_based: true
  use_existing_volumes: true
  vol_size: 1204500
  volumes_per_client:
    - 16
  workloads:
    16k7030:
      jobname: randmix
      mode: randrw
      numjobs:
        - 1
      op_size: 16384
      rwmixread: 70
      total_iodepth:
        - 1
        - 2
        - 3
        - 4
        - 8
        - 16
        - 24
        - 32
        - 64
        - 128
        - 256
    16k randomread:
      jobname: randread
      mode: randread
      numjobs:
        - 1
      op_size: 16384
      total_iodepth:
        - 4
        - 8
        - 12
        - 16
        - 24
        - 48
        - 64
        - 128
        - 256
        - 384

```

```

- 588
16krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
1Mrandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 28
  - 32
1Mrandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 16
  - 24
  - 32
  - 48
1Mseqread:
  jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 1048576
  total_iodepth:

```

```

- 1
- 2
- 3
- 4
- 6
- 8
- 10
- 12
- 14
- 16
- 20
1Mseqwrite:
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
  op_size: 1048576
  total_iodepth:
    - 2
    - 4
    - 6
    - 8
    - 16
    - 32
    - 48
    - 64
    - 96
    - 128
    - 160
256krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 262144
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
256krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
  op_size: 262144
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 32
    - 64

```

```

- 96
- 128
- 256
32krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 32768
  total_iodepth:
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
32krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
  op_size: 32768
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 32
    - 64
    - 128
    - 256
    - 384
    - 512
4k7030:
  jobname: randmix
  mode: randrw
  numjobs:
    - 1
  op_size: 4096
  rwmixread: 70
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 384
4krandomread:
  jobname: randread
  mode: randread

```

```

numjobs:
- 1
op_size: 4096
total_iodepth:
- 4
- 8
- 12
- 16
- 32
- 48
- 64
- 128
- 256
- 384
- 588
- 768
4krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
  - 768
512krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 40
  - 48
  - 64
512krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4

```



```

- 5
- 6
- 8
- 16
- 24
- 32
- 48
- 64
512kseqread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 524288
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 6
    - 8
    - 12
    - 16
    - 20
    - 24
    - 32
512kseqwrite:
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
  op_size: 524288
  total_iodepth:
    - 1
    - 2
    - 4
    - 6
    - 8
    - 16
    - 32
    - 48
    - 64
    - 96
    - 128
64k3070:
  jobname: randmix
  mode: randrw
  numjobs:
    - 1
  op_size: 65536
  rwmixread: 30
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 32
    - 64
    - 96
    - 128
    - 256

```

```

64k7030:
  jobname: randmix
  mode: randrw
  numjobs:
    - 1
  op_size: 65536
  rwmixread: 70
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 32
    - 64
    - 96
    - 128
    - 256
64krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 65536
  total_iodepth:
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
64krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
  op_size: 65536
  total_iodepth:
    - 2
    - 4
    - 6
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 384
64kseqread:
  jobname: read
  mode: read
  numjobs:
    - 1
  op_size: 65536
  total_iodepth:
    - 2

```

```

- 4
- 6
- 8
- 16
- 24
- 32
- 64
- 128
- 192
- 256
64kseqwrite:
  jobname: write
  mode: write
  numjobs:
    - 1
  op_size: 65536
  total_iodepth:
    - 4
    - 8
    - 12
    - 16
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384
    - 512
8krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 8192
  total_iodepth:
    - 4
    - 8
    - 12
    - 16
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384
    - 588
    - 768
8krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
  op_size: 8192
  total_iodepth:
    - 2
    - 4
    - 8
    - 16
    - 32
    - 64
    - 128
    - 256
    - 384

```

```

- 512
- 768
precondition:
  jobname: preconditionrw
  mode: randwrite
  monitor: false
  numjobs:
    - 1
  op_size: 65536
  time: 600
  total_iodepth:
    - 16
seq16kread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 16384
  total_iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 192
    - 288
seq16kwrite:
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
  op_size: 16384
  total_iodepth:
    - 2
    - 4
    - 8
    - 16
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384
    - 512
    - 768
    - 1024
seq256kread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 262144
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5

```



```

- 1
op_size: 4096
total_iodepth:
- 2
- 4
- 8
- 12
- 16
- 24
- 32
- 64
- 96
- 128
- 192
- 288
- 384
seq4kwrite:
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 2
  - 8
  - 16
  - 24
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 512
  - 768
  - 1024
  - 1280
  - 1536
seq8kread:
  jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 8192
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  - 288
  - 384
seq8kwrite:
  jobname: seqwrite
  mode: write
  numjobs:
  - 1

```

```

    op_size: 8192
    total_iodepth:
      - 2
      - 8
      - 16
      - 24
      - 32
      - 48
      - 64
      - 128
      - 256
      - 384
      - 512
      - 768
      - 1024
      - 1280
      - 1536
cluster:
  archive_dir: /tmp/cbt
  ceph_mgr_cmd: /usr/bin/ceph-mgr
  ceph_mon_cmd: /usr/bin/ceph-mon
  ceph_osd_cmd: /usr/bin/ceph-osd
  ceph_run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
    - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
      a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
      a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
    - --- server1 ---
  osds_per_node: 8
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: ljsanders
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -FO --rawtoo --sep "," -f {collectl_dir}

librbdfio:
  cmd_path: /usr/local/bin/fio
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
  norandommap: true
  osd_ra:
    - 4096
  poolname: rbd_replicated

```

```

prefill:
  blocksize: 64k
  numjobs: 1
procs_per_volume:
- 1
ramp: 30
rbdname: cbt-librbd fio
time: 90
time_based: true
use_existing_volumes: true
vol_size: 1204500
volumes_per_client:
- 16
workloads:
  16k7030:
    jobname: randmix
    mode: randrw
    numjobs:
      - 1
    op_size: 16384
    rwmixread: 70
    total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
  16krandomread:
    jobname: randread
    mode: randread
    numjobs:
      - 1
    op_size: 16384
    total_iodepth:
      - 4
      - 8
      - 12
      - 16
      - 24
      - 48
      - 64
      - 128
      - 256
      - 384
      - 588
  16krandomwrite:
    jobname: randwrite
    mode: randwrite
    numjobs:
      - 1
    op_size: 16384
    total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8

```



```

- 16
- 32
- 64
- 128
- 256
- 384
- 512
1Mrandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 1048576
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 12
    - 16
    - 20
    - 24
    - 28
    - 32
1Mrandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
  op_size: 1048576
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 6
    - 8
    - 16
    - 24
    - 32
    - 48
1Mseqread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 1048576
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 6
    - 8
    - 10
    - 12
    - 14
    - 16
    - 20
1Mseqwrite:
  jobname: seqwrite

```

```

mode: write
numjobs:
- 1
op_size: 1048576
total_iodepth:
- 2
- 4
- 6
- 8
- 16
- 32
- 48
- 64
- 96
- 128
- 160
256krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
256krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 32
  - 64
  - 96
  - 128
  - 256
32krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 2
  - 4
  - 6

```

```

- 8
- 12
- 16
- 24
- 32
- 64
- 128
- 256
32krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
  op_size: 32768
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 32
    - 64
    - 128
    - 256
    - 384
    - 512
4k7030:
  jobname: randmix
  mode: randrw
  numjobs:
    - 1
  op_size: 4096
  rwmixread: 70
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 384
4krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 4096
  total_iodepth:
    - 4
    - 8
    - 12
    - 16
    - 32
    - 48
    - 64
    - 128
    - 256

```

```

- 384
- 588
- 768
4krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
  op_size: 4096
  total_iodepth:
    - 2
    - 4
    - 8
    - 16
    - 32
    - 64
    - 128
    - 256
    - 384
    - 512
    - 768
512krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 524288
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 24
    - 32
    - 40
    - 48
    - 64
512krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
  op_size: 524288
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 6
    - 8
    - 16
    - 24
    - 32
    - 48
    - 64
512kseqread:
  jobname: seqread
  mode: read
  numjobs:
    - 1

```

cbt-5thAug-4k-o01-4+2-squid vs cbt-4thAug-16k-o01-4+2-ecopt2 vs cbt-17thAug-o01-4+2-4k-ecopt2-Aptgffw19, 2025  
cbt-16thAug-16k-o01-4+2-ecopt2-pdwon

```

- 16
- 32
- 64
- 96
- 128
- 256
64krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 65536
  total_iodepth:
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
64krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
  op_size: 65536
  total_iodepth:
    - 2
    - 4
    - 6
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 384
64kseqread:
  jobname: read
  mode: read
  numjobs:
    - 1
  op_size: 65536
  total_iodepth:
    - 2
    - 4
    - 6
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
    - 192
    - 256
64kseqwrite:
  jobname: write
  mode: write

```

```

  numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 512
8krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 8192
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 588
  - 768
8krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 8192
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
  - 768
precondition:
  jobname: precond1rw
  mode: randwrite
  monitor: false
  numjobs:
  - 1
  op_size: 65536
  time: 600
  total_iodepth:
  - 16
seq16kread:

```

```

  jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  - 288
seq16kwrite:
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 512
  - 768
  - 1024
seq256kread:
  jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 48
  - 64
seq256kwrite:
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  op_size: 262144
  total_iodepth:

```



```

- 1
- 2
- 4
- 8
- 16
- 24
- 32
- 64
- 96
- 128
- 256
seq32kread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 32768
  total_iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 192
seq32kwrite:
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
  op_size: 32768
  total_iodepth:
    - 2
    - 4
    - 8
    - 16
    - 32
    - 64
    - 128
    - 256
    - 512
    - 768
seq4kread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 4096
  total_iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128

```

```

- 192
- 288
- 384
seq4kwrite:
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
  op_size: 4096
  total_iodepth:
    - 2
    - 8
    - 16
    - 24
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384
    - 512
    - 768
    - 1024
    - 1280
    - 1536
seq8kread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 8192
  total_iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 192
    - 288
    - 384
seq8kwrite:
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
  op_size: 8192
  total_iodepth:
    - 2
    - 8
    - 16
    - 24
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384
    - 512

```

```

- 768
- 1024
- 1280
- 1536
cluster:
  archive_dir: /tmp/cbt
  ceph_mgr_cmd: /usr/bin/ceph-mgr
  ceph_mon_cmd: /usr/bin/ceph-mon
  ceph_osd_cmd: /usr/bin/ceph-osd
  ceph_run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
    - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
      a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
      a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
    - --- server1 ---
  osds_per_node: 8
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: ljsanders
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}

```