

# Performance Report for cbt-21stJul-16k-ecopt2-o01-6+2

# Table of contents


- Summary of results for cbt-21stJul-16k-ecopt2-o01-6+2
- Response Curves
  - Sequential Read
  - Sequential Write
  - Random Read
  - Random Write
  - Random Read/Write
- Configuration yaml


# Summary of results for cbt-21stJul-16k-ecopt2-o01-6+2

| Workload Name      | Maximum Throughput | Latency (ms) |
|--------------------|--------------------|--------------|
| 4096_read          | 166304 IOps        | 2.3          |
| 8192_read          | 156712 IOps        | 2.4          |
| 16384_read         | 141870 IOps        | 2.0          |
| 32768_read         | 70975 IOps         | 0.9          |
| 65536_read         | 3127 MB/s          | 5.4          |
| 262144_read        | 5308 MB/s          | 3.2          |
| 524288_read        | 5978 MB/s          | 2.8          |
| 1048576_read       | 6075 MB/s          | 3.4          |
| 4096_write         | 251582 IOps        | 6.1          |
| 8192_write         | 197830 IOps        | 7.8          |
| 16384_write        | 121671 IOps        | 8.4          |
| 32768_write        | 75069 IOps         | 10.2         |
| 65536_write        | 2643 MB/s          | 12.7         |
| 262144_write       | 3358 MB/s          | 19.9         |
| 524288_write       | 3482 MB/s          | 19.0         |
| 1048576_write      | 4217 MB/s          | 31.3         |
| 4096_randread      | 104956 IOps        | 7.3          |
| 8192_randread      | 97845 IOps         | 7.8          |
| 16384_randread     | 93194 IOps         | 6.3          |
| 32768_randread     | 61517 IOps         | 4.2          |
| 65536_randread     | 2613 MB/s          | 6.4          |
| 262144_randread    | 4871 MB/s          | 6.9          |
| 524288_randread    | 6265 MB/s          | 5.3          |
| 1048576_randread   | 6952 MB/s          | 4.8          |
| 4096_randwrite     | 23534 IOps         | 32.7         |
| 8192_randwrite     | 22352 IOps         | 34.3         |
| 16384_randwrite    | 20834 IOps         | 24.6         |
| 32768_randwrite    | 15298 IOps         | 25.1         |
| 65536_randwrite    | 825 MB/s           | 30.5         |
| 262144_randwrite   | 2131 MB/s          | 31.4         |
| 524288_randwrite   | 2920 MB/s          | 11.2         |
| 1048576_randwrite  | 3894 MB/s          | 8.2          |
| 4096_70_30_randrw  | 46905 IOps         | 8.2          |
| 16384_70_30_randrw | 41226 IOps         | 6.2          |
| 65536_70_30_randrw | 1451 MB/s          | 11.5         |
| 65536_30_70_randrw | 997 MB/s           | 16.8         |


# Response Curves


## Sequential Read







Sequential Write











Random Read











## Random Write







## Random Read/Write



# Configuration yaml

```

librbd fio:
  cmd_path: /usr/local/bin/fio
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
  norandommap: true
  osd_ra:
    - 4096
  poolname: rbd_replicated
  prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
    - 1
  ramp: 30
  rbdname: cbt-librbd fio
  time: 90
  time_based: true
  use_existing_volumes: true
  vol_size: 1368750
  volumes_per_client:
    - 16
  workloads:
    16k7030:
      jobname: randmix
      mode: randrw
      numjobs:
        - 1
      op_size: 16384
      rwmixread: 70
      total_iodepth:
        - 1
        - 2
        - 3
        - 4
        - 8
        - 16
        - 24
        - 32
        - 64
        - 128
        - 256
    16k randomread:
      jobname: randread
      mode: randread
      numjobs:
        - 1
      op_size: 16384
      total_iodepth:

```

```

- 4
- 8
- 12
- 16
- 24
- 48
- 64
- 128
- 256
- 384
- 588
16krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
  op_size: 16384
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 32
    - 64
    - 128
    - 256
    - 384
    - 512
1Mrandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 1048576
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 12
    - 16
    - 20
    - 24
    - 28
    - 32
1Mrandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
  op_size: 1048576
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 6
    - 8
    - 16

```

```

- 24
- 32
- 48
1Mseqread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 1048576
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 6
    - 8
    - 10
    - 12
    - 14
    - 16
    - 20
1Mseqwrite:
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
  op_size: 1048576
  total_iodepth:
    - 2
    - 4
    - 6
    - 8
    - 16
    - 32
    - 48
    - 64
    - 96
    - 128
    - 160
256krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 262144
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
256krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
  op_size: 262144

```

```

    total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 5
      - 8
      - 16
      - 32
      - 64
      - 96
      - 128
      - 256
32krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 32768
  total_iodepth:
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
32krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
  op_size: 32768
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 32
    - 64
    - 128
    - 256
    - 384
    - 512
4k7030:
  jobname: randmix
  mode: randrw
  numjobs:
    - 1
  op_size: 4096
  rwmixread: 70
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8

```

```

- 16
- 24
- 32
- 64
- 128
- 256
- 384
4krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 4096
  total_iodepth:
    - 4
    - 8
    - 12
    - 16
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384
    - 588
    - 768
4krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
  op_size: 4096
  total_iodepth:
    - 2
    - 4
    - 8
    - 16
    - 32
    - 64
    - 128
    - 256
    - 384
    - 512
    - 768
512krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 524288
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 24
    - 32
    - 40
    - 48
    - 64
512krandomwrite:

```

```

  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
  op_size: 524288
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 6
    - 8
    - 16
    - 24
    - 32
    - 48
    - 64
512kseqread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 524288
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 6
    - 8
    - 12
    - 16
    - 20
    - 24
    - 32
512kseqwrite:
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
  op_size: 524288
  total_iodepth:
    - 1
    - 2
    - 4
    - 6
    - 8
    - 16
    - 32
    - 48
    - 64
    - 96
    - 128
64k3070:
  jobname: randmix
  mode: randrw
  numjobs:
    - 1
  op_size: 65536
  rwmixread: 30
  total_iodepth:
    - 1

```

```

- 2
- 3
- 4
- 8
- 16
- 32
- 64
- 96
- 128
- 256
64k7030:
  jobname: randmix
  mode: randrw
  numjobs:
    - 1
  op_size: 65536
  rwmixread: 70
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 32
    - 64
    - 96
    - 128
    - 256
64krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 65536
  total_iodepth:
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
64krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
  op_size: 65536
  total_iodepth:
    - 2
    - 4
    - 6
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128

```



```

- 256
- 384
64kseqread:
  jobname: read
  mode: read
  numjobs:
    - 1
  op_size: 65536
  total_iodepth:
    - 2
    - 4
    - 6
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
    - 192
    - 256
64kseqwrite:
  jobname: write
  mode: write
  numjobs:
    - 1
  op_size: 65536
  total_iodepth:
    - 4
    - 8
    - 12
    - 16
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384
    - 512
8krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 8192
  total_iodepth:
    - 4
    - 8
    - 12
    - 16
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384
    - 588
    - 768
8krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
  op_size: 8192

```

```

    total_iodepth:
      - 2
      - 4
      - 8
      - 16
      - 32
      - 64
      - 128
      - 256
      - 384
      - 512
      - 768
  precondition:
    jobname: precond1rw
    mode: randwrite
    monitor: false
    numjobs:
      - 1
    op_size: 65536
    time: 600
    total_iodepth:
      - 16
  seq16kread:
    jobname: seqread
    mode: read
    numjobs:
      - 1
    op_size: 16384
    total_iodepth:
      - 2
      - 4
      - 8
      - 12
      - 16
      - 24
      - 32
      - 64
      - 96
      - 128
      - 192
      - 288
  seq16kwrite:
    jobname: seqwrite
    mode: write
    numjobs:
      - 1
    op_size: 16384
    total_iodepth:
      - 2
      - 4
      - 8
      - 16
      - 32
      - 48
      - 64
      - 128
      - 256
      - 384
      - 512
      - 768
      - 1024
  seq256kread:
    jobname: seqread

```

```

mode: read
numjobs:
- 1
op_size: 262144
total_iodepth:
- 1
- 2
- 3
- 4
- 5
- 8
- 16
- 24
- 32
- 48
- 64
seq256kwrite:
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 4
  - 8
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 256
seq32kread:
  jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
seq32kwrite:
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 2
  - 4
  - 8
  - 16

```

```

- 32
- 64
- 128
- 256
- 512
- 768
seq4kread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 4096
  total_iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 192
    - 288
    - 384
seq4kwrite:
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
  op_size: 4096
  total_iodepth:
    - 2
    - 8
    - 16
    - 24
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384
    - 512
    - 768
    - 1024
    - 1280
    - 1536
seq8kread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 8192
  total_iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64

```

```

- 96
- 128
- 192
- 288
- 384
seq8kwrite:
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
  op_size: 8192
  total_iodepth:
    - 2
    - 8
    - 16
    - 24
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384
    - 512
    - 768
    - 1024
    - 1280
    - 1536
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
    - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
      a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
      a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
    - --- server1 ---
  osds_per_node: 8
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: ljsanders
monitoring_profiles:
  collect1:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep "," -f {collect1_dir}

```