Comparitive Performance Report for cbt-7thApr-4k-ecopt2-o01-pdwauto-6+2 vs cbt-11thApr-4k-ecopt2-pdwauto

Table of contents

- $\bullet \quad Comparison \ summary \ for \ cbt-7th Apr-4k-ecopt 2-o01-pd wauto-6+2 \ vs \ cbt-11th Apr-4k-ecopt 2-pd wauto-6+2 \ wauto$
- Response Curves
 - Sequential Read
 - Sequential Write
 - Random Read
 - Random Write
 - Random Read/Write
- Configuration yaml files
 - results

Comparison summary for cbt-7thApr-4k-ecopt2-o01-pdwauto-6+2 vs cbt-11thApr-4k-ecopt2-pdwauto

Sequential Read	cbt_7thApr_4k_ecopt2 <u>cl</u> xt0 <u>111</u> ptlixtputo4k6-e2opt2%chlxxxxctchroughput			%change latency
4K	108873 IOps@2.2ms	106946 IOps@2.2ms	-2%	0%
8K	66391 IOps@3.6ms	66473 IOps@2.7ms	0%	-25%
16K	38092 IOps@4.7ms	38443 IOps@4.7ms	1%	0%
32K	26035 IOps@4.6ms	25949 IOps@4.6ms	-0%	0%
64K	1482 MB/s@5.3ms	1468 MB/s@3.6ms	-1%	-32%
256K	3312 MB/s@3.2 ms	3209 MB/s@3.3ms	-3%	3%
512K	3890 MB/s@2.4ms	3865 MB/s@2.4ms	-1%	0%
1024K	4240 MB/s@2.5ms	4113 MB/s@2.5 ms	-3%	0%

Sequential Write	cbt_7thApr_4k_ecopt2 <u>cl</u> w10 <u>111</u> ptlAputo1k6_e2opt2%_chdwwget6hroughput			%change latency
$\overline{ m 4K}$	120742 IOps@5.3ms	150938 IOps@6.4ms	25%	21%
8K	$112090 \; IOps@7.1ms$	121525 IOps@7.9ms	8%	11%
16K	52930 IOps@6.0ms	70707 IOps@9.0ms	34%	50%
32K	40842 IOps@11.7ms	41534 IOps@11.5ms	2%	-2%
64K	1532 MB/s@13.7 ms	1508 MB/s@13.9 ms	-2%	1%
256K	1999 MB/s@20.9 ms	1949 MB/s@21.4ms	-3%	2%
512K	2090 MB/s = 19.8 ms	2035 MB/s@20.4ms	-3%	3%
1024K	2659 MB/s@38.9 ms	2490 MB/s@41.6ms	-6%	7%


Random Read	cbt_7thApr_4k_ecopt2 <u>cln0111ptlApnuto4k6-</u> e2opt2 <u>%</u> chdangetthroughput			%change latency
$\overline{4K}$	76373 IOps@6.3ms	67857 IOps@7.1ms	-11%	13%
8K	47236 IOps@10.2ms	45777 IOps@8.1ms	-3%	-21%
16K	29980 IOps@12.3ms	29179 IOps@12.7ms	-3%	3%
32K	21400 IOps@7.5ms	20856 IOps@7.7ms	-3%	3%
64K	1277 MB/s@8.2ms	1228 MB/s@8.5ms	-4%	4%
256K	3004 MB/s@7.0ms	2948 MB/s@7.1ms	-2%	1%
512K	4137 MB/s@3.5ms	4010 MB/s@3.6ms	-3%	3%
1024K	4537 MB/s@4.1ms	4316 MB/s@4.4ms	-5%	7%

Random Write	cbt_7thApr_4k_ecopt2 <u>cbt0111pthAputo4k6+e</u> 2opt2% <u>chdange</u> tthroughput			%change latency
4K	15288 IOps@31.4ms	10468 IOps@45.8ms	-32%	46%
8K	13160 IOps@36.5ms	9722 IOps@49.3ms	-26%	35%
16K	10539 IOps@30.3ms	8946 IOps@35.7ms	-15%	18%
32K	8324 IOps@38.4ms	7763 IOps@41.2ms	-7%	7%
64K	510 MB/s@30.8 ms	477 MB/s@32.9ms	-6%	7%
256K	1370 MB/s = 30.5 ms	1330 MB/s = 31.4 ms	-3%	3%
512K	1887 MB/s@4.8 ms	1816 MB/s@5.0 ms	-4%	4%
1024K	$2697~\mathrm{MB/s@6.6ms}$	2658 MB/s = 6.7 ms	-1%	2%


Random Read/Write	$cbt_7thApr_4k_ecopt2$	${ m cho}$ ប ${ m 111}$ ស្វៅ ${ m Arapu}$ to ${ m 4k6-e}$ 2 ${ m opt}$ 2 ${ m 2}$	%chdwyctthroughput	%change latency
4K_70/30	32801 IOps@7.3ms	25496 IOps@9.4ms	-22%	29%
$16K_{20}/30$	19070 IOps@8.4ms	16324 IOps@9.8ms	-14%	17%
$64K_30/70$	596 MB/s@17.5 ms	554 MB/s@18.9ms	-7%	8%
$64 \text{K}_{-}70/30$	884 MB/s@11.8 ms	767 MB/s@13.7 ms	-13%	16%


Response Curves

Sequential Read





Response Curves Sequential Write







Sequential Write












Response Curves Random Read




Random Read






Response Curves Random Write





Random Write

Response Curves Random Write




Response Curves Random Read/Write





Random Read/Write



Configuration yaml files

Only yaml files that differ by more than 20 lines from the yaml file for the baseline directory will be added here in addition to the baseline yaml

results

```
librbdfio:
  cmd_path: /usr/local/bin/fio
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
 norandommap: true
  osd_ra:
  - 4096
 poolname: rbd_replicated
 prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
  - 1
  ramp: 30
  time: 90
  time_based: true
  use_existing_volumes: true
  vol_size: 1368750
  volumes_per_client:
  - 16
  workloads:
    16k7030:
      jobname: randmix
      mode: randrw
      numjobs:
      - 1
      op_size: 16384
      rwmixread: 70
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
    16krandomread:
      jobname: randread
      mode: randread
      numjobs:
      - 1
      op_size: 16384
      total_iodepth:
      - 4
      - 8
      - 12
      - 16
      - 24
      - 48
      - 64
      - 128
      - 256
      - 384
      - 588
```

```
16krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
 - 64
  - 128
  - 256
  - 384
  - 512
1Mrandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 28
  - 32
1Mrandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 16
  - 24
 - 32
  - 48
1Mseqread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
```

- 2 - 3 - 4 - 6 - 8 - 10 - 12 - 14 - 16 - 20 1Mseqwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 1048576 total_iodepth: - 2 - 4 - 6 - 8 - 16 - 32 - 48 - 64 - 96 - 128 - 160 256krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 262144 total_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 256krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 262144 ${\tt total_iodepth:}$ - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 32 - 64

- 96

- 128 - 256 32krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 32768 total_iodepth: - 4 - 6 - 8 - 12 - 16 - 24 - 32 - 64 - 128 - 256 32krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 32768 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512 4k7030: jobname: randmix mode: randrw numjobs: - 1 op_size: 4096 rwmixread: 70 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 64 - 128 - 256 - 384 4krandomread: jobname: randread mode: randread

numjobs:

```
- 1
  op_size: 4096
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 588
  - 768
4krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 4096
 total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
 - 384
  - 512
  - 768
512krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 40
  - 48
  - 64
512krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 524288
 total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
```

- 6 - 8 - 16 - 24 - 32 - 48 - 64 512kseqread: jobname: seqread mode: read numjobs: - 1 op_size: 524288 total_iodepth: - 1 - 2 - 3 - 4 - 6 - 8 - 12 - 16 - 20 - 24 - 32 512kseqwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 524288 total_iodepth: - 1 - 2 - 4 - 6 - 8 - 16 - 32 - 48 - 64 - 96 - 128 64k3070: jobname: randmix mode: randrw numjobs: - 1 op_size: 65536 rwmixread: 30 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64 - 96 - 128 - 256

64k7030:

```
jobname: randmix
 mode: randrw
 numjobs:
  - 1
  op_size: 65536
 rwmixread: 70
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
 - 96
  - 128
  - 256
64 krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
64krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
 - 256
  - 384
64kseqread:
  jobname: read
 mode: read
 numjobs:
  - 1
 op_size: 65536
 total_iodepth:
  - 2
  - 4
```

- 6 - 8 - 16 - 24 - 32 - 64 - 128 - 192 - 256 64kseqwrite: jobname: write mode: write numjobs: - 1 op_size: 65536 total_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 - 384 - 512 8krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 8192 total_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 - 384 - 588 - 768 8krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 8192 total_iodepth: - 2 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384

- 512

```
- 768
precondition:
  jobname: precond1rw
 mode: randwrite
 monitor: false
 numjobs:
  - 1
  op_size: 65536
  time: 600
  total_iodepth:
  - 16
seq16kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  - 288
seq16kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 16384
 total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 48
  - 64
  - 128
 - 256
  - 384
  - 512
seq256kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
```

- 32 - 48 - 64 seq256kwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 262144 total_iodepth: - 1 - 2 - 4 - 8 - 16 - 24 - 32 - 64 - 96 - 128 - 256 seq32kread: jobname: seqread mode: read numjobs: - 1 op_size: 32768 total_iodepth: - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 seq32kwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 32768 total_iodepth: - 2 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 512 - 768 seq4kread: jobname: seqread mode: read numjobs: - 1 op_size: 4096 total_iodepth:

- 2 - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 - 288 - 384 seq4kwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 4096 total_iodepth: - 2 - 8 - 16 - 24 - 32 - 48 - 64 - 128 - 256 - 384 - 512 - 768 - 1024 seq8kread: jobname: seqread mode: read numjobs: - 1 op_size: 8192 total_iodepth: - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 - 288 - 384 seq8kwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 8192 total_iodepth: - 2 - 8 - 16

```
- 24
        - 32
        - 48
        - 64
        - 128
        - 256
        - 384
        - 512
        - 768
        - 1024
        - 1280
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
      a: null
  mkfs_opts: -f -i size=2048
  mons:
   --- server1 ---:
      a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: ljsanders
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
  librbdfio:
    cmd_path: /usr/local/bin/fio
    fio_out_format: json
    log_avg_msec: 100
    log_bw: true
    log_iops: true
    log_lat: true
   norandommap: true
    osd_ra:
    - 4096
   poolname: rbd_replicated
    prefill:
      blocksize: 64k
      numjobs: 1
    procs_per_volume:
    - 1
    ramp: 30
```

```
time: 90
time_based: true
use_existing_volumes: true
vol_size: 1368750
volumes_per_client:
- 16
workloads:
  16k7030:
    jobname: randmix
    mode: randrw
    numjobs:
    - 1
    op_size: 16384
    rwmixread: 70
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
  16krandomread:
    jobname: randread
    mode: randread
    numjobs:
    - 1
    op_size: 16384
    total_iodepth:
    - 4
    - 8
    - 12
    - 16
    - 24
    - 48
    - 64
    - 128
    - 256
    - 384
    - 588
  16krandomwrite:
    jobname: randwrite
    mode: randwrite
    numjobs:
    - 1
    op_size: 16384
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 32
    - 64
    - 128
    - 256
    - 384
    - 512
```

```
1Mrandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
 - 20
  - 24
  - 28
  - 32
1Mrandomwrite:
 jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 16
  - 24
  - 32
  - 48
1Mseqread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
  - 12
  - 14
 - 16
  - 20
1Mseqwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 1048576
 total_iodepth:
  - 2
  - 4
```

- 6 - 8 - 16 - 32 - 48 - 64 - 96 - 128 - 160 256krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 262144 total_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 256krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 262144 total_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 32 - 64 - 96 - 128 - 256 32krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 32768 total_iodepth: - 2 - 4 - 6 - 8 - 12 - 16 - 24 - 32 - 64

- 128

```
- 256
32krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 32768
  total_iodepth:
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
4k7030:
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
 op_size: 4096
 rwmixread: 70
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
 - 256
  - 384
4krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
 - 64
  - 128
  - 256
  - 384
  - 588
  - 768
4krandomwrite:
  jobname: randwrite
 mode: randwrite
  numjobs:
```

```
- 1
  op_size: 4096
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
 - 512
  - 768
512krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 40
  - 48
  - 64
512krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
 - 1
 op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 16
  - 24
  - 32
  - 48
  - 64
512kseqread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 524288
 total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
```

- 8 - 12 - 16 - 20 - 24 - 32 512kseqwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 524288 total_iodepth: - 1 - 2 - 4 - 6 - 8 - 16 - 32 - 48 - 64 - 96 - 128 64k3070: jobname: randmix mode: randrw numjobs: - 1 op_size: 65536 rwmixread: 30 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64 - 96 - 128 - 256 64k7030: jobname: randmix mode: randrw numjobs: - 1 op_size: 65536 rwmixread: 70 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64 - 96 - 128 - 256

64krandomread:

```
jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
 - 64
  - 128
  - 256
64krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 384
64kseqread:
  jobname: read
 mode: read
 numjobs:
  - 1
 op_size: 65536
 total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 192
  - 256
64kseqwrite:
  jobname: write
 mode: write
 numjobs:
  - 1
  op_size: 65536
  {\tt total\_iodepth:}
  - 4
  - 8
  - 12
```

- 16 - 32 - 48 - 64 - 128 - 256 - 384 - 512 8krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 8192 total_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 - 384 - 588 - 768 8krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 8192 total_iodepth: - 2 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512 - 768 precondition: jobname: precond1rw mode: randwrite monitor: false numjobs: - 1 op_size: 65536 time: 600 total_iodepth: - 16 seq16kread: jobname: seqread mode: read numjobs: - 1 op_size: 16384 total_iodepth: - 2

- 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 - 288 seq16kwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 16384 total_iodepth: - 2 - 4 - 8 - 16 - 32 - 48 - 64 - 128 - 256 - 384 - 512 seq256kread: jobname: seqread mode: read numjobs: - 1 op_size: 262144 total_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 48 - 64 seq256kwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 262144 total_iodepth: - 1 - 2 - 4 - 8 - 16 - 24 - 32 - 64

- 96

```
- 128
  - 256
seq32kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
 - 24
  - 32
  - 64
  - 96
 - 128
  - 192
seq32kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 32768
 total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
 - 256
  - 512
  - 768
seq4kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 4096
 total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
 - 96
 - 128
  - 192
  - 288
  - 384
seq4kwrite:
 jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 4096
```

```
total_iodepth:
        - 2
        - 8
        - 16
        - 24
        - 32
        - 48
        - 64
        - 128
        - 256
        - 384
        - 512
        - 768
        - 1024
      seq8kread:
        jobname: seqread
        mode: read
        numjobs:
        - 1
        op_size: 8192
        total_iodepth:
        - 2
        - 4
        - 8
        - 12
        - 16
        - 24
        - 32
        - 64
        - 96
        - 128
        - 192
        - 288
        - 384
      seq8kwrite:
        jobname: seqwrite
        mode: write
        numjobs:
        - 1
        op_size: 8192
        total_iodepth:
        - 2
        - 8
        - 16
        - 24
        - 32
        - 48
        - 64
        - 128
        - 256
        - 384
        - 512
        - 768
        - 1024
        - 1280
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
```

```
- --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
 head: --- server1 ---
  iterations: 1
 mgrs:
   --- server1 ---:
     a: null
 mkfs_opts: -f -i size=2048
 mons:
   --- server1 ---:
     a: --- IP Address --:6789
 mount_opts: -o inode64,noatime,logbsize=256k
  - --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
 rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
 use_existing: true
 user: ljsanders
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
```