Comparitive Performance Report for $7 ext{thApr-} 16 ext{k-ecopt2-} 6 + 2 ext{-} 001 ext{ vs}$ cbt- $21 ext{stJul-} 16 ext{k-ecopt2-} 001 ext{-} 6 + 2$

Table of contents

- $\bullet \ \ Comparison \ summary \ for \ 7th Apr-16k-ecopt 2-6+2-001 \ vs \ cbt-21st Jul-16k-ecopt 2-001-6+2-1000 \$
- Response Curves
 - Sequential Read
 - Sequential Write
 - Random Read
 - Random Write
 - Random Read/Write
- Configuration yaml files
 - results

Comparison summary for $7 ext{thApr-} 16 ext{k-ecopt2-} 6 + 2 ext{-} 001 ext{ vs}$ cbt- $21 ext{stJul-} 16 ext{k-ecopt2-} 001 ext{-} 6 + 2$

Sequential Read	7thApr_16k_ecopt2_6+2btoQ1stJul_16k_ecopt2%c0dinge+t2hroughput			%change latency
4.0K	165781 IOps@2.3ms	166304 IOps@2.3ms	0%	0%
8.0K	155919 IOps@2.5ms	156712 IOps@2.4ms	1%	-4%
16.0K	147199 IOps@2.0ms	$141870 \; \text{IOps}@2.0 \text{ms}$	-4%	0%
32.0 K	73383 IOps@0.9ms	70975 IOps@0.9ms	-3%	0%
64.0K	3287 MB/s@5.1ms	3127 MB/s@5.4ms	-5%	6%
256.0K	5638 MB/s@3.0ms	5308 MB/s@3.2ms	-6%	7%
512.0 K	6163 MB/s@2.7 ms	5978 MB/s@2.8ms	-3%	4%
1024.0K	$6240~\mathrm{MB/s@3.3ms}$	6075 MB/s@3.4ms	-3%	3%

Sequential Write	7thApr_16k_ecopt2_6	+ <u>42bt o</u> Q1 stJul_16k_ecopt2 <u>%</u> cl 0€	lnge+t2hroughput	%change latency
4.0K	193937 IOps@5.3ms	251582 IOps@6.1ms	30%	15%
8.0K	180908 IOps@7.1ms	197830 IOps@7.8ms	9%	10%
16.0K	85000 IOps@6.0ms	121671 IOps@8.4ms	43%	40%
32.0K	75548 IOps@10.1ms	75069 IOps@10.2ms	-1%	1%
64.0K	2699 MB/s@12.4 ms	2643 MB/s@12.7 ms	-2%	2%
256.0K	3389 MB/s@19.7 ms	3358 MB/s = 19.9 ms	-1%	1%
512.0K	$3559~\mathrm{MB/s@18.6ms}$	3482 MB/s@19.0 ms	-2%	2%
1024.0 K	4344 MB/s@38.0 ms	4217 MB/s@31.3 ms	-3%	-18%


Random Read	7thApr_16k_ecopt2_6+2 <u>bto</u> 21stJul_16k_ecopt2 <u>%</u> cl04 <u>ing</u> 6+t2hroughput			%change latency
4.0K	116479 IOps@6.6ms	104956 IOps@7.3ms	-10%	11%
$8.0 \mathrm{K}$	104740 IOps@7.3ms	97845 IOps@7.8ms	-7%	7%
16.0K	100563 IOps@3.8ms	93194 IOps@6.3ms	-7%	66%
32.0K	63807 IOps@4.0ms	61517 IOps@4.2ms	-4%	5%
64.0K	2665 MB/s@6.3ms	2613 MB/s@6.4ms	-2%	2%
256.0K	5239 MB/s@6.4ms	4871 MB/s@6.9ms	-7%	8%
512.0 K	6392 MB/s@3.3ms	6265 MB/s@5.3ms	-2%	61%
1024.0 K	7218 MB/s@4.6ms	6952 MB/s@4.8 ms	-4%	4%

Random Write	$7 th Apr_16 k_ecopt 2_6$	+ 2 <u>\toQ1stJul_16k_ecopt2%c\text{log}</u>	dnge+t2hroughput	%change latency
4.0K	23682 IOps@21.6ms	23534 IOps@32.7ms	-1%	51%
8.0K	22304 IOps@34.4ms	22352 IOps@34.3ms	0%	-0%
16.0K	20464 IOps@25.0 ms	20834 IOps@24.6ms	2%	-2%
32.0 K	17539 IOps@29.2ms	15298 IOps@25.1ms	-13%	-14%
64.0K	$880~\mathrm{MB/s@28.6ms}$	825 MB/s@30.5ms	-6%	7%
256.0 K	2315 MB/s = 28.8 ms	2131 MB/s@31.4ms	-8%	9%
512.0K	$3052~\mathrm{MB/s@10.7ms}$	2920 MB/s@11.2ms	-4%	5%
$1024.0\mathrm{K}$	4062 MB/s = 11.9 ms	3894 MB/s@8.2 ms	-4%	-31%


Random Read/Write	7thApr_16k_ecopt2_6-	<u>⊬2bt o</u> 21stJul_16k_ecopt	2% cl0dnge+t2 hroughput	%change latency
4.0K_70/30	48900 IOps@7.8ms	46905 IOps@8.2ms	-4%	5%
$16.0 \mathrm{K}_{-70} / 30$	41607 IOps@6.1ms	41226 IOps@6.2ms	-1%	2%
$64.0 \text{K}_{-}70/30$	1538 MB/s@10.9 ms	1451 MB/s@11.5 ms	-6%	6%
$64.0 \mathrm{K}_{-}30/70$	$1043~\mathrm{MB/s@16.1ms}$	997 MB/s@16.8 ms	-4%	4%


Response Curves

Sequential Read





Response Curves Sequential Write







Sequential Write






8.0K Sequential Write







Response Curves Random Read




Random Read






Response Curves Random Write





Random Write

Response Curves Random Write




Response Curves Random Read/Write





Random Read/Write



Configuration yaml files

Only yaml files that differ by more than 20 lines from the yaml file for the baseline directory will be added here in addition to the baseline yaml

results

```
librbdfio:
  cmd_path: /usr/local/bin/fio
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
  norandommap: true
  osd_ra:
  - 4096
 poolname: rbd_replicated
 prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
  - 1
  ramp: 30
  time: 90
  time_based: true
  use_existing_volumes: true
  vol_size: 1368750
  volumes_per_client:
  - 16
  workloads:
    16k7030:
      jobname: randmix
      mode: randrw
      numjobs:
      - 1
      op_size: 16384
      rwmixread: 70
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
    16krandomread:
      jobname: randread
      mode: randread
      numjobs:
      - 1
      op_size: 16384
      total_iodepth:
      - 4
      - 8
      - 12
      - 16
      - 24
      - 48
      - 64
      - 128
      - 256
      - 384
      - 588
```

```
16krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
 - 64
  - 128
  - 256
  - 384
  - 512
1Mrandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 28
  - 32
1Mrandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 16
  - 24
 - 32
  - 48
1Mseqread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
```

- 2 - 3 - 4 - 6 - 8 - 10 - 12 - 14 - 16 - 20 1Mseqwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 1048576 total_iodepth: - 2 - 4 - 6 - 8 - 16 - 32 - 48 - 64 - 96 - 128 - 160 256krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 262144 total_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 256krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 262144 ${\tt total_iodepth:}$ - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 32 - 64

- 96

- 128 - 256 32krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 32768 total_iodepth: - 4 - 6 - 8 - 12 - 16 - 24 - 32 - 64 - 128 - 256 32krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 32768 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512 4k7030: jobname: randmix mode: randrw numjobs: - 1 op_size: 4096 rwmixread: 70 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 64 - 128 - 256 - 384 4krandomread: jobname: randread mode: randread numjobs:

```
- 1
  op_size: 4096
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 588
  - 768
4krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 4096
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
 - 384
  - 512
  - 768
512krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 40
  - 48
  - 64
512krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 524288
 total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
```

- 6 - 8 - 16 - 24 - 32 - 48 - 64 512kseqread: jobname: seqread mode: read numjobs: - 1 op_size: 524288 total_iodepth: - 1 - 2 - 3 - 4 - 6 - 8 - 12 - 16 - 20 - 24 - 32 512kseqwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 524288 total_iodepth: - 1 - 2 - 4 - 6 - 8 - 16 - 32 - 48 - 64 - 96 - 128 64k3070: jobname: randmix mode: randrw numjobs: - 1 op_size: 65536 rwmixread: 30 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64 - 96 - 128 - 256

64k7030:

```
jobname: randmix
 mode: randrw
 numjobs:
  - 1
  op_size: 65536
  rwmixread: 70
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
 - 96
  - 128
  - 256
64krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
64krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
 - 256
  - 384
64kseqread:
  jobname: read
 mode: read
 numjobs:
  - 1
 op_size: 65536
 total_iodepth:
  - 2
  - 4
```

- 6 - 8 - 16 - 24 - 32 - 64 - 128 - 192 - 256 64kseqwrite: jobname: write mode: write numjobs: - 1 op_size: 65536 total_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 - 384 - 512 8krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 8192 total_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 - 384 - 588 - 768 8krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 8192 total_iodepth: - 2 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384

- 512

```
- 768
precondition:
  jobname: precond1rw
 mode: randwrite
 monitor: false
 numjobs:
  - 1
  op_size: 65536
  time: 600
  total_iodepth:
  - 16
seq16kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  - 288
seq16kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 16384
 total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 48
  - 64
  - 128
 - 256
  - 384
  - 512
seq256kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
```

- 24

- 32 - 48 - 64 seq256kwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 262144 total_iodepth: - 1 - 2 - 4 - 8 - 16 - 24 - 32 - 64 - 96 - 128 - 256 seq32kread: jobname: seqread mode: read numjobs: - 1 op_size: 32768 total_iodepth: - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 seq32kwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 32768 total_iodepth: - 2 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 512 - 768 seq4kread: jobname: seqread mode: read numjobs: - 1 op_size: 4096 total_iodepth:

- 2 - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 - 288 - 384 seq4kwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 4096 total_iodepth: - 2 - 8 - 16 - 24 - 32 - 48 - 64 - 128 - 256 - 384 - 512 - 768 - 1024 seq8kread: jobname: seqread mode: read numjobs: - 1 op_size: 8192 total_iodepth: - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 - 288 - 384 seq8kwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 8192 total_iodepth: - 2 - 8 - 16

```
- 24
        - 32
        - 48
        - 64
        - 128
        - 256
        - 384
        - 512
        - 768
        - 1024
        - 1280
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
      a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
      a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: ljsanders
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
  librbdfio:
    cmd_path: /usr/local/bin/fio
    fio_out_format: json
    log_avg_msec: 100
    log_bw: true
    log_iops: true
    log_lat: true
   norandommap: true
    osd_ra:
    - 4096
   poolname: rbd_replicated
    prefill:
      blocksize: 64k
      numjobs: 1
    procs_per_volume:
    - 1
    ramp: 30
```

```
time: 90
time_based: true
use_existing_volumes: true
vol_size: 1368750
volumes_per_client:
- 16
workloads:
  16k7030:
    jobname: randmix
    mode: randrw
    numjobs:
    - 1
    op_size: 16384
    rwmixread: 70
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
  16krandomread:
    jobname: randread
    mode: randread
    numjobs:
    - 1
    op_size: 16384
    total_iodepth:
    - 4
    - 8
    - 12
    - 16
    - 24
    - 48
    - 64
    - 128
    - 256
    - 384
    - 588
  16krandomwrite:
    jobname: randwrite
    mode: randwrite
    numjobs:
    - 1
    op_size: 16384
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 32
    - 64
    - 128
    - 256
    - 384
    - 512
```

```
1Mrandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
 - 20
  - 24
  - 28
  - 32
1Mrandomwrite:
 jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 16
  - 24
  - 32
  - 48
1Mseqread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
  - 12
  - 14
 - 16
  - 20
1Mseqwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 1048576
 total_iodepth:
  - 2
  - 4
```

- 6 - 8 - 16 - 32 - 48 - 64 - 96 - 128 - 160 256krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 262144 total_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 256krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 262144 total_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 32 - 64 - 96 - 128 - 256 32krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 32768 total_iodepth: - 2 - 4 - 6 - 8 - 12 - 16 - 24 - 32 - 64 - 128

```
- 256
32krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 32768
  total_iodepth:
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
4k7030:
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
 op_size: 4096
 rwmixread: 70
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
 - 256
  - 384
4krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
 - 64
  - 128
  - 256
  - 384
  - 588
  - 768
4krandomwrite:
  jobname: randwrite
 mode: randwrite
  numjobs:
```

```
- 1
  op_size: 4096
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
 - 512
  - 768
512krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 40
  - 48
  - 64
512krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
 - 1
 op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 16
  - 24
  - 32
  - 48
  - 64
512kseqread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 524288
 total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
```

- 8 - 12 - 16 - 20 - 24 - 32 512kseqwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 524288 total_iodepth: - 1 - 2 - 4 - 6 - 8 - 16 - 32 - 48 - 64 - 96 - 128 64k3070: jobname: randmix mode: randrw numjobs: - 1 op_size: 65536 rwmixread: 30 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64 - 96 - 128 - 256 64k7030: jobname: randmix mode: randrw numjobs: - 1 op_size: 65536 rwmixread: 70 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64 - 96 - 128 - 256 64krandomread:

```
jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
 - 64
  - 128
  - 256
64krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 384
64kseqread:
  jobname: read
 mode: read
 numjobs:
  - 1
 op_size: 65536
 total_iodepth:
  - 2
 - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 192
  - 256
64kseqwrite:
  jobname: write
 mode: write
 numjobs:
  - 1
  op_size: 65536
 total_iodepth:
  - 4
  - 8
  - 12
```

- 16 - 32 - 48 - 64 - 128 - 256 - 384 - 512 8krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 8192 total_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 - 384 - 588 - 768 8krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 8192 total_iodepth: - 2 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512 - 768 precondition: jobname: precond1rw mode: randwrite monitor: false numjobs: - 1 op_size: 65536 time: 600 total_iodepth: - 16 seq16kread: jobname: seqread mode: read numjobs: - 1 op_size: 16384 total_iodepth: - 2

- 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 - 288 seq16kwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 16384 total_iodepth: - 2 - 4 - 8 - 16 - 32 - 48 - 64 - 128 - 256 - 384 - 512 seq256kread: jobname: seqread mode: read numjobs: - 1 op_size: 262144 total_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 48 - 64 seq256kwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 262144 total_iodepth: - 1 - 2 - 4 - 8 - 16 - 24 - 32 - 64

- 96

```
- 128
  - 256
seq32kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
 - 24
  - 32
  - 64
  - 96
  - 128
  - 192
seq32kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 32768
 total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
 - 256
  - 512
  - 768
seq4kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 4096
 total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
 - 96
 - 128
  - 192
  - 288
  - 384
seq4kwrite:
 jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 4096
```

```
total_iodepth:
        - 2
        - 8
        - 16
        - 24
        - 32
        - 48
        - 64
        - 128
        - 256
        - 384
        - 512
        - 768
        - 1024
      seq8kread:
        jobname: seqread
        mode: read
        numjobs:
        - 1
        op_size: 8192
        total_iodepth:
        - 2
        - 4
        - 8
        - 12
        - 16
        - 24
        - 32
        - 64
        - 96
        - 128
        - 192
        - 288
        - 384
      seq8kwrite:
        jobname: seqwrite
        mode: write
        numjobs:
        - 1
        op_size: 8192
        total_iodepth:
        - 2
        - 8
        - 16
        - 24
        - 32
        - 48
        - 64
        - 128
        - 256
        - 384
        - 512
        - 768
        - 1024
        - 1280
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
```

```
- --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
 head: --- server1 ---
  iterations: 1
 mgrs:
   --- server1 ---:
     a: null
 mkfs_opts: -f -i size=2048
 mons:
   --- server1 ---:
     a: --- IP Address --:6789
 mount_opts: -o inode64,noatime,logbsize=256k
  - --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
 rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
 use_existing: true
 user: ljsanders
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
```