Comparitive Performance Report for cbt-22ndAug-o01-3way-tentaclerc vs cbt-27thAug-o01-3way-tentacle-balanced vs cbt-10thSep-o01-3way-directreads-splitting-balanced-pg128

Table of contents

- $\bullet \ \ Comparison \ summary \ for \ cbt-22nd Aug-o01-3 way-tentaclerc \ vs \ cbt-27th Aug-o01-3 way-tentacle-balanced \ vs \ cbt-10th Sep-o01-3 way-directreads-splitting-balanced-pg 128$
- Response Curves
 - Sequential Read
 - Sequential Write
 - Random Read
 - Random Write
 - Random Read/Write
- Configuration yaml files
 - results

Comparison summary for cbt-22ndAug-o01-3way-tentaclerc vs cbt-27thAug-o01-3way-tentacle-balanced vs cbt-10thSep-o01-3way-directreads-splitting-balanced-pg128

Sequential Read	$cbt_22ndAug_o01$	3 hvtay27ttehn Aangle no 01	_3wayten%achangalandetl	_10thSepo01	3way_dire#deadge splittin
4.0K	139206@0.7 ms	233243@1.6	68%	228825@1.7	64%
8.0K	126086@0.8 ms	218186@1.8	73%	215143@1.8	71%
16.0K	112627@2.6ms	198882@1.4	77%	97449@3.0	-13%
32.0K	90377@2.1ms	149566@1.3	65%	76679@2.5	-15%
64.0K	4561@3.7ms	7786@2.1	71%	7697@2.2	69%
256.0K	7908@2.1ms	11159@1.5	41%	11152@1.5	41%
512.0K	7991@2.1ms	9144@1.8	14%	9089@1.8	14%
1024.0 K	$6651@3.1\mathrm{ms}$	7178@2.9	8%	7145@2.9	7%

Sequential Write	$cbt_22ndAug_o01_$		_3wayten %acha_n_ga lan dot l_	_10thSepo01_3way	dire &deadg e_splitting
4.0K	500105@3.1ms	510965@3.0	2%	499962@3.1	-0%
8.0K	336933@4.6ms	334276@4.6	-1%	334612@4.6	-1%
16.0K	185698@5.5ms	184493@5.5	-1%	184260@5.5	-1%
32.0K	103300@7.4ms	103026@7.4	-0%	102058@7.5	-1%
64.0K	3436@9.7ms	3534@9.5	3%	3529@9.5	3%
256.0K	3874@17.2ms	3949@16.9	2%	3917@17.0	1%
512.0K	3896@4.1ms	4087@8.0	5%	4097@8.0	5%
1024.0 K	3674@4.2ms	4020@16.2	9%	4026@41.0	10%

Random Read	cbt_22ndAug_o01_	3 lw tay 27ttelm A argle ro 01_	3way_ten %cha<u>n</u>ga landetl	_10thSepo01_	_3way_dire####deadge_splitting
4.0K	191467@4.0ms	216530@3.5	13%	211636@3.6	11%
$8.0 \mathrm{K}$	183567@4.2ms	209775@3.7	14%	202332@3.8	10%
16.0 K	169312@3.5ms	193403@3.0	14%	107151@5.5	-37%
32.0K	138987@3.7ms	159835@3.2	15%	72764@7.0	-48%
64.0 K	6946@3.6ms	8100@3.1	17%	7838@3.2	13%
256.0K	12882@2.6ms	13168@2.5	2%	12976@2.6	1%
512.0K	12426@2.7ms	12732@2.6	2%	12706@2.6	2%
1024.0 K	10000@3.3ms	10192@3.3	2%	10200@3.3	2%

Random Write	cbt_22ndAug_001_2	8 lwt a <u>y 2 7 tehn 4 argler o</u> 01_3 w	vay_ten %change landotl	_10thSepo013wa	y_dire &deadg esplittin
4.0K	50963@7.5 ms	51182@5.0	0%	49353@5.2	-3%
8.0K	50946@5.0ms	48579@10.5	-5%	46869@16.4	-8%
16.0 K	48329@5.3ms	45875@11.1	-5%	44459@11.5	-8%


 $Comparison \ summary \ for \ cbt-22nd Aug-o01-3 way-tentacler \ cvs \ cbt-27th Aug-o01-3 way-tentacle-balanced \ vs \ cbt-10th Sep-o01-3 way-direct reads-splitting-balanced-pg 128$

Random Write	cbt_22ndAug_o01_6	Blota <u>y27ttdnAargler</u> c01_3v	way_ten %che<u>n</u>ge lan det l	_10thSepo01_	3way_dire #tdeadg esplitti
32.0K	44974@8.5ms	43891@8.7	-2%	42923@11.9	-5%
64.0K	2467@10.2ms	2428@10.3	-2%	2390@10.5	-3%
256.0K	4315@15.4ms	4064@4.0	-6%	4159@16.0	-4%
512.0K	3894@4.1ms	4501@7.2	16%	4570@7.1	17%
1024.0 K	4301@7.3 ms	4174@5.6	-3%	4354@7.2	1%


Random Read/Write	cbt_22ndAug_o01_	3hvtay27tdnAarglero01_	3way_ten%achangalandetl	_10thSepo013way_	_dire &deadg esplittin
4.0K_70/30	100970@2.5 ms	94949@4.0	-6%	91566@4.2	-9%
$16.0 \mathrm{K}_{-}70/30$	92234@2.8ms	87433@2.9	-5%	72362@3.5	-22%
$64.0 \mathrm{K}_{-}30/70$	3016@5.5ms	2901@5.7	-4%	2802@6.0	-7%
$64.0 \mathrm{K}_{-}70/30$	4293@3.9ms	4287@3.9	-0%	4152@4.0	-3%


Response Curves

Sequential Read





Response Curves Sequential Write







Sequential Write












Response Curves Random Read




Random Read






Response Curves Random Write





Random Write

Response Curves Random Write




Response Curves Random Read/Write





Random Read/Write



Configuration yaml files

Only yaml files that differ by more than 20 lines from the yaml file for the baseline directory will be added here in addition to the baseline yaml

results

```
librbdfio:
  cmd_path: /usr/local/bin/fio
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
 norandommap: true
  osd_ra:
  - 4096
 poolname: rbd_replicated
 prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
  - 1
  ramp: 30
  rbdname: cbt-librbdfio
  time: 90
  time_based: true
  use_existing_volumes: true
  vol_size: 608333
  volumes_per_client:
  - 16
  workloads:
    16k7030:
      jobname: randmix
      mode: randrw
      numjobs:
      op_size: 16384
      rwmixread: 70
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
    16krandomread:
      jobname: randread
      mode: randread
      numjobs:
      - 1
      op_size: 16384
      total_iodepth:
      - 8
      - 12
      - 16
      - 24
      - 48
      - 64
      - 128
      - 256
      - 384
```

```
- 588
16krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
1Mrandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 28
  - 32
1Mrandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 16
  - 24
  - 32
  - 48
1Mseqread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
```

- 1 - 2 - 3 - 4 - 6 - 8 - 10 - 12 - 14 - 16 - 20 1Mseqwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 1048576 total_iodepth: - 2 - 4 - 6 - 8 - 16 - 32 - 48 - 64 - 96 - 128 - 160 256krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 262144 total_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 256krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 262144 total_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 32

- 96 - 128 - 256 32krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 32768 total_iodepth: - 2 - 4 - 6 - 8 - 12 - 16 - 24 - 32 - 64 - 128 - 256 - 384 - 512 32krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 32768 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512 4k7030: jobname: randmix mode: randrw numjobs: - 1 op_size: 4096 rwmixread: 70 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 64 - 128 - 256 - 384 4krandomread:

```
jobname: randread
  mode: randread
 numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 588
  - 768
{\tt 4krandomwrite:}
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
  - 768
512krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 40
  - 48
  - 64
512krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 524288
 total_iodepth:
 - 1
  - 2
```

- 3 - 4 - 5 - 6 - 8 - 16 - 24 - 32 - 48 - 64 512kseqread: jobname: seqread mode: read numjobs: - 1 op_size: 524288 total_iodepth: - 1 - 2 - 3 - 4 - 6 - 8 - 12 - 16 - 20 - 24 - 32 512kseqwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 524288 total_iodepth: - 1 - 2 - 4 - 6 - 8 - 16 - 32 - 48 - 64 - 96 - 128 64k3070: jobname: randmix mode: randrw numjobs: - 1 op_size: 65536 rwmixread: 30 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64

```
- 128
  - 256
64k7030:
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
  op_size: 65536
  rwmixread: 70
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 96
  - 128
  - 256
64krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 384
64krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 384
64kseqread:
  jobname: read
 mode: read
 numjobs:
  - 1
```

```
op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 192
  - 256
64kseqwrite:
  jobname: write
 mode: write
 numjobs:
  - 1
 op_size: 65536
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 512
8krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 8192
  total_iodepth:
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 588
  - 768
8krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 8192
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
```

```
- 128
  - 256
  - 384
  - 512
  - 768
precondition:
  jobname: precond1rw
 mode: randwrite
  monitor: false
 numjobs:
  - 1
  op_size: 65536
  time: 600
  total_iodepth:
  - 16
seq16kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  - 288
seq16kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 512
 - 768
  - 1024
seq256kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 262144
 total_iodepth:
  - 1
  - 2
```

- 3 - 4 - 5 - 8 - 16 - 24 - 32 - 48 - 64 seq256kwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 262144 total_iodepth: - 1 - 2 - 4 - 8 - 16 - 24 - 32 - 64 - 96 - 128 - 256 seq32kread: jobname: seqread mode: read numjobs: - 1 op_size: 32768 total_iodepth: - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 seq32kwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 32768 total_iodepth: - 2 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 512 - 768 seq4kread:

```
jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  - 288
  - 384
seq4kwrite:
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 2
  - 8
  - 16
  - 24
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 512
  - 768
  - 1024
  - 1280
  - 1536
{\tt seq8kread:}
  jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 8192
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  - 288
  - 384
seq8kwrite:
  jobname: seqwrite
```

```
mode: write
        numjobs:
        - 1
        op_size: 8192
        total_iodepth:
        - 2
        - 8
        - 16
        - 24
        - 32
        - 48
        - 64
        - 128
        - 256
        - 384
        - 512
        - 768
        - 1024
        - 1280
        - 1536
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
     a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
     a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  - --- server1 ---
  osds_per_node: 8
  pdsh_ssh_args: -a -x -1%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: ljsanders
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
  librbdfio:
    cmd_path: /usr/local/bin/fio
    fio_out_format: json
    log_avg_msec: 100
    log_bw: true
    log_iops: true
    log_lat: true
    norandommap: true
```

```
osd_ra:
- 4096
poolname: rbd_replicated
prefill:
 blocksize: 64k
  numjobs: 1
procs_per_volume:
- 1
ramp: 30
rbdname: cbt-librbdfio
time: 90
time_based: true
use_existing_volumes: true
vol_size: 608333
volumes_per_client:
- 16
workloads:
  16k7030:
    jobname: randmix
    mode: randrw
    numjobs:
    - 1
    op_size: 16384
    rwmixread: 70
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
  16krandomread:
    jobname: randread
    mode: randread
    numjobs:
    - 1
    op_size: 16384
    total_iodepth:
    - 4
    - 8
    - 12
    - 16
    - 24
    - 48
    - 64
    - 128
    - 256
    - 384
    - 588
  16krandomwrite:
    jobname: randwrite
    mode: randwrite
    numjobs:
    - 1
    op_size: 16384
    total_iodepth:
    - 1
    - 2
```

- 3 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512 1Mrandomread: jobname: randread mode: randread numjobs: - 1 op_size: 1048576 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 12 - 16 - 20 - 24 - 28 - 32 1Mrandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 1048576 total_iodepth: - 1 - 2 - 3 - 4 - 5 - 6 - 8 - 16 - 24 - 32 - 48 1Mseqread: jobname: seqread mode: read numjobs: - 1 op_size: 1048576 total_iodepth: - 1 - 2 - 3 - 4 - 6 - 8 - 10 - 12 - 14

```
- 20
1Mseqwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 4
  - 6
  - 8
  - 16
  - 32
  - 48
  - 64
  - 96
  - 128
  - 160
256krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
{\tt 256krandomwrite:}
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 32
  - 64
 - 96
  - 128
  - 256
32krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 32768
  total_iodepth:
```

- 2 - 4 - 6 - 8 - 12 - 16 - 24 - 32 - 64 - 128 - 256 - 384 - 512 32krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 32768 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512 4k7030: jobname: randmix mode: randrw numjobs: - 1 op_size: 4096 rwmixread: 70 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 64 - 128 - 256 - 384 4krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 4096 total_iodepth: - 8 - 12 - 16

- 32 - 48 - 64 - 128 - 256 - 384 - 588 - 768 4krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 4096 total_iodepth: - 2 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512 - 768 512krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 524288 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 40 - 48 - 64 512krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 524288 total_iodepth: - 1 - 2 - 3 - 4 - 5 - 6 - 8 - 16 - 24 - 32 - 48

```
512kseqread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 12
  - 16
  - 20
  - 24
  - 32
512kseqwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 4
  - 6
  - 8
  - 16
  - 32
  - 48
  - 64
  - 96
  - 128
64k3070:
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
  op_size: 65536
 rwmixread: 30
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 96
 - 128
  - 256
64k7030:
  jobname: randmix
 mode: randrw
 numjobs:
  op_size: 65536
 rwmixread: 70
  total_iodepth:
```

- 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64 - 96 - 128 - 256 64krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 65536 total_iodepth: - 2 - 4 - 6 - 8 - 12 - 16 - 24 - 32 - 64 - 128 - 256 - 384 64 krandom write:jobname: randwrite mode: randwrite numjobs: - 1 op_size: 65536 total_iodepth: - 2 - 4 - 6 - 8 - 16 - 24 - 32 - 64 - 128 - 256 - 384 64kseqread: jobname: read mode: read numjobs: - 1 op_size: 65536 total_iodepth: - 4 - 6 - 8 - 16 - 24 - 32

- 128 - 192 - 256 64kseqwrite: jobname: write mode: write numjobs: - 1 op_size: 65536 total_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 - 384 - 512 8krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 8192 total_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 - 384 - 588 - 768 8krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 8192 total_iodepth: - 2 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512 - 768 precondition: jobname: precond1rw mode: randwrite monitor: false numjobs:

```
- 1
  op_size: 65536
 time: 600
 total_iodepth:
  - 16
seq16kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 2
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  - 288
seq16kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 512
  - 768
  - 1024
seq256kread:
  jobname: seqread
  mode: read
 numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 48
  - 64
```

seq256kwrite:

```
jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 4
  - 8
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 256
seq32kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 32768
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
seq32kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 32768
 total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 512
  - 768
seq4kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 4096
 total_iodepth:
  - 2
  - 4
  - 8
  - 12
```

- 16 - 24 - 32 - 64 - 96 - 128 - 192 - 288 - 384 seq4kwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 4096 total_iodepth: - 2 - 8 - 16 - 24 - 32 - 48 - 64 - 128 - 256 - 384 - 512 - 768 - 1024 - 1280 - 1536 seq8kread: jobname: seqread mode: read numjobs: - 1 op_size: 8192 ${\tt total_iodepth:}$ - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 - 288 - 384 seq8kwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 8192 total_iodepth: - 2 - 8 - 16 - 24 - 32

Configuration yaml files results

```
- 48
        - 64
        - 128
        - 256
        - 384
        - 512
        - 768
        - 1024
        - 1280
        - 1536
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
     a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
     a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 8
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: ljsanders
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
```