Comparitive Performance Report for cbt-19thDec-main-256k vs cbt-21stDec-alexls12-256k vs cbt-27thDec-squid1920-256k

Table of contents

- $\bullet \quad \text{Comparison summary for cbt-} 19 \text{th} \\ \text{Dec-main-} 256 \\ \text{k vs cbt-} 21 \\ \text{st} \\ \text{Dec-alexls} \\ 12-256 \\ \text{k vs cbt-} 27 \\ \text{th} \\ \text{Dec-squid} \\ 1920-256 \\ \text{k vs cbt-} 27 \\ \text{th} \\ \text{Dec-squid} \\ 1920-256 \\ \text{k vs cbt-} 27 \\ \text{th} \\ \text{Dec-squid} \\ 1920-256 \\ \text{k vs cbt-} 27 \\ \text{th} \\ \text{Dec-squid} \\ 1920-256 \\ \text{k vs cbt-} 27 \\ \text{th} \\ \text{Dec-squid} \\ 1920-256 \\ \text{k vs cbt-} 27 \\ \text{th} \\ \text{Dec-squid} \\ 1920-256 \\ \text{k vs cbt-} 27 \\ \text{th} \\ \text{Dec-squid} \\ 1920-256 \\ \text{k vs cbt-} 27 \\ \text{th} \\ \text{Dec-squid} \\ 1920-256 \\ \text{k vs cbt-} \\ \text{Dec-squid} \\ \text{Dec-$
- Response Curves
 - Sequential Read
 - Sequential Write
 - Random Read
 - Random Write
 - Random Read/Write
- Configuration yaml files
 - results
 - results
 - results

Comparison summary for cbt-19thDec-main-256k vs cbt-21stDec-alexls12-256k vs cbt-27thDec-squid1920-256k

Sequential Read	$cbt_19thDec_main_256k$	$cbt_21stDec_alexls12_256k$	cbt_27thDec_squid1920_256
4K	20139 IOps@9.5ms	23979 IOps@8.0ms	7112 IOps@3.4ms
8K	21907 IOps@8.8ms	21091 IOps@9.1ms	6780 IOps@2.4ms
16K	25012 IOps@7.7ms	21940 IOps@8.7ms	7392 IOps@26.0ms
32K	26205 IOps@7.3ms	22718 IOps@8.4ms	8528 IOps@22.5ms
64K	1552 MB/s@10.8ms	1476 MB/s@11.4ms	642 MB/s @ 26.2 ms
256K	1618 MB/s@10.4ms	1620 MB/s@10.4ms	1598 MB/s@10.5 ms
512K	1614 MB/s@10.4ms	1612 MB/s@10.4 ms	1611 MB/s@10.4ms
1024K	1618 MB/s@13.0ms	1616 MB/s@13.0 ms	1617 MB/s@13.0ms
Sequential Write	cbt_19thDec_main_256k	$cbt_21stDec_alexls12_256k$	cbt_27thDec_squid1920_256
4K	538 IOps@475.7ms	3491 IOps@73.3ms	546 IOps@468.4ms
8K	567 IOps@449.1ms	4070 IOps@62.8ms	541 IOps@473.8ms
16K	522 IOps@367.3ms	3851 IOps@49.8ms	516 IOps@371.5 ms
32K	476 IOps@268.7ms	3184 IOps@40.2ms	456 IOps@280.5ms
64K	32 MB/s@260.5 ms	116 MB/s@72.4 ms	32 MB/s@263.3 ms
256K	112 MB/s@74.6 ms	130 MB/s = 129.5 ms	117 MB/s@143.7 ms
512K	211 MB/s = 49.6 ms	$272~\mathrm{MB/s@61.6ms}$	$203 \; { m MB/s@82.6ms}$
1024K	541 MB/s@15.2ms	463 MB/s@44.9ms	529 MB/s@31.4ms
Random Read	.l. 104l D 976l	.l.t 91-tDll-19 976l-	-l+ 974lD: 11090 976
	cbt_19thDec_main_256k		cbt_27thDec_squid1920_256
4K	6581 IOps@9.7ms	94215 IOps@4.1ms	1621 IOps@9.9ms
8K	6880 IOps@18.6ms	88241 IOps@4.3ms	$1698 \; \mathrm{IOps@18.8ms}$
16K	6849 IOps@9.3ms	79992 IOps@4.8ms	1695 IOps@9.4ms
32K	6841 IOps@37.5ms	53617 IOps@4.8ms	1692 IOps@14.2ms
64K	442 MB/s@38.0ms	1784 MB/s@4.7ms	109 MB/s@7.2 ms
256K	1781 MB/s@18.8 ms	1769 MB/s@19.0 ms	445 MB/s@75.7ms
512K	1773 MB/s@18.9 ms	1782 MB/s@18.8ms	885 MB/s@28.4ms
1024K	1753 MB/s@12.0ms	1748 MB/s@14.4ms	1772 MB/s@9.5ms
D 1 W.	1, 40,15	1, 01, D 1, 1, 1, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2,	1, 27,17
Random Write	cbt_19thDec_main_256k	cbt_21stDec_alexls12_256k	cbt_27thDec_squid1920_256
4K	349 IOps@22.9 ms	5855 IOps@21.8ms	352 IOps@22.7ms
8K	331 IOps@385.7ms	4586 IOps@27.9ms	363 IOps@352.4ms
16K	336 IOps@379.9 ms	3146 IOps@40.7ms	357 IOps@44.7ms
32K	352 IOps@362.8ms	2326 IOps@55.0 ms	344 IOps@371.4ms
64K	23 MB/s@68.1 ms	98 MB/s@85.7 ms	24 MB/s@354.3 ms

256K

90 MB/s@46.6ms


134 MB/s@251.1 ms

91 MB/s@45.9 ms


Random Write	cbt_19thDec_main_256k	$cbt_21stDec_alexls12_256k$	cbt_27thDec_squid1920_256k
512K	185 MB/s@90.4ms	266 MB/s@47.1ms	197 MB/s@106.2 ms
1024K	551 MB/s@53.0ms	462 MB/s@72.3ms	539 MB/s@38.6 ms
Random Read/Write	cbt_19thDec_main_256k	cbt_21stDec_alexls12_256k	cbt_27thDec_squid1920_256k
16K_70/30	1119 IOps@114.6ms	7468 IOps@17.1ms	820 IOps@19.5ms
64K_70/30	80 MB/s@104.4ms	262 MB/s@16.0ms	50 MB/s@168.8ms
64K_30/70	33 MB/s@16.0ms	149 MB/s@56.3ms	34 MB/s@46.9ms


Response Curves

Sequential Read





Response Curves Sequential Write







Sequential Write












Response Curves Random Read




Random Read






Response Curves Random Write





Random Write

Response Curves Random Write





Response Curves Random Read/Write






Random Read/Write







Configuration yaml files

results

```
librbdfio:
  cmd_path: /usr/local/bin/fio
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
 norandommap: true
  osd_ra:
  - 4096
  poolname: rbd_replicated
 precond_time: 600
 prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
  - 1
 ramp: 30
  time: 60
  time_based: true
  use_existing_volumes: true
  vol_size: 420000
  volumes_per_client:
  - 1
  workloads:
    16k7030:
      iodepth:
      - 1
      - 2
      - 3
      - 4
      - 5
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
      jobname: randmix
      mode: randrw
      numjobs:
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
```

```
- 1
  - 1
  - 1
 op_size: 16384
 rwmixread: 70
16krandomread:
  iodepth:
  - 4
  - 8
  - 12
  - 16
  - 24
  - 48
 - 64
 - 128
  - 256
  - 384
  jobname: randread
 mode: randread
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 16384
16krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 16384
1Mrandomread:
  iodepth:
```

- 2 - 3 - 4 - 8 - 12 - 16 - 20 - 24 - 28 - 32 jobname: randread mode: randread numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 1048576 ${\tt 1Mrandomwrite:}$ iodepth: - 1 - 2 - 3 - 4 - 8 - 12 - 16 - 20 - 24 - 28 - 32 jobname: randwrite mode: randwrite numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 1048576 1Mseqread: iodepth: - 1 - 2 - 3 - 4 - 6 - 8 - 10 - 12

```
- 14
  - 16
  - 20
  jobname: seqread
  mode: read
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 1048576
{\tt 1Mseqwrite:}
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
  - 12
  - 14
  - 16
  - 20
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 1048576
256krandomread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  jobname: randread
  mode: randread
  numjobs:
  - 1
```

- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 262144 256krandomwrite: iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 jobname: randwrite mode: randwrite numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 262144 32krandomread: iodepth: - 2 - 4 - 6 - 8 - 12 - 16 - 24 - 32 - 64 - 128 - 256 jobname: randread mode: randread numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1

- 1 - 1 - 1 op_size: 32768 32krandomwrite: iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 jobname: randwrite mode: randwrite numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 32768 4krandomread: iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 - 384 jobname: randread mode: randread numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 4096 ${\tt 4krandomwrite:}$ iodepth: - 1

- 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 jobname: randwrite mode: randwrite numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 4096 512krandomread: iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 40 - 48 - 64 jobname: randread mode: randread numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 524288 ${\tt 512krandomwrite:}\\$ iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 40

```
- 48
  - 64
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 524288
512kseqread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 12
  - 16
  - 20
  - 24
  - 32
  jobname: seqread
 mode: read
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 524288
512kseqwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 12
  - 16
  - 20
  - 24
  - 32
 jobname: seqwrite
 mode: write
 numjobs:
  - 1
  - 1
```

```
- 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 - 1
 op_size: 524288
64k3070:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
 - 32
  - 64
 - 128
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 65536
 rwmixread: 30
64k7030:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
 - 32
 - 64
  - 128
 jobname: randmix
 mode: randrw
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
```

- 1 - 1 - 1 op_size: 65536 rwmixread: 70 64krandomread: iodepth: - 2 - 4 - 6 - 8 - 12 - 16 - 24 - 32 - 64 - 128 - 256 jobname: randread mode: randread numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 65536 64krandomwrite: iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 jobname: randwrite mode: randwrite numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 65536 64kseqread:

iodepth:

- 2 - 4 - 6 - 8 - 16 - 24 - 32 - 64 - 128 - 192 - 256 jobname: read mode: read numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 65536 64kseqwrite: iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 jobname: write mode: write numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 65536 8krandomread: iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64

```
- 128
  - 256
  - 384
  jobname: randread
  mode: randread
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 8192
{\tt 8krandomwrite:}
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 8192
precondition:
  iodepth:
  jobname: precond1rw
  mode: randwrite
  monitor: false
  numjobs:
  - 1
  op_size: 65536
  precond: true
seq16kread:
  iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
```

```
- 24
  - 32
  - 64
 - 96
 - 128
 - 192
 jobname: seqread
 mode: read
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 16384
seq16kwrite:
  iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
 - 64
 - 96
  - 128
 - 192
 jobname: seqwrite
 mode: write
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 - 1
  - 1
 op_size: 16384
seq256kread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 48
  - 64
  jobname: seqread
```

```
mode: read
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 - 1
 op_size: 262144
seq256kwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 5
  - 8
  - 12
 - 16
  - 24
  - 32
  - 48
  - 64
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 262144
seq32kread:
 iodepth:
  - 2
  - 4
 - 8
  - 12
  - 16
  - 24
 - 32
 - 64
 - 96
 - 128
 - 192
 jobname: seqread
 mode: read
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
```

```
- 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 32768
seq32kwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
 - 16
  - 24
  - 32
 - 64
 - 128
 jobname: seqwrite
 mode: write
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 32768
seq4kread:
  iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
 - 32
 - 64
 - 96
  - 128
  - 192
  jobname: seqread
 mode: read
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
```

op_size: 4096

```
seq4kwrite:
  iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
 - 24
 - 32
  - 64
 - 96
 - 128
 - 192
  - 256
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 4096
seq8kread:
  iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
 - 32
  - 64
 - 96
 - 128
  - 192
 jobname: seqread
 mode: read
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 - 1
  - 1
 op_size: 8192
seq8kwrite:
 iodepth:
  - 2
  - 4
```

```
- 12
        - 16
        - 24
        - 32
        - 64
        - 96
        - 128
        - 192
        - 256
        jobname: seqwrite
        mode: write
        numjobs:
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        op_size: 8192
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  head: --- server1 ---
  iterations: 1
  mgrs:
   --- server1 ---:
     a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
      a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: root
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
```

results

```
librbdfio:
  cmd_path: /usr/local/bin/fio
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
  norandommap: true
  osd_ra:
  - 4096
 poolname: rbd_replicated
 precond_time: 600
 prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
  - 1
  ramp: 30
  time: 60
  time_based: true
  use_existing_volumes: true
  vol_size: 420000
  volumes_per_client:
  - 1
  workloads:
    16k7030:
      iodepth:
      - 1
      - 2
      - 3
      - 4
      - 5
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
      jobname: randmix
      mode: randrw
      numjobs:
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      op size: 16384
      rwmixread: 70
    16krandomread:
      iodepth:
      - 4
      - 8
      - 12
      - 16
      - 24
```

- 48 - 64 - 128 - 256 - 384 jobname: randread mode: randread numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 16384 16krandomwrite: iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 jobname: randwrite mode: randwrite numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 16384 1Mrandomread: iodepth: - 1 - 2 - 3 - 4 - 8 - 12 - 16 - 20 - 24 - 28 - 32 jobname: randread

mode: randread

```
numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 1048576
1Mrandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
 - 20
  - 24
  - 28
  - 32
 jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  - 1
 - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 1048576
1Mseqread:
 iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
  - 12
 - 14
 - 16
 - 20
 jobname: seqread
 mode: read
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
```

```
- 1
  - 1
  - 1
  - 1
  - 1
 op_size: 1048576
1Mseqwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
 - 10
 - 12
  - 14
  - 16
  - 20
 jobname: seqwrite
 mode: write
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 1048576
256krandomread:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
 - 64
  - 128
  jobname: randread
 mode: randread
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 262144
```

256krandomwrite:

```
iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
 jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 262144
32krandomread:
  iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
 - 64
 - 128
  - 256
 jobname: randread
 mode: randread
 numjobs:
  - 1
  - 1
  - 1
 - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 - 1
 op_size: 32768
32krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
```

- 16 - 24 - 32 - 64 - 128 jobname: randwrite mode: randwrite numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 32768 ${\tt 4krandomread:}$ iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 - 384 jobname: randread mode: randread numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 4096 4krandomwrite: iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 jobname: randwrite mode: randwrite numjobs:

- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 4096 512krandomread: iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 40 - 48 - 64 jobname: randread mode: randread numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 524288 ${\tt 512krandomwrite:}\\$ iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 40 - 48 - 64 jobname: randwrite mode: randwrite numjobs: - 1 - 1 - 1 - 1 - 1 - 1

- 1 - 1 - 1 - 1 op_size: 524288 512kseqread: iodepth: - 1 - 2 - 3 - 4 - 6 - 8 - 12 - 16 - 20 - 24 - 32 jobname: seqread mode: read numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 524288 512kseqwrite: iodepth: - 1 - 2 - 3 - 4 - 6 - 8 - 12 - 16 - 20 - 24 - 32 jobname: seqwrite mode: write numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 524288 64k3070:

iodepth:

- 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 jobname: randmix mode: randrw numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 65536 rwmixread: 30 64k7030: iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 jobname: randmix mode: randrw numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 65536 rwmixread: 70 64krandomread: iodepth: - 2 - 4 - 6 - 8 - 12

- 16 - 24 - 32 - 64 - 128 - 256 jobname: randread mode: randread numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 65536 64 krandom write:iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 jobname: randwrite mode: randwrite numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 65536 64kseqread: iodepth: - 2 - 4 - 6 - 8 - 16 - 24 - 32 - 64 - 128 - 192 - 256 jobname: read

```
mode: read
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 - 1
  op_size: 65536
64kseqwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  jobname: write
 mode: write
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 65536
8krandomread:
 iodepth:
  - 4
 - 8
  - 12
  - 16
  - 32
  - 48
 - 64
 - 128
 - 256
 - 384
  jobname: randread
 mode: randread
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
```

- 1 - 1 - 1 - 1 - 1 op_size: 8192 ${\tt 8krandomwrite:}$ iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 jobname: randwrite mode: randwrite numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 8192 precondition: iodepth: - 4 jobname: precond1rw mode: randwrite monitor: false numjobs: - 1 op_size: 65536 precond: true seq16kread: iodepth: - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 jobname: seqread mode: read numjobs: - 1 - 1

- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 16384 seq16kwrite: iodepth: - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 jobname: seqwrite mode: write numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 16384 seq256kread: iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 48 - 64 jobname: seqread mode: read numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1

```
- 1
  op_size: 262144
seq256kwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 5
  - 8
  - 12
  - 16
  - 24
  - 32
  - 48
  - 64
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 262144
{\tt seq32kread:}
  iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  jobname: seqread
  mode: read
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 32768
seq32kwrite:
  iodepth:
  - 1
  - 2
```

- 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 jobname: seqwrite mode: write numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 32768 seq4kread: iodepth: - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 jobname: seqread mode: read numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 4096 seq4kwrite: $\verb"iodepth":$ - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96

```
- 192
  - 256
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 4096
{\tt seq8kread:}
  iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  jobname: seqread
  mode: read
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 8192
seq8kwrite:
  iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  - 256
  jobname: seqwrite
  mode: write
  numjobs:
```

```
- 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        op_size: 8192
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
   --- server1 ---:
     a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
      a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -1%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: root
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
```

results

```
librbdfio:
  cmd_path: /usr/local/bin/fio
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
  norandommap: true
  osd_ra:
  - 4096
 poolname: rbd_replicated
 precond_time: 600
 prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
  - 1
  ramp: 30
  time: 60
  time_based: true
  use_existing_volumes: true
  vol_size: 420000
  volumes_per_client:
  - 1
  workloads:
    16k7030:
      iodepth:
      - 1
      - 2
      - 3
      - 4
      - 5
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
      jobname: randmix
      mode: randrw
      numjobs:
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      - 1
      op size: 16384
      rwmixread: 70
    16krandomread:
      iodepth:
      - 4
      - 8
      - 12
      - 16
      - 24
```

- 48 - 64 - 128 - 256 - 384 jobname: randread mode: randread numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 16384 16krandomwrite: iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 jobname: randwrite mode: randwrite numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 16384 1Mrandomread: iodepth: - 1 - 2 - 3 - 4 - 8 - 12 - 16 - 20 - 24 - 28 - 32 jobname: randread

mode: randread

```
numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 1048576
1Mrandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
 - 20
  - 24
  - 28
  - 32
 jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  - 1
 - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 - 1
 op_size: 1048576
1Mseqread:
 iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
  - 12
 - 14
 - 16
 - 20
 jobname: seqread
 mode: read
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
```

- 1 - 1 - 1 - 1 - 1 op_size: 1048576 1Mseqwrite: iodepth: - 1 - 2 - 3 - 4 - 6 - 8 - 10 - 12 - 14 - 16 - 20 jobname: seqwrite mode: write numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 1048576 256krandomread: iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 jobname: randread mode: randread numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 262144

256krandomwrite:

```
iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
 jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 262144
32krandomread:
  iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
 - 64
 - 128
  - 256
 jobname: randread
 mode: randread
 numjobs:
  - 1
  - 1
  - 1
 - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 - 1
 op_size: 32768
32krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
```

```
- 16
  - 24
  - 32
  - 64
  - 128
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 32768
{\tt 4krandomread:}
  iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  jobname: randread
  mode: randread
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 4096
4krandomwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  jobname: randwrite
  mode: randwrite
  numjobs:
```

- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 4096 512krandomread: iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 40 - 48 - 64 jobname: randread mode: randread numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 524288 ${\tt 512krandomwrite:}\\$ iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 40 - 48 - 64 jobname: randwrite mode: randwrite numjobs: - 1 - 1 - 1 - 1 - 1 - 1

- 1 - 1 - 1 - 1 op_size: 524288 512kseqread: iodepth: - 1 - 2 - 3 - 4 - 6 - 8 - 12 - 16 - 20 - 24 - 32 jobname: seqread mode: read numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 524288 512kseqwrite: iodepth: - 1 - 2 - 3 - 4 - 6 - 8 - 12 - 16 - 20 - 24 - 32 jobname: seqwrite mode: write numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 524288 64k3070:

iodepth:

- 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 jobname: randmix mode: randrw numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 65536 rwmixread: 30 64k7030: iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 jobname: randmix mode: randrw numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 65536 rwmixread: 70 64krandomread: iodepth: - 2 - 4 - 6 - 8 - 12

- 16 - 24 - 32 - 64 - 128 - 256 jobname: randread mode: randread numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 65536 64 krandom write:iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 jobname: randwrite mode: randwrite numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 65536 64kseqread: iodepth: - 2 - 4 - 6 - 8 - 16 - 24 - 32 - 64 - 128 - 192 - 256 jobname: read

```
mode: read
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 - 1
  op_size: 65536
64kseqwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  jobname: write
 mode: write
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
 op_size: 65536
8krandomread:
 iodepth:
  - 4
 - 8
  - 12
  - 16
  - 32
  - 48
 - 64
 - 128
 - 256
 - 384
  jobname: randread
 mode: randread
 numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
```

- 1 - 1 - 1 - 1 - 1 op_size: 8192 ${\tt 8krandomwrite:}$ iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 jobname: randwrite mode: randwrite numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 8192 precondition: iodepth: - 4 jobname: precond1rw mode: randwrite monitor: false numjobs: - 1 op_size: 65536 precond: true seq16kread: iodepth: - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 jobname: seqread mode: read numjobs: - 1 - 1 - 1

- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 16384 seq16kwrite: iodepth: - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 jobname: seqwrite mode: write numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 16384 seq256kread: iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 48 - 64 jobname: seqread mode: read numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1

```
- 1
  op_size: 262144
seq256kwrite:
  iodepth:
  - 1
  - 2
  - 3
  - 5
  - 8
  - 12
  - 16
  - 24
  - 32
  - 48
  - 64
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 262144
{\tt seq32kread:}
  iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  jobname: seqread
  mode: read
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 32768
seq32kwrite:
  iodepth:
  - 1
  - 2
```

- 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 jobname: seqwrite mode: write numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 32768 seq4kread: iodepth: - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 jobname: seqread mode: read numjobs: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 op_size: 4096 seq4kwrite: $\verb"iodepth":$ - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96

```
- 192
  - 256
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 4096
{\tt seq8kread:}
  iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  jobname: seqread
  mode: read
  numjobs:
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  - 1
  op_size: 8192
seq8kwrite:
  iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  - 256
  jobname: seqwrite
  mode: write
  numjobs:
```

```
- 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        - 1
        op_size: 8192
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
   --- server1 ---:
     a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
      a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -1%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: root
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
```