Comparitive Performance Report for cbt-19thAug-o01-squid192-2+2-4k vs cbt-18thAug-o01-2+2-16k-ecopt2

## Table of contents

- $\bullet \quad \text{Comparison summary for cbt-19thAug-o01-squid192-2} + 2\text{-}4k \text{ vs cbt-18thAug-o01-2} + 2\text{-}16k\text{-}ecopt2}$
- Response Curves
  - Sequential Read
  - Sequential Write
  - Random Read
  - Random Write
  - Random Read/Write
- Configuration yaml files
  - results

# Comparison summary for cbt-19thAug-o01-squid192-2+2-4k vs cbt-18thAug-o01-2+2-16k-ecopt2

Sequential Read	cbt_19thAug_001_squi <b>db9212th2Augk</b> _001_2+2_ <b>%dkang@ph2</b> oughput			%change latency
4.0K	94850 IOps@1.0ms	116011 IOps@1.7ms	22%	70%
8.0K	69102  IOps@5.6ms	112092  IOps@3.4ms	62%	-39%
16.0K	65610  IOps@4.4ms	105755  IOps@2.7ms	61%	-39%
32.0 K	60081  IOps@3.2ms	60913  IOps@3.1ms	1%	-3%
64.0K	3326  MB/s@5.0ms	3375  MB/s@5.0ms	1%	0%
256.0K	6442  MB/s@2.6ms	6513  MB/s@2.6ms	1%	0%
512.0K	6621  MB/s@2.5ms	6826  MB/s@2.5ms	3%	0%
1024.0K	$5820~\mathrm{MB/s@3.6ms}$	6171  MB/s@3.4ms	6%	-6%

Sequential Write	$cbt\_19thAug\_o01\_squidb9\underline{2}\underline{1}\underline{2}th2\underline{A}\underline{u}\underline{k}o01\_2+2\underline{\%}\underline{6}\underline{k}\underline{a}\underline{n}\underline{g}\underline{c}\underline{p}\underline{h}\underline{2}\\oughpu$			%change latency
4.0K	199873 IOps@7.7ms	308708 IOps@5.0ms	54%	-35%
8.0K	232463  IOps@6.6ms	228367  IOps@6.7ms	-2%	2%
16.0 K	132920  IOps@7.7ms	135932  IOps@7.5ms	2%	-3%
32.0 K	74942  IOps@10.2ms	80391  IOps@9.5ms	7%	-7%
64.0K	2565  MB/s@13.1ms	2870  MB/s@11.7ms	12%	-11%
256.0K	3179  MB/s@21.0 ms	3386  MB/s@19.7 ms	7%	-6%
512.0 K	3420  MB/s@19.4 ms	3832  MB/s@8.5 ms	12%	-56%
1024.0 K	3793  MB/s@34.9 ms	4199  MB/s@31.4ms	11%	-10%


Random Read	cbt_19thAug_o01_squi <b>db9<u>2</u>12th2Augk</b> _o01_2+2_% <b>16</b> kangcoph2oughput			%change latency
4.0K	82748 IOps@7.1ms	128583 IOps@3.0ms	55%	-58%
8.0K	81281  IOps@9.4ms	117727 IOps@5.0ms	45%	-47%
16.0 K	77611  IOps@7.6ms	112346 IOps@5.2ms	45%	-32%
32.0 K	70360  IOps@5.4ms	68917  IOps@5.6ms	-2%	4%
64.0 K	3807  MB/s@4.4ms	3627  MB/s@6.9ms	-5%	57%
256.0K	8382  MB/s@4.0ms	7952  MB/s@4.2ms	-5%	5%
512.0 K	9275  MB/s@3.6ms	8769  MB/s@3.8ms	-5%	6%
1024.0 K	7708  MB/s@4.3 ms	7898  MB/s@4.2 ms	2%	-2%

Random Write	cbt_19thAug_o01_squ	idb9 <u>218th2Au&amp;k</u> o01_2+2	% Change ph2 oughput	%change latency
4.0K	15611 IOps@8.2ms	18757 IOps@40.9ms	20%	399%
$8.0 \mathrm{K}$	18101  IOps@42.5ms	18829  IOps@40.8ms	4%	-4%
16.0K	17949  IOps@21.4ms	17731  IOps@28.9ms	-1%	35%
32.0K	17281  IOps@22.2ms	16465  IOps@23.3ms	-5%	5%
64.0 K	1116  MB/s@22.5 ms	$1020 \; \text{MB/s}@24.6 \text{ms}$	-9%	9%
$256.0 \mathrm{K}$	3097  MB/s@21.5 ms	2961  MB/s@22.5 ms	-4%	5%
512.0 K	3587  MB/s@9.1 ms	3687  MB/s@8.8 ms	3%	-3%
1024.0 K	3858  MB/s@12.6 ms	4124  MB/s@11.7 ms	7%	-7%


Random Read/Write	cbt_19thAug_o01_squ	idb9 <u>218th2Augk</u> o01_2+2	%164kangcoph2oughput	%change latency
4.0K_70/30	33145  IOps@11.6ms	40925  IOps@6.2ms	23%	-47%
$16.0 \mathrm{K}_{-}70/30$	33470  IOps@3.8ms	38687  IOps@6.6ms	16%	74%
$64.0 \mathrm{K}_{-}70/30$	2026  MB/s@4.1ms	1847  MB/s@9.1ms	-9%	122%
64.0K_30/70	$1308~\mathrm{MB/s@12.8ms}$	$1252~\mathrm{MB/s@13.4ms}$	-4%	5%


## Response Curves

### Sequential Read





Response Curves Sequential Write







### Sequential Write












Response Curves Random Read




#### Random Read






Response Curves Random Write





#### Random Write

Response Curves Random Write



Random Read/Write Response Curves





### Random Read/Write


500

1000

Bandwidth (MB/s)

1250

1750



20000

25000

30000

35000

40000

## Configuration yaml files

Only yaml files that differ by more than 20 lines from the yaml file for the baseline directory will be added here in addition to the baseline yaml

#### results

```
librbdfio:
  cmd_path: /usr/local/bin/fio
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
 norandommap: true
  osd_ra:
  - 4096
 poolname: rbd_replicated
 prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
  - 1
  ramp: 30
  rbdname: cbt-librbdfio
  time: 90
  time_based: true
  use_existing_volumes: true
  vol_size: 912500
  volumes_per_client:
  - 16
  workloads:
    16k7030:
      jobname: randmix
      mode: randrw
      numjobs:
      - 1
      op_size: 16384
      rwmixread: 70
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
    16krandomread:
      jobname: randread
      mode: randread
      numjobs:
      - 1
      op_size: 16384
      total_iodepth:
      - 8
      - 12
      - 16
      - 24
      - 48
      - 64
      - 128
      - 256
      - 384
```

```
- 588
16krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 16384
  total_iodepth:
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
 - 64
  - 128
  - 256
  - 384
  - 512
1Mrandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 28
  - 32
1Mrandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 16
 - 24
  - 32
  - 48
1Mseqread:
 jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
```

- 1 - 2 - 3 - 4 - 6 - 8 - 10 - 12 - 14 - 16 - 20 1Mseqwrite: jobname: seqwrite mode: write numjobs: - 1 op\_size: 1048576 total\_iodepth: - 2 - 4 - 6 - 8 - 16 - 32 - 48 - 64 - 96 - 128 - 160 256krandomread: jobname: randread mode: randread numjobs: - 1 op\_size: 262144 total\_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 256krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op\_size: 262144 total\_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 32

- 64

- 96 - 128 - 256 32krandomread: jobname: randread mode: randread numjobs: - 1 op\_size: 32768 total\_iodepth: - 2 - 4 - 6 - 8 - 12 - 16 - 24 - 32 - 64 - 128 - 256 - 384 32krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op\_size: 32768 total\_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512 4k7030: jobname: randmix mode: randrw numjobs: - 1 op\_size: 4096 rwmixread: 70 total\_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 64 - 128 - 256 - 384 4krandomread: jobname: randread

```
mode: randread
 numjobs:
  - 1
 op_size: 4096
 total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
 - 384
  - 588
  - 768
4krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 4096
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
  - 768
512krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 524288
 total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 40
  - 48
  - 64
512krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 524288
 total_iodepth:
  - 1
  - 2
  - 3
```

- 4 - 5 - 6 - 8 - 16 - 24 - 32 - 48 - 64 512kseqread: jobname: seqread mode: read numjobs: - 1 op\_size: 524288 total\_iodepth: - 1 - 2 - 3 - 4 - 6 - 8 - 12 - 16 - 20 - 24 - 32 512kseqwrite: jobname: seqwrite mode: write numjobs: - 1 op\_size: 524288 total\_iodepth: - 1 - 2 - 4 - 6 - 8 - 16 - 32 - 48 - 64 - 96 - 128 64k3070: jobname: randmix mode: randrw numjobs: - 1 op\_size: 65536 rwmixread: 30 total\_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64 - 96

- 128

```
- 256
64k7030:
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
 op_size: 65536
 rwmixread: 70
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 96
  - 128
  - 256
64krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
 - 256
  - 384
64krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
 - 64
  - 128
  - 256
  - 384
64kseqread:
  jobname: read
 mode: read
 numjobs:
  - 1
  op_size: 65536
```

```
total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 192
  - 256
64kseqwrite:
  jobname: write
  mode: write
  numjobs:
  - 1
  op_size: 65536
  {\tt total\_iodepth:}
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 512
8krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 8192
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 588
  - 768
8krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 8192
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
```

- 256 - 384 - 512 - 768 precondition: jobname: precond1rw mode: randwrite monitor: false numjobs: - 1 op\_size: 65536 time: 600 total\_iodepth: - 16 seq16kread: jobname: seqread mode: read numjobs: - 1 op\_size: 16384 total\_iodepth: - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 - 288 seq16kwrite: jobname: seqwrite mode: write numjobs: - 1 op\_size: 16384 total\_iodepth: - 4 - 8 - 16 - 32 - 48 - 64 - 128 - 256 - 384 - 512 - 768 - 1024 seq256kread: jobname: seqread mode: read numjobs: - 1 op\_size: 262144 total\_iodepth: - 1 - 2 - 3

- 4 - 5 - 8 - 16 - 24 - 32 - 48 - 64 seq256kwrite: jobname: seqwrite mode: write numjobs: - 1 op\_size: 262144 total\_iodepth: - 1 - 2 - 4 - 8 - 16 - 24 - 32 - 64 - 96 - 128 - 256  ${\tt seq32kread:}$ jobname: seqread mode: read numjobs: - 1 op\_size: 32768 total\_iodepth: - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 seq32kwrite: jobname: seqwrite mode: write numjobs: - 1 op\_size: 32768 total\_iodepth: - 2 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 512 - 768 seq4kread: jobname: seqread

```
mode: read
 numjobs:
  - 1
 op_size: 4096
 total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
 - 128
 - 192
  - 288
  - 384
seq4kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 4096
  total_iodepth:
  - 8
  - 16
  - 24
  - 32
  - 48
  - 64
  - 128
  - 256
 - 384
  - 512
 - 768
 - 1024
 - 1280
  - 1536
seq8kread:
 jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 8192
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
 - 32
  - 64
  - 96
  - 128
  - 192
  - 288
  - 384
seq8kwrite:
  jobname: seqwrite
 mode: write
```

```
numjobs:
        - 1
        op_size: 8192
        total_iodepth:
        - 2
        - 8
        - 16
        - 24
        - 32
        - 48
        - 64
        - 128
        - 256
        - 384
        - 512
        - 768
        - 1024
        - 1280
        - 1536
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
 mgrs:
    --- server1 ---:
     a: null
  mkfs opts: -f -i size=2048
  mons:
    --- server1 ---:
     a: --- IP Address --:6789
  mount_opts: -o inode64, noatime, logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 8
  pdsh_ssh_args: -a -x -1%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: ljsanders
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
  librbdfio:
    cmd_path: /usr/local/bin/fio
    fio_out_format: json
    log_avg_msec: 100
    log_bw: true
    log_iops: true
    log_lat: true
   norandommap: true
    osd_ra:
```

```
- 4096
poolname: rbd_replicated
prefill:
  blocksize: 64k
  numjobs: 1
procs_per_volume:
- 1
ramp: 30
rbdname: cbt-librbdfio
time: 90
time_based: true
use_existing_volumes: true
vol_size: 912500
volumes_per_client:
- 16
workloads:
  16k7030:
    jobname: randmix
    mode: randrw
    numjobs:
    - 1
    op_size: 16384
    rwmixread: 70
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
  16krandomread:
    jobname: randread
    mode: randread
    numjobs:
    - 1
    op_size: 16384
    {\tt total\_iodepth:}
    - 4
    - 8
    - 12
    - 16
    - 24
    - 48
    - 64
    - 128
    - 256
    - 384
    - 588
  16krandomwrite:
    jobname: randwrite
    mode: randwrite
    numjobs:
    - 1
    op_size: 16384
    total_iodepth:
    - 1
    - 2
    - 3
```

- 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512 1Mrandomread: jobname: randread mode: randread numjobs: - 1 op\_size: 1048576 total\_iodepth: - 1 - 2 - 3 - 4 - 8 - 12 - 16 - 20 - 24 - 28 - 32 1Mrandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op\_size: 1048576 total\_iodepth: - 1 - 2 - 3 - 4 - 5 - 6 - 8 - 16 - 24 - 32 - 48 1Mseqread: jobname: seqread mode: read numjobs: - 1 op\_size: 1048576 total\_iodepth: - 1 - 2 - 3 - 4 - 6 - 8 - 10 - 12 - 14 - 16

- 20

```
1Mseqwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 2
 - 4
  - 6
  - 8
  - 16
  - 32
  - 48
 - 64
 - 96
  - 128
  - 160
256 krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
256krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 32
  - 64
 - 96
 - 128
  - 256
32krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 2
```

- 4 - 6 - 8 - 12 - 16 - 24 - 32 - 64 - 128 - 256 - 384 32krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op\_size: 32768 total\_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512 4k7030: jobname: randmix mode: randrw numjobs: - 1 op\_size: 4096 rwmixread: 70 total\_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 64 - 128 - 256 - 384 4krandomread: jobname: randread mode: randread numjobs: - 1 op\_size: 4096 total\_iodepth: - 4 - 8 - 12 - 16 - 32 - 48

- 64 - 128 - 256 - 384 - 588 - 768 4krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op\_size: 4096 total\_iodepth: - 2 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512 - 768 512krandomread: jobname: randread mode: randread numjobs: - 1 op\_size: 524288 total\_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 40 - 48 - 64  ${\tt 512krandomwrite:}\\$ jobname: randwrite mode: randwrite numjobs: - 1 op\_size: 524288 total\_iodepth: - 1 - 2 - 3 - 4 - 5 - 6 - 8 - 16 - 24 - 32 - 48 - 64 512kseqread: jobname: seqread

```
mode: read
 numjobs:
  - 1
 op_size: 524288
 total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 12
  - 16
  - 20
  - 24
  - 32
512kseqwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 524288
 total_iodepth:
  - 1
  - 2
  - 4
  - 6
  - 8
  - 16
  - 32
  - 48
  - 64
  - 96
  - 128
64k3070:
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
 op_size: 65536
 rwmixread: 30
 total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
 - 96
  - 128
  - 256
64k7030:
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
 op_size: 65536
 rwmixread: 70
 total_iodepth:
 - 1
  - 2
```

- 3 - 4 - 8 - 16 - 32 - 64 - 96 - 128 - 256 64krandomread: jobname: randread mode: randread numjobs: - 1 op\_size: 65536 total\_iodepth: - 2 - 4 - 6 - 8 - 12 - 16 - 24 - 32 - 64 - 128 - 256 - 384 64krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op\_size: 65536 total\_iodepth: - 2 - 4 - 6 - 8 - 16 - 24 - 32 - 64 - 128 - 256 - 384 64kseqread: jobname: read mode: read numjobs: - 1 op\_size: 65536 total\_iodepth: - 2 - 4 - 6 - 8 - 16 - 24 - 32 - 64 - 128 - 192

```
- 256
64kseqwrite:
  jobname: write
 mode: write
 numjobs:
  - 1
 op_size: 65536
  total_iodepth:
  - 8
  - 12
  - 16
  - 32
  - 48
 - 64
 - 128
  - 256
  - 384
  - 512
8krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 8192
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
 - 588
  - 768
{\tt 8krandomwrite:}
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 8192
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
 - 256
 - 384
  - 512
  - 768
precondition:
  jobname: precond1rw
 mode: randwrite
 monitor: false
 numjobs:
  - 1
  op_size: 65536
```

```
time: 600
  total_iodepth:
  - 16
seq16kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 16384
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
 - 128
 - 192
  - 288
seq16kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 48
  - 64
 - 128
 - 256
 - 384
  - 512
  - 768
  - 1024
seq256kread:
 jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 48
  - 64
seq256kwrite:
  jobname: seqwrite
```

mode: write

```
numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 4
  - 8
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 256
seq32kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 32768
 total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
 - 96
  - 128
  - 192
seq32kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 4
  - 8
  - 16
  - 32
 - 64
  - 128
  - 256
  - 512
  - 768
seq4kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 4096
 total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
```

- 32 - 64 - 96 - 128 - 192 - 288 - 384 seq4kwrite: jobname: seqwrite mode: write numjobs: - 1 op\_size: 4096 total\_iodepth: - 2 - 8 - 16 - 24 - 32 - 48 - 64 - 128 - 256 - 384 - 512 - 768 - 1024 - 1280 - 1536 seq8kread: jobname: seqread mode: read numjobs: - 1 op\_size: 8192 total\_iodepth: - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 - 288 - 384 seq8kwrite: jobname: seqwrite mode: write numjobs: - 1 op\_size: 8192 total\_iodepth: - 2 - 8 - 16 - 24 - 32 - 48 - 64

```
- 128
        - 256
        - 384
        - 512
        - 768
        - 1024
        - 1280
        - 1536
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
     a: null
  mkfs_opts: -f -i size=2048
  mons:
   --- server1 ---:
      a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 8
  pdsh_ssh_args: -a -x -1%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: ljsanders
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
```