Comparitive Performance Report for cbt-26thAug-o01-16k-6+2-directreads-balanced-all vs cbt-27thAug-o01-3way-tentacle-balanced vs cbt-22ndAug-o01-3way-tentaclerc vs cbt-28thAug-o01-16k-2+2-directreads-balanced-all vs cbt-29thAug-o01-16k-4+2-directreads-balanced-all

Table of contents

- Comparison summary for cbt-26thAug-o01-16k-6+2-directreads-balanced-all vs cbt-27thAug-o01-3way-tentacle-balanced vs cbt-22ndAug-o01-3way-tentaclerc vs cbt-28thAug-o01-16k-2+2-directreads-balanced-all vs cbt-29thAug-o01-16k-4+2-directreads-balanced-all
- Response Curves
  - Sequential Read
  - Sequential Write
  - Random Read
  - Random Write
  - Random Read/Write
- Configuration yaml files
  - results

Comparison summary for cbt-26thAug-o01-16k-6+2-directreads-balanced-all vs cbt-27thAug-o01-3way-tentacle-balanced vs cbt-22ndAug-o01-3way-tentaclerc vs cbt-28thAug-o01-16k-2+2-directreads-balanced-all vs cbt-29thAug-o01-16k-4+2-directreads-balanced-all

Sequential Read	cbt_26thAug	cbt_27th	%	cbt_22nd	%	cbt_28th	%	cbt_29th	%
4K	284943@1.3ms	223243@1.6	-18%	139206@0.7	-51%	168704@2.3	-41%	229904@1.7	-19%
8K	279082@1.4ms	218186@1.8	-22%	126086@0.8	-55%	170244@2.3	-39%	239963@1.6	-14%
16K	249329@1.1ms	198882@1.4	-20%	112627@2.6	-55%	157343@1.8	-37%	224461@1.3	-10%
32K	133535@1.4ms	149566@1.3	12%	90377@2.1	-32%	78576@2.4	-41%	116509@1.6	-13%
64K	4651@3.6ms	7786@2.1	67%	4561@3.7	-2%	4172@4.0	-10%	3945@4.2	-15%
256K	8309@2.0ms	11159@1.5	34%	7908@2.1	-5%	8159@2.0	-2%	8826@1.9	6%
512K	10794@1.5ms	9144@1.8	-15%	7991@2.1	-26%	9777@1.7	-9%	11039@1.5	2%
1024K	12045@1.7ms	7178@2.9	-40%	6651@3.1	-45%	9360@2.2	-22%	11654@1.8	-3%

Sequential Write	cbt_26thAug	cbt_27th	%	cbt_22nd	%	cbt_28th	%	cbt_29th	%
4K	255638@6.0ms	510965@3.0	100%	500105@3.1	96%	313017@4.9	22%	284351@5.4	11%
8K	199584@7.7ms	334276@4.6	67%	336933@4.6	69%	231135@6.6	16%	219182@7.0	10%
16K	121202@8.4ms	184493@5.5	52%	185698@5.5	53%	137098@7.5	13%	131394@7.8	8%
32K	74550@10.3ms	103026@7.4	38%	103300@7.4	39%	80759@9.5	8%	80074@9.6	7%
64K	2571@13.0ms	3534@9.5	37%	3436@9.7	34%	2920@11.5	14%	2908@11.5	13%
256K	3258@20.5ms	3949@16.9	21%	3874@17.2	19%	3477@19.2	7%	3615@18.4	11%
512K	3467@19.1ms	4087@8.0	18%	3896@4.1	12%	3909@8.4	13%	3801@17.4	10%
1024K	4245@38.9ms	4020@16.2	-5%	3674@4.2	-13%	4238@31.1	-0%	4566@21.5	8%

Random Read	cbt_26thAug	cbt_27th	%	cbt_22nd	%	cbt_28th	%	cbt_29th	%
4K	190240@3.1ms	216530@3.5	14%	191467@4.0	1%	185477@1.4	-3%	197791@3.9	4%
8K	176827@4.3ms	209775@3.7	19%	183567@4.2	4%	177400@4.3	0%	188006@4.1	6%
16K	166120@2.3ms	193403@3.0	16%	169312@3.5	2%	158175@3.7	-5%	174793@3.4	5%
32K	86252@4.4ms	159835@3.2	85%	138987@3.7	61%	79356@3.2	-8%	89890@4.3	4%
64K	2971@5.6ms	8100@3.1	173%	6946@3.6	134%	4211@2.0	42%	2961@8.5	-0%
256K	6331@5.3ms	13168@2.5	108%	12882@2.6	103%	9723@3.4	54%	7935@4.2	25%

Comparison summary for cbt-26thAug-o01-16k-6+2-directreads-balanced-all vs cbt-27thAug-o01-3way-tentacle-balanced vs cbt-22ndAug-o01-3way-tentaclerc vs cbt-28thAug-o01-16k-2+2-directreads-balanced-all vs cbt-29thAug-o01-16k-4+2-directreads-balanced-all

Random Read	cbt_26thAug	cbt_27th	%	cbt_22nd	%	cbt_28th	%	cbt_29th	%
512K	9526@3.5ms	12732@2.6	34%	12426@2.7	30%	12104@2.8	27%	11162@3.0	17%
1024K	11826@2.5ms	10192@3.3	-14%	10000@3.3	-15%	11755@2.8	-1%	12518@2.7	6%

Random Write	cbt_26thAug	cbt_27th	%	cbt_22nd	%	cbt_28th	%	cbt_29th	%
4K	23679@21.6ms	51182@5.0	116%	50963@7.5	115%	18953@27.0	-20%	18783@20.4	-21%
8K	22616@33.9ms	48579@10.5	115%	50946@5.0	125%	18402@27.8	-19%	18154@28.2	-20%
16K	20764@24.6ms	45875@11.1	121%	48329@5.3	133%	18229@21.0	-12%	17462@22.0	-16%
32K	15280@25.1ms	43891@8.7	187%	44974@8.5	194%	16477@23.3	8%	15904@32.2	4%
64K	843@29.8ms	2428@10.3	188%	2467@10.2	193%	1029@24.4	22%	967@26.0	15%
256K	2160@30.9ms	4064@4.0	88%	4315@15.4	100%	2940@22.7	36%	2676@24.9	24%
512K	2885@11.4ms	4501@7.2	56%	3894@4.1	35%	3683@8.8	28%	3542@9.2	23%
1024K	3854@8.3ms	4174@5.6	8%	4301@7.3	12%	4139@11.6	7%	4354@11.1	13%

Random Read/Write	cbt_26thAug	cbt_27th	%	cbt_22nd	%	cbt_28th	%	cbt_29th	%
4K_70/30	57882@6.6ms	94949@4.0	64%	100970@2.5	74%	45433@5.6	-22%	46310@8.3	-20%
16K_70/30	48516@5.3ms	87433@2.9	80%	92234@2.8	90%	41142@3.1	-15%	42702@6.0	-12%
64K_70/30	1550@10.8ms	4287@3.9	177%	4293@3.9	177%	1944@8.6	25%	1495@5.6	-4%
64K_30/70	1019@16.4ms	2901@5.7	185%	3016@5.5	196%	1236@13.5	21%	1016@16.5	-0%

Response Curves

Sequential Read

















Sequential Write














512K Sequential Write
Latency (ms)
Bandwidth (MB/s)
cbt_26thAug_o01_16k_6+2_directreads_balanced_all
cbt_28thAug_o01_16k_2+2_directreads_balanced_all
cbt_27thAug_o01_3way_tentacle_balanced
cbt_29thAug_o01_16k_4+2_directreads_balanced_all
cbt_22ndAug_o01_3way_tentaclerc


1024K Sequential Write
Latency (ms)
Bandwidth (MB/s)
cbt_26thAug_o01_16k_6+2_directreads_balanced_all
cbt_28thAug_o01_16k_2+2_directreads_balanced_all
cbt_27thAug_o01_3way_tentacle_balanced
cbt_29thAug_o01_16k_4+2_directreads_balanced_all
cbt_22ndAug_o01_3way_tentaclerc

Random Read


4K Random Read
Latency (ms)
IOps
cbt_26thAug_o01_16k_6+2_directreads_balanced_all
cbt_28thAug_o01_16k_2+2_directreads_balanced_all
cbt_27thAug_o01_3way_tentacle_balanced
cbt_29thAug_o01_16k_4+2_directreads_balanced_all
cbt_22ndAug_o01_3way_tentaclerc


8K Random Read
Latency (ms)
IOps
cbt_26thAug_o01_16k_6+2_directreads_balanced_all
cbt_28thAug_o01_16k_2+2_directreads_balanced_all
cbt_27thAug_o01_3way_tentacle_balanced
cbt_29thAug_o01_16k_4+2_directreads_balanced_all
cbt_22ndAug_o01_3way_tentaclerc


16K Random Read
Latency (ms)
IOps
cbt_26thAug_o01_16k_6+2_directreads_balanced_all
cbt_28thAug_o01_16k_2+2_directreads_balanced_all
cbt_27thAug_o01_3way_tentacle_balanced
cbt_29thAug_o01_16k_4+2_directreads_balanced_all
cbt_22ndAug_o01_3way_tentaclerc


32K Random Read
Latency (ms)
IOps
cbt_26thAug_o01_16k_6+2_directreads_balanced_all
cbt_28thAug_o01_16k_2+2_directreads_balanced_all
cbt_27thAug_o01_3way_tentacle_balanced
cbt_29thAug_o01_16k_4+2_directreads_balanced_all
cbt_22ndAug_o01_3way_tentaclerc


64K Random Read
Latency (ms)
Bandwidth (MB/s)
cbt_26thAug_o01_16k_6+2_directreads_balanced_all
cbt_28thAug_o01_16k_2+2_directreads_balanced_all
cbt_27thAug_o01_3way_tentacle_balanced
cbt_29thAug_o01_16k_4+2_directreads_balanced_all
cbt_22ndAug_o01_3way_tentaclerc


256K Random Read
Latency (ms)
Bandwidth (MB/s)
cbt_26thAug_o01_16k_6+2_directreads_balanced_all
cbt_28thAug_o01_16k_2+2_directreads_balanced_all
cbt_27thAug_o01_3way_tentacle_balanced
cbt_29thAug_o01_16k_4+2_directreads_balanced_all
cbt_22ndAug_o01_3way_tentaclerc





Random Write

















Random Read/Write









Configuration yaml files

Only yaml files that differ by more than 20 lines from the yaml file for the baseline directory will be added here in addition to the baseline yaml

results

```
librbdfio:
  cmd_path: /usr/local/bin/fio2
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
  norandommap: true
  osd_ra:
  - 4096
  poolname: rbd_replicated
  prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
  - 1
  ramp: 30
  rbdname: cbt-librbdfio
  time: 90
  time_based: true
  use_existing_volumes: true
  vol_size: 1368750
  volumes_per_client:
  - 16
  workloads:
    16k7030:
      jobname: randmix
      mode: randrw
      numjobs:
      - 1
      op_size: 16384
      rwmixread: 70
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
    16krandomread:
      jobname: randread
      mode: randread
      numjobs:
      - 1
      op_size: 16384
      total_iodepth:
      - 4
      - 8
      - 12
      - 16
      - 24
      - 48
      - 64
      - 128
      - 256
      - 384
```

```
  - 588
16krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
1Mrandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 28
  - 32
1Mrandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 16
  - 24
  - 32
  - 48
1Mseqread:
  jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
```

```
    - 1
    - 2
    - 3
    - 4
    - 6
    - 8
    - 10
    - 12
    - 14
    - 16
    - 20
  1Mseqwrite:
    jobname: seqwrite
    mode: write
    numjobs:
    - 1
    op_size: 1048576
    total_iodepth:
    - 2
    - 4
    - 6
    - 8
    - 16
    - 32
    - 48
    - 64
    - 96
    - 128
    - 160
  256krandomread:
    jobname: randread
    mode: randread
    numjobs:
    - 1
    op_size: 262144
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
  256krandomwrite:
    jobname: randwrite
    mode: randwrite
    numjobs:
    - 1
    op_size: 262144
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 32
    - 64
```

```
  - 96
  - 128
  - 256
32krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
32krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
4k7030:
  jobname: randmix
  mode: randrw
  numjobs:
  - 1
  op_size: 4096
  rwmixread: 70
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 384
4krandomread:
```

```
    jobname: randread
    mode: randread
    numjobs:
    - 1
    op_size: 4096
    total_iodepth:
    - 4
    - 8
    - 12
    - 16
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384
    - 588
    - 768
  4krandomwrite:
    jobname: randwrite
    mode: randwrite
    numjobs:
    - 1
    op_size: 4096
    total_iodepth:
    - 2
    - 4
    - 8
    - 16
    - 32
    - 64
    - 128
    - 256
    - 384
    - 512
    - 768
  512krandomread:
    jobname: randread
    mode: randread
    numjobs:
    - 1
    op_size: 524288
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 24
    - 32
    - 40
    - 48
    - 64
  512krandomwrite:
    jobname: randwrite
    mode: randwrite
    numjobs:
    - 1
    op_size: 524288
    total_iodepth:
    - 1
    - 2
```

```
    - 3
    - 4
    - 5
    - 6
    - 8
    - 16
    - 24
    - 32
    - 48
    - 64
  512kseqread:
    jobname: seqread
    mode: read
    numjobs:
    - 1
    op_size: 524288
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 6
    - 8
    - 12
    - 16
    - 20
    - 24
    - 32
  512kseqwrite:
    jobname: seqwrite
    mode: write
    numjobs:
    - 1
    op_size: 524288
    total_iodepth:
    - 1
    - 2
    - 4
    - 6
    - 8
    - 16
    - 32
    - 48
    - 64
    - 96
    - 128
  64k3070:
    jobname: randmix
    mode: randrw
    numjobs:
    - 1
    op_size: 65536
    rwmixread: 30
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 32
    - 64
    - 96
```

```
  - 128
  - 256
64k7030:
  jobname: randmix
  mode: randrw
  numjobs:
  - 1
  op_size: 65536
  rwmixread: 70
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 96
  - 128
  - 256
64krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 384
64krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 384
64kseqread:
  jobname: read
  mode: read
  numjobs:
  - 1
```

```
    op_size: 65536
    total_iodepth:
    - 2
    - 4
    - 6
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
    - 192
    - 256
  64kseqwrite:
    jobname: write
    mode: write
    numjobs:
    - 1
    op_size: 65536
    total_iodepth:
    - 4
    - 8
    - 12
    - 16
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384
    - 512
  8krandomread:
    jobname: randread
    mode: randread
    numjobs:
    - 1
    op_size: 8192
    total_iodepth:
    - 4
    - 8
    - 12
    - 16
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384
    - 588
    - 768
  8krandomwrite:
    jobname: randwrite
    mode: randwrite
    numjobs:
    - 1
    op_size: 8192
    total_iodepth:
    - 2
    - 4
    - 8
    - 16
    - 32
    - 64
```

```
    - 128
    - 256
    - 384
    - 512
    - 768
  precondition:
    jobname: precond1rw
    mode: randwrite
    monitor: false
    numjobs:
    - 1
    op_size: 65536
    time: 600
    total_iodepth:
    - 16
  seq16kread:
    jobname: seqread
    mode: read
    numjobs:
    - 1
    op_size: 16384
    total_iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 192
    - 288
  seq16kwrite:
    jobname: seqwrite
    mode: write
    numjobs:
    - 1
    op_size: 16384
    total_iodepth:
    - 2
    - 4
    - 8
    - 16
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384
    - 512
    - 768
    - 1024
  seq256kread:
    jobname: seqread
    mode: read
    numjobs:
    - 1
    op_size: 262144
    total_iodepth:
    - 1
    - 2
```

```
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 48
    - 64
  seq256kwrite:
    jobname: seqwrite
    mode: write
    numjobs:
    - 1
    op_size: 262144
    total_iodepth:
    - 1
    - 2
    - 4
    - 8
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 256
  seq32kread:
    jobname: seqread
    mode: read
    numjobs:
    - 1
    op_size: 32768
    total_iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 192
  seq32kwrite:
    jobname: seqwrite
    mode: write
    numjobs:
    - 1
    op_size: 32768
    total_iodepth:
    - 2
    - 4
    - 8
    - 16
    - 32
    - 64
    - 128
    - 256
    - 512
    - 768
  seq4kread:
```

```
    jobname: seqread
    mode: read
    numjobs:
    - 1
    op_size: 4096
    total_iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 192
    - 288
    - 384
  seq4kwrite:
    jobname: seqwrite
    mode: write
    numjobs:
    - 1
    op_size: 4096
    total_iodepth:
    - 2
    - 8
    - 16
    - 24
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384
    - 512
    - 768
    - 1024
    - 1280
    - 1536
  seq8kread:
    jobname: seqread
    mode: read
    numjobs:
    - 1
    op_size: 8192
    total_iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 192
    - 288
    - 384
  seq8kwrite:
    jobname: seqwrite
```

```
        mode: write
        numjobs:
        - 1
        op_size: 8192
        total_iodepth:
        - 2
        - 8
        - 16
        - 24
        - 32
        - 48
        - 64
        - 128
        - 256
        - 384
        - 512
        - 768
        - 1024
        - 1280
        - 1536
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
      a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
      a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 8
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: ljsanders
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
  librbdfio:
    cmd_path: /usr/local/bin/fio2
    fio_out_format: json
    log_avg_msec: 100
    log_bw: true
    log_iops: true
    log_lat: true
    norandommap: true
```

```
osd_ra:
- 4096
poolname: rbd_replicated
prefill:
  blocksize: 64k
  numjobs: 1
procs_per_volume:
- 1
ramp: 30
rbdname: cbt-librbdfio
time: 90
time_based: true
use_existing_volumes: true
vol_size: 1368750
volumes_per_client:
- 16
workloads:
  16k7030:
    jobname: randmix
    mode: randrw
    numjobs:
    - 1
    op_size: 16384
    rwmixread: 70
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
  16krandomread:
    jobname: randread
    mode: randread
    numjobs:
    - 1
    op_size: 16384
    total_iodepth:
    - 4
    - 8
    - 12
    - 16
    - 24
    - 48
    - 64
    - 128
    - 256
    - 384
    - 588
  16krandomwrite:
    jobname: randwrite
    mode: randwrite
    numjobs:
    - 1
    op_size: 16384
    total_iodepth:
    - 1
    - 2
```

```
    - 3
    - 4
    - 8
    - 16
    - 32
    - 64
    - 128
    - 256
    - 384
    - 512
  1Mrandomread:
    jobname: randread
    mode: randread
    numjobs:
    - 1
    op_size: 1048576
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 12
    - 16
    - 20
    - 24
    - 28
    - 32
  1Mrandomwrite:
    jobname: randwrite
    mode: randwrite
    numjobs:
    - 1
    op_size: 1048576
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 6
    - 8
    - 16
    - 24
    - 32
    - 48
  1Mseqread:
    jobname: seqread
    mode: read
    numjobs:
    - 1
    op_size: 1048576
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 6
    - 8
    - 10
    - 12
    - 14
    - 16
```

```
  - 20
1Mseqwrite:
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 32
  - 48
  - 64
  - 96
  - 128
  - 160
256krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
256krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 32
  - 64
  - 96
  - 128
  - 256
32krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 32768
  total_iodepth:
```

```
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 384
    - 512
  32krandomwrite:
    jobname: randwrite
    mode: randwrite
    numjobs:
    - 1
    op_size: 32768
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 32
    - 64
    - 128
    - 256
    - 384
    - 512
  4k7030:
    jobname: randmix
    mode: randrw
    numjobs:
    - 1
    op_size: 4096
    rwmixread: 70
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 384
  4krandomread:
    jobname: randread
    mode: randread
    numjobs:
    - 1
    op_size: 4096
    total_iodepth:
    - 4
    - 8
    - 12
    - 16
```

```
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 588
  - 768
4krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
  - 768
512krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 40
  - 48
  - 64
512krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 16
  - 24
  - 32
  - 48
  - 64
```

```
  512kseqread:
    jobname: seqread
    mode: read
    numjobs:
    - 1
    op_size: 524288
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 6
    - 8
    - 12
    - 16
    - 20
    - 24
    - 32
  512kseqwrite:
    jobname: seqwrite
    mode: write
    numjobs:
    - 1
    op_size: 524288
    total_iodepth:
    - 1
    - 2
    - 4
    - 6
    - 8
    - 16
    - 32
    - 48
    - 64
    - 96
    - 128
  64k3070:
    jobname: randmix
    mode: randrw
    numjobs:
    - 1
    op_size: 65536
    rwmixread: 30
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 32
    - 64
    - 96
    - 128
    - 256
  64k7030:
    jobname: randmix
    mode: randrw
    numjobs:
    - 1
    op_size: 65536
    rwmixread: 70
    total_iodepth:
```

```
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 32
    - 64
    - 96
    - 128
    - 256
  64krandomread:
    jobname: randread
    mode: randread
    numjobs:
    - 1
    op_size: 65536
    total_iodepth:
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 384
  64krandomwrite:
    jobname: randwrite
    mode: randwrite
    numjobs:
    - 1
    op_size: 65536
    total_iodepth:
    - 2
    - 4
    - 6
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 384
  64kseqread:
    jobname: read
    mode: read
    numjobs:
    - 1
    op_size: 65536
    total_iodepth:
    - 2
    - 4
    - 6
    - 8
    - 16
    - 24
    - 32
    - 64
```

```
  - 128
  - 192
  - 256
64kseqwrite:
  jobname: write
  mode: write
  numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 512
8krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 8192
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 588
  - 768
8krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 8192
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
  - 768
precondition:
  jobname: precond1rw
  mode: randwrite
  monitor: false
  numjobs:
```

```
    - 1
    op_size: 65536
    time: 600
    total_iodepth:
    - 16
  seq16kread:
    jobname: seqread
    mode: read
    numjobs:
    - 1
    op_size: 16384
    total_iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 192
    - 288
  seq16kwrite:
    jobname: seqwrite
    mode: write
    numjobs:
    - 1
    op_size: 16384
    total_iodepth:
    - 2
    - 4
    - 8
    - 16
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384
    - 512
    - 768
    - 1024
  seq256kread:
    jobname: seqread
    mode: read
    numjobs:
    - 1
    op_size: 262144
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 48
    - 64
  seq256kwrite:
```

```
    jobname: seqwrite
    mode: write
    numjobs:
    - 1
    op_size: 262144
    total_iodepth:
    - 1
    - 2
    - 4
    - 8
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 256
  seq32kread:
    jobname: seqread
    mode: read
    numjobs:
    - 1
    op_size: 32768
    total_iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 192
  seq32kwrite:
    jobname: seqwrite
    mode: write
    numjobs:
    - 1
    op_size: 32768
    total_iodepth:
    - 2
    - 4
    - 8
    - 16
    - 32
    - 64
    - 128
    - 256
    - 512
    - 768
  seq4kread:
    jobname: seqread
    mode: read
    numjobs:
    - 1
    op_size: 4096
    total_iodepth:
    - 2
    - 4
    - 8
    - 12
```

```
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 192
    - 288
    - 384
  seq4kwrite:
    jobname: seqwrite
    mode: write
    numjobs:
    - 1
    op_size: 4096
    total_iodepth:
    - 2
    - 8
    - 16
    - 24
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384
    - 512
    - 768
    - 1024
    - 1280
    - 1536
  seq8kread:
    jobname: seqread
    mode: read
    numjobs:
    - 1
    op_size: 8192
    total_iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 192
    - 288
    - 384
  seq8kwrite:
    jobname: seqwrite
    mode: write
    numjobs:
    - 1
    op_size: 8192
    total_iodepth:
    - 2
    - 8
    - 16
    - 24
    - 32
```

```
        - 48
        - 64
        - 128
        - 256
        - 384
        - 512
        - 768
        - 1024
        - 1280
        - 1536
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
      a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
      a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 8
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: ljsanders
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
```