

Comparitive Performance Report for 3way-reads-osds-8-shardsize-5000000 vs 3way-reads-osds-8-shardsize-131072 vs 3way-reads-osds-8-shardsize-196608 vs 3way-reads-osds-8-shardsize-262144 vs 3way-reads-osds-8-shardsize-327680 vs 3way-reads-osds-8-shardsize-393216

Table of contents


- Comparison summary for 3way-reads-osds-8-shardsize-5000000 vs 3way-reads-osds-8-shardsize-131072 vs 3way-reads-osds-8-shardsize-196608 vs 3way-reads-osds-8-shardsize-262144 vs 3way-reads-osds-8-shardsize-327680 vs 3way-reads-osds-8-shardsize-393216
- Response Curves
 - Random Read
- Configuration yaml files
 - results


Comparison summary for
3way-reads-osds-8-shardsize-5000000 vs
3way-reads-osds-8-shardsize-131072 vs
3way-reads-osds-8-shardsize-196608 vs
3way-reads-osds-8-shardsize-262144 vs
3way-reads-osds-8-shardsize-327680 vs
3way-reads-osds-8-shardsize-393216


Random												
Read	3way_reads-osds-8-shardsize-5000000	3way_reads-osds-8-shardsize-131072	3way_reads-osds-8-shardsize-196608	3way_reads-osds-8-shardsize-262144	3way_reads-osds-8-shardsize-327680	3way_reads-osds-8-shardsize-393216	3way_reads-osds-8-shardsize-5000000	3way_reads-osds-8-shardsize-131072	3way_reads-osds-8-shardsize-196608	3way_reads-osds-8-shardsize-262144	3way_reads-osds-8-shardsize-327680	3way_reads-osds-8-shardsize-393216
128K	10963@6.1	11059@4.5	1%	11063@6.1	1%	11071@6.1	1%	10825@6.2	-1%	10854@4.6	-1%	
192K	11990@2.1	12126@2.1	1%	12101@2.1	1%	12109@2.1	1%	11829@2.1	-1%	11820@2.1	-1%	
256K	12818@2.6	12812@4.6	-16%	12974@2.6	1%	12983@2.6	1%	12639@2.6	-1%	12612@2.6	-2%	
320K	12789@3.3	12828@3.7	-12%	12839@3.3	0%	12889@3.2	1%	12507@3.3	-2%	12501@3.3	-2%	
384K	12741@3.9	12733@5.8	-16%	11713@2.1	-8%	12480@4.0	-2%	12596@4.0	-1%	12548@4.0	-2%	
448K	12784@4.6	12890@2.7	-15%	11955@2.4	-6%	12216@4.8	-4%	12384@4.7	-3%	12515@4.7	-2%	
512K	12902@5.2	12465@2.9	-11%	12428@2.7	-4%	12124@2.8	-6%	12598@5.3	-2%	12438@5.4	-4%	
768K	12656@4.0	12081@3.1	-5%	12267@3.1	-3%	11900@3.2	-6%	12370@4.1	-2%	12336@4.1	-3%	
1024K	12534@5.3	12134@5.5	-3%	12135@5.5	-3%	11793@5.7	-6%	11791@5.7	-6%	12258@5.5	-2%	
1280K	12226@6.8	12007@3.5	-2%	12106@3.5	-1%	11897@3.5	-3%	11919@3.5	-3%	11865@3.5	-3%	
1536K	11926@8.4	12153@4.1	2%	12213@4.1	2%	11935@4.2	0%	12007@4.2	1%	12086@4.1	1%	
1792K	11588@10.1	12089@4.8	4%	12167@4.8	5%	11897@4.9	3%	11968@4.9	3%	11989@4.9	3%	
2048K	11434@11.7	12169@5.5	6%	12272@5.5	7%	11938@5.6	4%	11929@5.6	4%	11979@5.6	5%	

Response Curves

Random Read







Configuration yaml files

Only yaml files that differ by more than 20 lines from the yaml file for the baseline directory will be added here in addition to the baseline yaml

results

```

librbd fio:
  cmd_path: /usr/local/bin/fio2
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
  norandommap: true
  osd_ra:
    - 4096
  poolname: rbd_replicated
  prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
    - 1
  ramp: 20
  rbdname: cbt-librbd fio
  time: 60
  time_based: true
  use_existing_volumes: true
  vol_size: 1000
  volumes_per_client:
    - 16
  wait_pgautoscaler_timeout: 10
  workloads:
    1280k randomread:
      jobname: randread
      mode: randread
      numjobs:
        - 1
      op_size: 1310720
      total_iodepth:
        - 1
        - 2
        - 3
        - 4
        - 8
        - 12
        - 16
        - 20
        - 24
        - 28
        - 32
        - 64
        - 128
        - 256
        - 320
    128k randomread:
      jobname: randread
      mode: randread
      numjobs:
        - 1
      op_size: 131072
      total_iodepth:
        - 2
        - 4
        - 6
        - 8
        - 12
        - 16

```



```

- 24
- 32
- 64
- 128
- 256
- 384
- 512
1536krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 1572864
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 12
    - 16
    - 20
    - 24
    - 28
    - 32
    - 64
    - 128
    - 256
1792krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 1835008
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 12
    - 16
    - 20
    - 24
    - 28
    - 32
    - 64
    - 128
    - 192
192krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 196608
  total_iodepth:
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24

```



```

- 24
- 32
- 64
- 128
- 160
- 192
- 256
- 384
320krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 327680
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
    - 160
    - 192
    - 256
    - 384
384krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 393216
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
    - 160
    - 256
    - 512
448krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 458752
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8

```

3way-reads-osds-8-shardsize-5000000 vs 3way-reads-osds-8-shardsize-131072 vs 3way-reads-osds-8-shardsize-1260800 vs 3way-reads-osds-8-shardsize-262144 vs 3way-reads-osds-8-shardsize-327680 vs 3way-reads-osds-8-shardsize-393216

```

head: --- server1 ---
iterations: 1
mgrs:
  --- server1 ---:
    a: null
mkfs_opts: -f -i size=2048
mons:
  --- server1 ---:
    a: --- IP Address ---:6789
mount_opts: -o inode64,noatime,logbsize=256k
osds:
- --- server1 ---
  osds_per_node: 8
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: ljsanders
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -FO --rawtoo --sep ";" -f {collectl_dir}

```