

Comparitive Performance Report for tentacle-3-way-replica-balance-reads-on vs direct-reads-pr2-3-way-replica-balance- reads-on-split-off-rerun2

Table of contents

- Comparison summary for tentacle-3-way-replica-balance-reads-on vs direct-reads-pr2-3-way-replica-balance-reads-on-split-off-rerun2
- Response Curves
 - Sequential Read
 - Random Read
 - Random Read/Write
- Configuration yaml files
 - results

Comparison summary for tentacle-3-way-replica-balance-reads-on vs direct-reads-pr2-3-way-replica-balance- reads-on-split-off-rerun2


Sequential Read	tentacle_3_way_replica_balance_reads_on	direct-reads-pr2-3-way-replica-balance-reads-on-split-off-rerun2	% change throughputs	% change latency
4K	261426 IOps@1.5ms	265717 IOps@1.4ms	2%	-7%
8K	252900 IOps@1.5ms	257455 IOps@1.5ms	2%	0%
16K	219887 IOps@1.7ms	222946 IOps@1.7ms	1%	0%
32K	192102 IOps@2.0ms	197285 IOps@1.9ms	3%	-5%
64K	9299 MB/s@2.7ms	9476 MB/s@2.6ms	2%	-4%
128K	13091 MB/s@3.8ms	13777 MB/s@3.6ms	5%	-5%
256K	17215 MB/s@5.8ms	17908 MB/s@5.6ms	4%	-3%
384K	16934 MB/s@11.9ms	18034 MB/s@11.2ms	6%	-6%
512K	14250 MB/s@18.8ms	18207 MB/s@7.4ms	28%	-61%
768K	16851 MB/s@11.9ms	17904 MB/s@22.5ms	6%	89%
1024K	15398 MB/s@17.4ms	17015 MB/s@15.8ms	11%	-9%
2048K	14321 MB/s@28.1ms	14666 MB/s@9.1ms	2%	-68%
4096K	14110 MB/s@57.1ms	14023 MB/s@57.4ms	-1%	1%


Random Read	tentacle_3_way_replica_balance_reads_on	direct-reads-pr2-3-way-replica-balance-reads-on-split-off-rerun2	% change throughputs	% change latency
4K	239094 IOps@1.1ms	250297 IOps@1.0ms	5%	-9%
8K	225342 IOps@1.7ms	235241 IOps@1.1ms	4%	-35%
16K	203290 IOps@1.9ms	211260 IOps@1.8ms	4%	-5%
32K	182074 IOps@1.8ms	186854 IOps@1.7ms	3%	-6%
64K	9412 MB/s@2.7ms	9705 MB/s@2.2ms	3%	-19%
128K	13212 MB/s@2.5ms	14259 MB/s@2.3ms	8%	-8%
256K	14106 MB/s@7.1ms	17361 MB/s@4.8ms	23%	-32%
384K	16696 MB/s@3.8ms	18636 MB/s@5.4ms	12%	42%
512K	15960 MB/s@4.2ms	17472 MB/s@3.8ms	9%	-10%
768K	16308 MB/s@6.2ms	17061 MB/s@5.9ms	5%	-5%
1024K	16095 MB/s@8.3ms	17273 MB/s@15.5ms	7%	87%
2048K	14222 MB/s@18.8ms	14964 MB/s@26.9ms	5%	43%
4096K	13727 MB/s@58.7ms	14102 MB/s@57.1ms	3%	-3%

Random Read/Write	tentacle_3_way_replica_balance_reads_on	direct-reads-pr2-3-way-replica-balance-reads-on-split-off-rerun2	% change throughputs	% change latency
4K_70/30	123422 IOps@3.1ms	130014 IOps@2.9ms	5%	-6%
16K_70/30	106175 IOps@3.6ms	106584 IOps@3.0ms	0%	-17%
64K_70/30	4942 MB/s@5.1ms	5056 MB/s@4.1ms	2%	-20%
64K_30/70	2947 MB/s@2.8ms	2995 MB/s@5.6ms	2%	100%


Response Curves


Sequential Read







Random Read





Random Read/Write





Configuration yaml files

Only yaml files that differ by more than 20 lines from the yaml file for the baseline directory will be added here in addition to the baseline yaml

results

```

librbd fio:
  cmd_path: /usr/local/bin/fio2
  create_report: true
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
  norandommap: true
  osd_ra:
    - 4096
  poolname: rbd_replicated
  prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
    - 1
  ramp: 30
  rbdname: cbt-librbd fio
  time: 90
  time_based: true
  use_existing_volumes: true
  vol_size: 1000
  volumes_per_client:
    - 16
  wait_pgautoscaler_timeout: 10
  workloads:
    128k randomread:
      jobname: randread
      mode: randread
      numjobs:
        - 1
      op_size: 131072
      total_iodepth:
        - 1
        - 2
        - 3
        - 4
        - 8
        - 12
        - 16
        - 20
        - 24
        - 28
        - 32
        - 64
        - 128
        - 256
        - 384
    128k sequentialread:
      jobname: seqread
      mode: read
      numjobs:
        - 1
      op_size: 131072
      total_iodepth:
        - 1
        - 2
        - 3
        - 4
        - 8

```

```

- 12
- 16
- 20
- 24
- 28
- 32
- 64
- 128
- 256
- 384
16kmixread70:
  jobname: mixread
  mode: randrw
  numjobs:
    - 1
  op_size: 16384
  rwmixread: 70
  total_iodepth:
    - 1
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 320
    - 384
16krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 16384
  total_iodepth:
    - 1
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 320
    - 384
16ksequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 16384
  total_iodepth:
    - 1
    - 2
    - 4

```

```

- 6
- 8
- 12
- 16
- 24
- 32
- 64
- 128
- 256
- 320
- 384
1Mrandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 1048576
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 12
    - 16
    - 20
    - 24
    - 28
    - 32
    - 64
    - 128
    - 256
    - 384
1Msequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 1048576
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 12
    - 16
    - 20
    - 24
    - 28
    - 32
    - 64
    - 128
    - 256
    - 384
256krandomread:
  jobname: randomread
  mode: randread
  numjobs:
    - 1
  op_size: 262144
  total_iodepth:
    - 1

```

```

- 2
- 4
- 6
- 8
- 12
- 16
- 24
- 32
- 64
- 128
- 256
- 320
- 384
256ksequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 262144
  total_iodepth:
    - 1
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 320
    - 384
2Mrandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 2097152
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 12
    - 16
    - 20
    - 24
    - 28
    - 32
    - 64
    - 128
    - 192
2Msequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 2097152
  total_iodepth:
    - 1

```

```

- 2
- 3
- 4
- 8
- 12
- 16
- 20
- 24
- 28
- 32
- 64
- 128
- 192
32krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 32768
  total_iodepth:
    - 1
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 320
    - 384
32ksequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 32768
  total_iodepth:
    - 1
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 320
    - 384
384krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 393216
  total_iodepth:
    - 1

```

```

- 2
- 3
- 4
- 5
- 8
- 16
- 24
- 32
- 64
- 128
- 160
- 256
- 512
384ksequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 393216
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
    - 160
    - 256
    - 512
4Mrandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 4194304
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 12
    - 16
    - 20
    - 24
    - 28
    - 32
    - 64
    - 128
    - 192
4Msequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 4194304
  total_iodepth:
    - 1

```

- 2
- 3
- 4
- 8
- 12
- 16
- 20
- 24
- 28
- 32
- 64
- 128
- 192

4kmixread70:

- jobname: mixread
- mode: randrw
- numjobs:
- 1
- op_size: 4096
- rwmixread: 70
- total_iodepth:
- 1
- 2
- 4
- 6
- 8
- 12
- 16
- 24
- 32
- 64
- 128
- 256
- 320
- 384

4krandomread:

- jobname: randread
- mode: randread
- numjobs:
- 1
- op_size: 4096
- total_iodepth:
- 1
- 2
- 4
- 6
- 8
- 12
- 16
- 24
- 32
- 64
- 128
- 256
- 320
- 384

4ksequentialread:

- jobname: seqread
- mode: read
- numjobs:
- 1
- op_size: 4096
- total_iodepth:


```

- 1
- 2
- 4
- 6
- 8
- 12
- 16
- 24
- 32
- 64
- 128
- 256
- 320
- 384
512krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 524288
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 24
    - 32
    - 40
    - 48
    - 64
    - 128
    - 256
    - 512
512ksequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 524288
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 24
    - 32
    - 40
    - 48
    - 64
    - 128
    - 256
    - 512
64kmixread30:
  jobname: mixread
  mode: randrw
  numjobs:
    - 1
  op_size: 65536
  rwmixread: 30

```

```

    total_iodepth:
      - 1
      - 2
      - 4
      - 6
      - 8
      - 12
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
      - 320
      - 384
  64kmixread70:
    jobname: mixread
    mode: randrw
    numjobs:
      - 1
    op_size: 65536
    rwmixread: 70
    total_iodepth:
      - 1
      - 2
      - 4
      - 6
      - 8
      - 12
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
      - 320
      - 384
  64krandomread:
    jobname: randread
    mode: randread
    numjobs:
      - 1
    op_size: 65536
    total_iodepth:
      - 1
      - 2
      - 4
      - 6
      - 8
      - 12
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
      - 320
      - 384
  64ksequentialread:
    jobname: seqread
    mode: read
    numjobs:
      - 1

```

```

    op_size: 65536
    total_iodepth:
      - 1
      - 2
      - 4
      - 6
      - 8
      - 12
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
      - 320
      - 384
  768krandomread:
    jobname: randread
    mode: randread
    numjobs:
      - 1
    op_size: 786432
    total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 16
      - 24
      - 32
      - 40
      - 48
      - 64
      - 128
      - 256
      - 512
  768ksequentialread:
    jobname: seqread
    mode: read
    numjobs:
      - 1
    op_size: 786432
    total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 5
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
      - 160
      - 256
      - 512
  8krandomread:
    jobname: randread
    mode: randread
    numjobs:
      - 1

```

```

    op_size: 8192
    total_iodepth:
      - 1
      - 2
      - 4
      - 6
      - 8
      - 12
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
      - 320
      - 384
  8ksequentialread:
    jobname: seqread
    mode: read
    numjobs:
      - 1
    op_size: 8192
    total_iodepth:
      - 1
      - 2
      - 4
      - 6
      - 8
      - 12
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
      - 320
      - 384
  precondition:
    jobname: precond1rw
    mode: randwrite
    monitor: false
    numjobs:
      - 1
    op_size: 65536
    time: 600
    total_iodepth:
      - 16
cluster:
  archive_dir: /tmp/cbt
  ceph_mgr_cmd: /usr/bin/ceph-mgr
  ceph_mon_cmd: /usr/bin/ceph-mon
  ceph_osd_cmd: /usr/bin/ceph-osd
  ceph_run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
    - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:

```

```
    a: null
mkfs_opts: -f -i size=2048
mons:
  --- server1 ---:
    a: --- IP Address ---:6789
mount_opts: -o inode64,noatime,logbsize=256k
osds:
- --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: root
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -FO --rawtoo --sep ";" -f {collectl_dir}
```