

Comparitive Performance Report for tentacle-3-way-replica-balance-reads-on vs direct-reads-3-way-replica-balance-reads- on-split-off-run2

Table of contents

- Comparison summary for tentacle-3-way-replica-balance-reads-on vs direct-reads-3-way-replica-balance-reads-on-split-off-run2
- Response Curves
 - Sequential Read
 - Random Read
 - Random Read/Write
- Configuration yaml files
 - results

Comparison summary for tentacle-3-way-replica-balance-reads-on vs direct-reads-3-way-replica-balance-reads- on-split-off-run2


Sequential Read	tentacle_3_way_replica_balance_reads_on	direct_reads_3_way_replica_balance_reads_on_split_off_run2	change_throughput	change_latency
4K	225772 IOps@1.7ms	107034 IOps@3.6ms	-53%	112%
8K	216564 IOps@1.8ms	105672 IOps@3.6ms	-51%	100%
16K	198850 IOps@1.9ms	103105 IOps@3.7ms	-48%	95%
32K	154447 IOps@2.5ms	97390 IOps@3.9ms	-37%	56%
64K	7547 MB/s@3.3ms	5606 MB/s@4.5ms	-26%	36%
128K	10647 MB/s@4.7ms	8767 MB/s@5.7ms	-18%	21%
256K	12908 MB/s@7.8ms	11861 MB/s@8.5ms	-8%	9%
384K	12866 MB/s@7.8ms	11613 MB/s@5.4ms	-10%	-31%
512K	12804 MB/s@5.2ms	11295 MB/s@11.9ms	-12%	129%
768K	12380 MB/s@8.1ms	10795 MB/s@9.3ms	-13%	15%
1024K	12189 MB/s@5.5ms	11363 MB/s@5.9ms	-7%	7%
2048K	10251 MB/s@13.1ms	11182 MB/s@6.0ms	9%	-54%
4096K	10070 MB/s@13.3ms	10778 MB/s@9.3ms	7%	-30%


Random Read	tentacle_3_way_replica_balance_reads_on	direct_reads_3_way_replica_balance_reads_on_split_off_run2	change_throughput	change_latency
4K	171696 IOps@2.2ms	108657 IOps@3.5ms	-37%	59%
8K	161660 IOps@2.4ms	104567 IOps@3.7ms	-35%	54%
16K	152226 IOps@2.1ms	100039 IOps@3.8ms	-34%	81%
32K	133590 IOps@2.9ms	91446 IOps@4.2ms	-32%	45%
64K	7059 MB/s@3.0ms	5127 MB/s@4.9ms	-27%	63%
128K	10382 MB/s@3.2ms	8126 MB/s@4.1ms	-22%	28%
256K	12336 MB/s@2.7ms	11012 MB/s@3.0ms	-11%	11%
384K	12192 MB/s@4.1ms	11309 MB/s@4.4ms	-7%	7%
512K	12491 MB/s@5.4ms	10471 MB/s@6.4ms	-16%	19%
768K	12014 MB/s@4.2ms	10410 MB/s@4.8ms	-13%	14%
1024K	12103 MB/s@5.5ms	11034 MB/s@6.1ms	-9%	11%
2048K	10678 MB/s@12.5ms	11147 MB/s@6.0ms	4%	-52%
4096K	10171 MB/s@13.2ms	10898 MB/s@9.2ms	7%	-30%

Random Read/Write	tentacle_3_way_replica_balance_reads_on	direct_reads_3_way_replica_balance_reads_on_split_off_run2	change_throughput	change_latency
4K_70/30	86455 IOps@4.4ms	63744 IOps@6.0ms	-26%	36%
16K_70/30	78340 IOps@3.3ms	59743 IOps@6.4ms	-24%	94%
64K_70/30	3886 MB/s@5.4ms	3147 MB/s@6.6ms	-19%	22%
64K_30/70	2662 MB/s@9.4ms	2246 MB/s@9.3ms	-16%	-1%


Response Curves


Sequential Read







Random Read





Random Read/Write





Configuration yaml files

Only yaml files that differ by more than 20 lines from the yaml file for the baseline directory will be added here in addition to the baseline yaml

results

```

librbd fio:
  cmd_path: /usr/local/bin/fio2
  create_report: true
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
  norandommap: true
  osd_ra:
    - 4096
  poolname: rbd_replicated
  prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
    - 1
  ramp: 30
  rbdname: cbt-librbd fio
  time: 90
  time_based: true
  use_existing_volumes: true
  vol_size: 1000
  volumes_per_client:
    - 16
  wait_pgautoscaler_timeout: 10
  workloads:
    128k randomread:
      jobname: randread
      mode: randread
      numjobs:
        - 1
      op_size: 131072
      total_iodepth:
        - 1
        - 2
        - 3
        - 4
        - 8
        - 12
        - 16
        - 20
        - 24
        - 28
        - 32
        - 64
        - 128
        - 256
        - 384
    128k sequentialread:
      jobname: seqread
      mode: read
      numjobs:
        - 1
      op_size: 131072
      total_iodepth:
        - 1
        - 2
        - 3
        - 4
        - 8

```

```

- 12
- 16
- 20
- 24
- 28
- 32
- 64
- 128
- 256
- 384
16kmixread70:
  jobname: mixread
  mode: randrw
  numjobs:
    - 1
  op_size: 16384
  rwmixread: 70
  total_iodepth:
    - 1
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 320
    - 384
16krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 16384
  total_iodepth:
    - 1
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 320
    - 384
16ksequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 16384
  total_iodepth:
    - 1
    - 2
    - 4

```

```

- 6
- 8
- 12
- 16
- 24
- 32
- 64
- 128
- 256
- 320
- 384
1Mrandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 1048576
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 12
    - 16
    - 20
    - 24
    - 28
    - 32
    - 64
    - 128
    - 256
    - 384
1Msequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 1048576
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 12
    - 16
    - 20
    - 24
    - 28
    - 32
    - 64
    - 128
    - 256
    - 384
256krandomread:
  jobname: randomread
  mode: randread
  numjobs:
    - 1
  op_size: 262144
  total_iodepth:
    - 1

```

```

- 2
- 4
- 6
- 8
- 12
- 16
- 24
- 32
- 64
- 128
- 256
- 320
- 384
256ksequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 262144
  total_iodepth:
    - 1
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 320
    - 384
2Mrandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 2097152
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 12
    - 16
    - 20
    - 24
    - 28
    - 32
    - 64
    - 128
    - 192
2Msequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 2097152
  total_iodepth:
    - 1

```

```
- 2
- 3
- 4
- 8
- 12
- 16
- 20
- 24
- 28
- 32
- 64
- 128
- 192
32krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 32768
  total_iodepth:
    - 1
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 320
    - 384
32ksequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 32768
  total_iodepth:
    - 1
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 320
    - 384
384krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 393216
  total_iodepth:
    - 1
```

```
- 2
- 3
- 4
- 5
- 8
- 16
- 24
- 32
- 64
- 128
- 160
- 256
- 512
384ksequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 393216
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
    - 160
    - 256
    - 512
4Mrandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 4194304
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 12
    - 16
    - 20
    - 24
    - 28
    - 32
    - 64
    - 128
    - 192
4Msequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 4194304
  total_iodepth:
    - 1
```

- 2
- 3
- 4
- 8
- 12
- 16
- 20
- 24
- 28
- 32
- 64
- 128
- 192

4kmixread70:

- jobname: mixread
- mode: randrw
- numjobs:
- 1
- op_size: 4096
- rwmixread: 70
- total_iodepth:
- 1
- 2
- 4
- 6
- 8
- 12
- 16
- 24
- 32
- 64
- 128
- 256
- 320
- 384

4krandomread:

- jobname: randread
- mode: randread
- numjobs:
- 1
- op_size: 4096
- total_iodepth:
- 1
- 2
- 4
- 6
- 8
- 12
- 16
- 24
- 32
- 64
- 128
- 256
- 320
- 384

4ksequentialread:

- jobname: seqread
- mode: read
- numjobs:
- 1
- op_size: 4096
- total_iodepth:


```
- 1
- 2
- 4
- 6
- 8
- 12
- 16
- 24
- 32
- 64
- 128
- 256
- 320
- 384
512krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 524288
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 24
    - 32
    - 40
    - 48
    - 64
    - 128
    - 256
    - 512
512ksequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 524288
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 24
    - 32
    - 40
    - 48
    - 64
    - 128
    - 256
    - 512
64kmixread30:
  jobname: mixread
  mode: randrw
  numjobs:
    - 1
  op_size: 65536
  rwmixread: 30
```

```

total_iodepth:
- 1
- 2
- 4
- 6
- 8
- 12
- 16
- 24
- 32
- 64
- 128
- 256
- 320
- 384
64kmixread70:
  jobname: mixread
  mode: randrw
  numjobs:
  - 1
  op_size: 65536
  rwmixread: 70
  total_iodepth:
  - 1
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 320
  - 384
64krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 1
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 320
  - 384
64ksequentialread:
  jobname: seqread
  mode: read
  numjobs:
  - 1

```

```

  op_size: 65536
  total_iodepth:
  - 1
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 320
  - 384
768krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 786432
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 40
  - 48
  - 64
  - 128
  - 256
  - 512
768ksequentialread:
  jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 786432
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 160
  - 256
  - 512
8krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1

```

```

    op_size: 8192
    total_iodepth:
      - 1
      - 2
      - 4
      - 6
      - 8
      - 12
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
      - 320
      - 384
  8ksequentialread:
    jobname: seqread
    mode: read
    numjobs:
      - 1
    op_size: 8192
    total_iodepth:
      - 1
      - 2
      - 4
      - 6
      - 8
      - 12
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
      - 320
      - 384
  precondition:
    jobname: precond1rw
    mode: randwrite
    monitor: false
    numjobs:
      - 1
    op_size: 65536
    time: 600
    total_iodepth:
      - 16
cluster:
  archive_dir: /tmp/cbt
  ceph_mgr_cmd: /usr/bin/ceph-mgr
  ceph_mon_cmd: /usr/bin/ceph-mon
  ceph_osd_cmd: /usr/bin/ceph-osd
  ceph_run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
    - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:

```

```
    a: null
mkfs_opts: -f -i size=2048
mons:
  --- server1 ---:
    a: --- IP Address ---:6789
mount_opts: -o inode64,noatime,logbsize=256k
osds:
- --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: cjames
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -FO --rawtoo --sep ";" -f {collectl_dir}
```