

Comparitive Performance Report for tentacle-ec-4+2-16k-balance-off vs direct- reads-ec-4+2-16k-balance-off-rerun-pr2

Table of contents

- Comparison summary for tentacle-ec-4+2-16k-balance-off vs direct-reads-ec-4+2-16k-balance-off-rerun-pr2
- Response Curves
 - Sequential Read
 - Random Read
 - Random Read/Write
- Configuration yaml files
 - results

Comparison summary for tentacle-ec-4+2-16k-balance-off vs direct- reads-ec-4+2-16k-balance-off-rerun-pr2


Sequential Read	tentacle_ec_4+2_16k	direct-reads-ec_4+2_16k	%change	latency
4K	76980 IOps@5.0ms	78975 IOps@4.9ms	3%	-2%
8K	76437 IOps@5.0ms	78180 IOps@4.9ms	2%	-2%
16K	74065 IOps@5.2ms	76196 IOps@5.0ms	3%	-4%
32K	60602 IOps@6.3ms	63234 IOps@6.1ms	4%	-3%
64K	2751 MB/s@9.1ms	2885 MB/s@8.7ms	5%	-4%
128K	4703 MB/s@10.7ms	4960 MB/s@10.1ms	5%	-6%
256K	6535 MB/s@15.4ms	7071 MB/s@14.2ms	8%	-8%
384K	7203 MB/s@27.9ms	7842 MB/s@25.7ms	9%	-8%
512K	7859 MB/s@34.2ms	8630 MB/s@31.1ms	10%	-9%
768K	8071 MB/s@49.9ms	8894 MB/s@45.3ms	10%	-9%
1024K	8390 MB/s@48.0ms	9198 MB/s@43.8ms	10%	-9%
2048K	8160 MB/s@32.9ms	8872 MB/s@45.4ms	9%	38%
4096K	7838 MB/s@68.5ms	8413 MB/s@95.8ms	7%	40%


Random Read	tentacle_ec_4+2_16k	direct-reads-ec_4+2_16k	%change	latency
4K	70831 IOps@5.4ms	73478 IOps@5.2ms	4%	-4%
8K	69838 IOps@5.5ms	72636 IOps@5.3ms	4%	-4%
16K	67308 IOps@5.7ms	69850 IOps@5.5ms	4%	-4%
32K	48933 IOps@7.8ms	50755 IOps@6.3ms	4%	-19%
64K	2117 MB/s@11.9ms	2199 MB/s@9.5ms	4%	-20%
128K	3705 MB/s@13.6ms	3918 MB/s@12.8ms	6%	-6%
256K	5897 MB/s@17.1ms	6327 MB/s@15.9ms	7%	-7%
384K	6543 MB/s@30.8ms	7299 MB/s@27.6ms	12%	-10%
512K	7079 MB/s@37.9ms	7749 MB/s@34.6ms	9%	-9%
768K	7452 MB/s@54.0ms	8144 MB/s@49.4ms	9%	-9%
1024K	7794 MB/s@51.7ms	8597 MB/s@46.8ms	10%	-9%
2048K	7951 MB/s@16.9ms	8663 MB/s@46.5ms	9%	175%
4096K	7768 MB/s@69.1ms	8401 MB/s@63.9ms	8%	-8%


Random Read/Write	tentacle_ec_4+2_16k	direct-reads-ec_4+2_16k	%change	latency
4K_70/30	33776 IOps@11.4ms	36711 IOps@10.4ms	9%	-9%
16K_70/30	32052 IOps@10.0ms	35130 IOps@10.9ms	10%	9%
64K_30/70	1065 MB/s@23.6ms	1106 MB/s@22.7ms	4%	-4%
64K_70/30	1397 MB/s@15.0ms	1443 MB/s@14.5ms	3%	-3%

Response Curves


Sequential Read










Random Read







Random Read/Write



Configuration yaml files

Only yaml files that differ by more than 20 lines from the yaml file for the baseline directory will be added here in addition to the baseline yaml

results

```

librbd fio:
  cmd_path: /usr/local/bin/fio2
  create_report: true
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
  norandommap: true
  osd_ra:
    - 4096
  poolname: rbd_replicated
  prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
    - 1
  ramp: 30
  rbdname: cbt-librbd fio
  time: 90
  time_based: true
  use_existing_volumes: true
  vol_size: 1000
  volumes_per_client:
    - 16
  wait_pgautoscaler_timeout: 10
  workloads:
    128k randomread:
      jobname: randread
      mode: randread
      numjobs:
        - 1
      op_size: 131072
      total_iodepth:
        - 1
        - 2
        - 3
        - 4
        - 8
        - 12
        - 16
        - 20
        - 24
        - 28
        - 32
        - 64
        - 128
        - 256
        - 384
    128k sequentialread:
      jobname: seqread
      mode: read
      numjobs:
        - 1
      op_size: 131072
      total_iodepth:
        - 1
        - 2
        - 3
        - 4
        - 8

```

```
- 12
- 16
- 20
- 24
- 28
- 32
- 64
- 128
- 256
- 384
16kmixread70:
  jobname: mixread
  mode: randrw
  numjobs:
    - 1
  op_size: 16384
  rwmixread: 70
  total_iodepth:
    - 1
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 320
    - 384
16krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 16384
  total_iodepth:
    - 1
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 320
    - 384
16ksequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 16384
  total_iodepth:
    - 1
    - 2
    - 4
```

```

- 6
- 8
- 12
- 16
- 24
- 32
- 64
- 128
- 256
- 320
- 384
1Mrandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 1048576
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 12
    - 16
    - 20
    - 24
    - 28
    - 32
    - 64
    - 128
    - 256
    - 384
1Msequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 1048576
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 12
    - 16
    - 20
    - 24
    - 28
    - 32
    - 64
    - 128
    - 256
    - 384
256krandomread:
  jobname: randomread
  mode: randread
  numjobs:
    - 1
  op_size: 262144
  total_iodepth:
    - 1

```

```
- 2
- 4
- 6
- 8
- 12
- 16
- 24
- 32
- 64
- 128
- 256
- 320
- 384
256ksequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 262144
  total_iodepth:
    - 1
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 320
    - 384
2Mrandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 2097152
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 12
    - 16
    - 20
    - 24
    - 28
    - 32
    - 64
    - 128
    - 192
2Msequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 2097152
  total_iodepth:
    - 1
```

```

- 2
- 3
- 4
- 8
- 12
- 16
- 20
- 24
- 28
- 32
- 64
- 128
- 192
32krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 32768
  total_iodepth:
    - 1
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 320
    - 384
32ksequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 32768
  total_iodepth:
    - 1
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 320
    - 384
384krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 393216
  total_iodepth:
    - 1

```

```
- 2
- 3
- 4
- 5
- 8
- 16
- 24
- 32
- 64
- 128
- 160
- 256
- 512
384ksequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 393216
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
    - 160
    - 256
    - 512
4Mrandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 4194304
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 12
    - 16
    - 20
    - 24
    - 28
    - 32
    - 64
    - 128
    - 192
4Msequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 4194304
  total_iodepth:
    - 1
```



```
- 2
- 3
- 4
- 8
- 12
- 16
- 20
- 24
- 28
- 32
- 64
- 128
- 192
4kmixread70:
  jobname: mixread
  mode: randrw
  numjobs:
    - 1
  op_size: 4096
  rwmixread: 70
  total_iodepth:
    - 1
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 320
    - 384
4krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 4096
  total_iodepth:
    - 1
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 320
    - 384
4ksequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 4096
  total_iodepth:
```

```

- 1
- 2
- 4
- 6
- 8
- 12
- 16
- 24
- 32
- 64
- 128
- 256
- 320
- 384
512krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 524288
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 24
    - 32
    - 40
    - 48
    - 64
    - 128
    - 256
    - 512
512ksequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 524288
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 24
    - 32
    - 40
    - 48
    - 64
    - 128
    - 256
    - 512
64kmixread30:
  jobname: mixread
  mode: randrw
  numjobs:
    - 1
  op_size: 65536
  rwmixread: 30

```

```
total_iodepth:
- 1
- 2
- 4
- 6
- 8
- 12
- 16
- 24
- 32
- 64
- 128
- 256
- 320
- 384
64kmixread70:
  jobname: mixread
  mode: randrw
  numjobs:
  - 1
  op_size: 65536
  rwmixread: 70
  total_iodepth:
  - 1
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 320
  - 384
64krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 1
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 320
  - 384
64ksequentialread:
  jobname: seqread
  mode: read
  numjobs:
  - 1
```

```

  op_size: 65536
  total_iodepth:
  - 1
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 320
  - 384
768krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 786432
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 40
  - 48
  - 64
  - 128
  - 256
  - 512
768ksequentialread:
  jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 786432
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 160
  - 256
  - 512
8krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1

```

```

    op_size: 8192
    total_iodepth:
      - 1
      - 2
      - 4
      - 6
      - 8
      - 12
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
      - 320
      - 384
  8ksequentialread:
    jobname: seqread
    mode: read
    numjobs:
      - 1
    op_size: 8192
    total_iodepth:
      - 1
      - 2
      - 4
      - 6
      - 8
      - 12
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
      - 320
      - 384
  precondition:
    jobname: precond1rw
    mode: randwrite
    monitor: false
    numjobs:
      - 1
    op_size: 65536
    time: 600
    total_iodepth:
      - 16
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
    - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:

```

```
    a: null
mkfs_opts: -f -i size=2048
mons:
  --- server1 ---:
    a: --- IP Address ---:6789
mount_opts: -o inode64,noatime,logbsize=256k
osds:
- --- server1 ---
osds_per_node: 6
pdsh_ssh_args: -a -x -l%u %h
rados_cmd: /usr/bin/rados
rbd_cmd: /usr/bin/rbd
tmp_dir: /tmp/cbt
use_existing: true
user: cjames
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -FO --rawtoo --sep ";" -f {collectl_dir}
```