

Comparitive Performance Report for direct-reads-ec-2+2-16k-balance-off- rerun-pr2 vs direct-reads-ec-2+2-16k-balance-reads-on

Table of contents

- Comparison summary for direct-reads-ec-2+2-16k-balance-off-rerun-pr2 vs direct-reads-ec-2+2-16k-balance-reads-on
- Response Curves
 - Sequential Read
 - Random Read
 - Random Read/Write
- Configuration yaml files
 - results

Comparison summary for direct-reads-ec-2+2-16k-balance-off-rerun-pr2 vs direct-reads-ec-2+2-16k-balance-reads-on


Sequential Read	direct_reads_ec_2+2_16k-balance-off-rerun-pr2	direct_reads_ec_2+2_16k-balance-reads-on	%change throughput	%change latency
4K	77727 IOps@4.9ms	126585 IOps@2.5ms	63%	-49%
8K	77329 IOps@5.0ms	120976 IOps@2.1ms	56%	-58%
16K	75168 IOps@5.1ms	113797 IOps@3.4ms	51%	-33%
32K	57447 IOps@6.7ms	67601 IOps@5.7ms	18%	-15%
64K	3353 MB/s@7.5ms	3689 MB/s@6.8ms	10%	-9%
128K	5711 MB/s@8.8ms	6266 MB/s@8.0ms	10%	-9%
256K	8330 MB/s@12.1ms	8538 MB/s@11.8ms	2%	-2%
384K	9469 MB/s@21.3ms	9402 MB/s@21.4ms	-1%	0%
512K	10213 MB/s@26.3ms	9857 MB/s@27.2ms	-3%	3%
768K	10354 MB/s@38.9ms	9833 MB/s@41.0ms	-5%	5%
1024K	10544 MB/s@38.2ms	9884 MB/s@40.7ms	-6%	7%
2048K	9725 MB/s@27.6ms	9072 MB/s@29.6ms	-7%	7%
4096K	8989 MB/s@89.6ms	8363 MB/s@32.1ms	-7%	-64%


Random Read	direct_reads_ec_2+2_16k-balance-off-rerun-pr2	direct_reads_ec_2+2_16k-balance-reads-on	%change throughput	%change latency
4K	75857 IOps@5.1ms	110417 IOps@3.5ms	46%	-31%
8K	73165 IOps@4.4ms	105998 IOps@3.0ms	45%	-32%
16K	70725 IOps@5.4ms	100922 IOps@3.8ms	43%	-30%
32K	49626 IOps@7.7ms	63760 IOps@6.0ms	28%	-22%
64K	2890 MB/s@8.7ms	3503 MB/s@4.8ms	21%	-45%
128K	4996 MB/s@10.1ms	5714 MB/s@5.9ms	14%	-42%
256K	7745 MB/s@13.0ms	8084 MB/s@8.3ms	4%	-36%
384K	8947 MB/s@11.2ms	8708 MB/s@23.1ms	-3%	106%
512K	9687 MB/s@27.7ms	9252 MB/s@29.0ms	-4%	5%
768K	9963 MB/s@40.5ms	9337 MB/s@43.1ms	-6%	6%
1024K	10142 MB/s@39.7ms	9476 MB/s@42.5ms	-7%	7%
2048K	9438 MB/s@28.4ms	8895 MB/s@15.1ms	-6%	-47%
4096K	8985 MB/s@59.8ms	8325 MB/s@32.2ms	-7%	-46%

Random Read/Write	direct_reads_ec_2+2_16k-balance-off-rerun-pr2	direct_reads_ec_2+2_16k-balance-reads-on	%change throughput	%change latency
4K_70/30	37441 IOps@8.5ms	44778 IOps@7.1ms	20%	-16%
16K_70/30	35734 IOps@10.7ms	41810 IOps@7.6ms	17%	-29%
64K_30/70	1274 MB/s@19.7ms	1357 MB/s@12.3ms	7%	-38%
64K_70/30	1766 MB/s@11.9ms	1960 MB/s@12.8ms	11%	8%


Response Curves


Sequential Read






Random Read





Random Read/Write



Configuration yaml files

Only yaml files that differ by more than 20 lines from the yaml file for the baseline directory will be added here in addition to the baseline yaml

results

```

librbd fio:
  cmd_path: /usr/local/bin/fio2
  create_report: true
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
  norandommap: true
  osd_ra:
    - 4096
  poolname: rbd_replicated
  prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
    - 1
  ramp: 30
  rbdname: cbt-librbd fio
  time: 90
  time_based: true
  use_existing_volumes: true
  vol_size: 1000
  volumes_per_client:
    - 16
  wait_pgautoscaler_timeout: 10
  workloads:
    128k randomread:
      jobname: randread
      mode: randread
      numjobs:
        - 1
      op_size: 131072
      total_iodepth:
        - 1
        - 2
        - 3
        - 4
        - 8
        - 12
        - 16
        - 20
        - 24
        - 28
        - 32
        - 64
        - 128
        - 256
        - 384
    128k sequentialread:
      jobname: seqread
      mode: read
      numjobs:
        - 1
      op_size: 131072
      total_iodepth:
        - 1
        - 2
        - 3
        - 4
        - 8

```

```

- 12
- 16
- 20
- 24
- 28
- 32
- 64
- 128
- 256
- 384
16kmixread70:
  jobname: mixread
  mode: randrw
  numjobs:
    - 1
  op_size: 16384
  rwmixread: 70
  total_iodepth:
    - 1
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 320
    - 384
16krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 16384
  total_iodepth:
    - 1
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 320
    - 384
16ksequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 16384
  total_iodepth:
    - 1
    - 2
    - 4

```

```

- 6
- 8
- 12
- 16
- 24
- 32
- 64
- 128
- 256
- 320
- 384
1Mrandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 1048576
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 12
    - 16
    - 20
    - 24
    - 28
    - 32
    - 64
    - 128
    - 256
    - 384
1Msequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 1048576
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 12
    - 16
    - 20
    - 24
    - 28
    - 32
    - 64
    - 128
    - 256
    - 384
256krandomread:
  jobname: randomread
  mode: randread
  numjobs:
    - 1
  op_size: 262144
  total_iodepth:
    - 1

```

```

- 2
- 4
- 6
- 8
- 12
- 16
- 24
- 32
- 64
- 128
- 256
- 320
- 384
256ksequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 262144
  total_iodepth:
    - 1
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 320
    - 384
2Mrandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 2097152
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 12
    - 16
    - 20
    - 24
    - 28
    - 32
    - 64
    - 128
    - 192
2Msequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 2097152
  total_iodepth:
    - 1

```

```

- 2
- 3
- 4
- 8
- 12
- 16
- 20
- 24
- 28
- 32
- 64
- 128
- 192
32krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 32768
  total_iodepth:
    - 1
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 320
    - 384
32ksequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 32768
  total_iodepth:
    - 1
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 320
    - 384
384krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 393216
  total_iodepth:
    - 1

```

```

- 2
- 3
- 4
- 5
- 8
- 16
- 24
- 32
- 64
- 128
- 160
- 256
- 512
384ksequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 393216
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
    - 160
    - 256
    - 512
4Mrandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 4194304
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 12
    - 16
    - 20
    - 24
    - 28
    - 32
    - 64
    - 128
    - 192
4Msequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 4194304
  total_iodepth:
    - 1

```

- 2
- 3
- 4
- 8
- 12
- 16
- 20
- 24
- 28
- 32
- 64
- 128
- 192

4kmixread70:

- jobname: mixread
- mode: randrw
- numjobs:
- 1
- op_size: 4096
- rwmixread: 70
- total_iodepth:
- 1
- 2
- 4
- 6
- 8
- 12
- 16
- 24
- 32
- 64
- 128
- 256
- 320
- 384

4krandomread:

- jobname: randread
- mode: randread
- numjobs:
- 1
- op_size: 4096
- total_iodepth:
- 1
- 2
- 4
- 6
- 8
- 12
- 16
- 24
- 32
- 64
- 128
- 256
- 320
- 384

4ksequentialread:

- jobname: seqread
- mode: read
- numjobs:
- 1
- op_size: 4096
- total_iodepth:


```

- 1
- 2
- 4
- 6
- 8
- 12
- 16
- 24
- 32
- 64
- 128
- 256
- 320
- 384
512krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 524288
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 24
    - 32
    - 40
    - 48
    - 64
    - 128
    - 256
    - 512
512ksequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 524288
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 24
    - 32
    - 40
    - 48
    - 64
    - 128
    - 256
    - 512
64kmixread30:
  jobname: mixread
  mode: randrw
  numjobs:
    - 1
  op_size: 65536
  rwmixread: 30

```

```

total_iodepth:
- 1
- 2
- 4
- 6
- 8
- 12
- 16
- 24
- 32
- 64
- 128
- 256
- 320
- 384
64kmixread70:
  jobname: mixread
  mode: randrw
  numjobs:
  - 1
  op_size: 65536
  rwmixread: 70
  total_iodepth:
  - 1
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 320
  - 384
64krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 1
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 320
  - 384
64ksequentialread:
  jobname: seqread
  mode: read
  numjobs:
  - 1

```

```

  op_size: 65536
  total_iodepth:
  - 1
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 320
  - 384
768krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 786432
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 40
  - 48
  - 64
  - 128
  - 256
  - 512
768ksequentialread:
  jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 786432
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 160
  - 256
  - 512
8krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1

```

```

    op_size: 8192
    total_iodepth:
      - 1
      - 2
      - 4
      - 6
      - 8
      - 12
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
      - 320
      - 384
  8ksequentialread:
    jobname: seqread
    mode: read
    numjobs:
      - 1
    op_size: 8192
    total_iodepth:
      - 1
      - 2
      - 4
      - 6
      - 8
      - 12
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
      - 320
      - 384
  precondition:
    jobname: precond1rw
    mode: randwrite
    monitor: false
    numjobs:
      - 1
    op_size: 65536
    time: 600
    total_iodepth:
      - 16
cluster:
  archive_dir: /tmp/cbt
  ceph_mgr_cmd: /usr/bin/ceph-mgr
  ceph_mon_cmd: /usr/bin/ceph-mon
  ceph_osd_cmd: /usr/bin/ceph-osd
  ceph_run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
    - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:

```

```
    a: null
mkfs_opts: -f -i size=2048
mons:
  --- server1 ---:
    a: --- IP Address ---:6789
mount_opts: -o inode64,noatime,logbsize=256k
osds:
- --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: cjames
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
```