Comparitive Performance Report for stretch-ec-16K-soko07-2+1-localize-full vs stretch-ec-16K-soko07-2+1-balance-full

Table of contents

- Comparison summary for stretch-ec-16K-soko07-2+1-localize-full vs stretch-ec-16K-soko07-2+1-balance-full
- Response Curves
  - Number of Jobs 1
    - Sequential Read
    - Random Read
    - Random Read/Write
- Configuration yaml files
  - results
  - results
  - results

Comparison summary for stretch-ec-16K-soko07-2+1-localize-full vs stretch-ec-16K-soko07-2+1-balance-full

Sequential Read	numjobs	stretch-ec-16K-soko07-2+1-localize-full	stretch-ec-16K-soko07-2+1-balance-full	%change throughput	%change latency
4K	1	203789@1.9ms	202631@1.9	-1%	
8K	1	209214@1.8ms	209089@1.8	-0%	
16K	1	195152@1.5ms	194256@1.5	-0%	
32K	1	93849@2.0ms	95206@2.0	1%	
64K	1	5308@3.2ms	4401@3.8	-17%	
256K	1	10539@1.6ms	10487@1.6	-0%	
512K	1	11956@1.4ms	13310@2.5	11%	
1024K	1	11166@1.9ms	15438@4.3	38%	
2048K	1	10505@4.0ms	15943@8.4	52%	
4096K	1	13683@6.1ms	15098@17.8	10%	


Random Read	numjobs	stretch-ec-16K-soko07-2+1-localize-full	stretch-ec-16K-soko07-2+1-balance-full	%change throughput	%change latency
4K	1	197726@3.9ms	189502@4.1	-4%	
8K	1	189685@4.0ms	187764@4.1	-1%	
16K	1	172756@3.4ms	172072@2.2	-0%	
32K	1	82993@1.5ms	68964@3.7	-17%	
64K	1	5003@1.7ms	4058@2.1	-19%	
256K	1	11647@2.9ms	11826@2.8	2%	
512K	1	14220@2.3ms	14651@2.3	3%	
1024K	1	14412@2.3ms	16485@4.1	14%	
2048K	1	15558@4.3ms	16265@8.2	5%	
4096K	1	15210@8.8ms	15346@17.5	1%	


Random Read/Write	numjobs	stretch-ec-16K-soko07-2+1-localize-full	stretch-ec-16K-soko07-2+1-balance-full	%change throughput	%change latency
4K_70/30	1	35779@7.2ms	35963@7.1	1%	
16K_70/30	1	32783@7.8ms	32247@7.9	-2%	
64K_30/70	1	901@18.6ms	868@19.3	-4%	
64K_70/30	1	1509@11.1ms	1489@11.3	-1%	


Response Curves


Number of Jobs 1


Sequential Read












64K Sequential Read
Latency (ms)
Bandwidth (MB/s)
id-4820524a
id-7b42a8cc


256K Sequential Read
Latency (ms)
Bandwidth (MB/s)
id-4820524a
id-7b42a8cc



512K Sequential Read
Latency (ms)
Bandwidth (MB/s)
id-4820524a
id-7b42a8cc


1024K Sequential Read
Latency (ms)
Bandwidth (MB/s)
id-4820524a
id-7b42a8cc



2048K Sequential Read
Latency (ms)
Bandwidth (MB/s)
id-4820524a
id-7b42a8cc



4096K Sequential Read
Latency (ms)
Bandwidth (MB/s)
id-4820524a
id-7b42a8cc


Random Read



4K Random Read
Latency (ms)
IOps
id-4820524a
id-7b42a8cc


8K Random Read
Latency (ms)
IOps
id-4820524a
id-7b42a8cc



16K Random Read
Latency (ms)
IOps
id-4820524a
id-7b42a8cc



32K Random Read
Latency (ms)
IOps
id-4820524a
id-7b42a8cc



64K Random Read
Latency (ms)
Bandwidth (MB/s)
id-4820524a
id-7b42a8cc


256K Random Read
Latency (ms)
Bandwidth (MB/s)
id-4820524a
id-7b42a8cc













Random Read/Write


4K 70/30 Random Read/Write
Latency (ms)
IOps
0
2
4
6
8
10
0
5000
10000
15000
20000
25000
30000
35000
id-4820524a
id-7b42a8cc


16K 70/30 Random Read/Write
Latency (ms)
IOps
0
1
2
3
4
5
6
7
8
0
5000
10000
15000
20000
25000
30000
id-4820524a
id-7b42a8cc


64K 30/70 Random Read/Write
Latency (ms)
Bandwidth (MB/s)
0.0
2.5
5.0
7.5
10.0
12.5
15.0
17.5
20.0
0
100
200
300
400
500
600
700
800
id-4820524a
id-7b42a8cc


64K 70/30 Random Read/Write
Latency (ms)
Bandwidth (MB/s)
0
2
4
6
8
10
0
200
400
600
800
1000
1200
1400
id-4820524a
id-7b42a8cc

Configuration yaml files

Only yaml files that differ by more than 20 lines from the yaml file for the baseline directory will be added here in addition to the baseline yaml

results

```
librbdfio:
  cmd_path: /usr/local/bin/fio.lee
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
  norandommap: true
  osd_ra:
  - 4096
  poolname: rbd_replicated
  prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
  - 1
  ramp: 20
  rbdname: cbt-librbdfio
  time: 60
  time_based: true
  use_existing_volumes: true
  vol_size: 92812
  volumes_per_client:
  - 16
  wait_pgautoscaler_timeout: 10
  workloads:
    16k7030:
      jobname: randmix
      mode: randrw
      numjobs:
      - 1
      op_size: 16384
      rwmixread: 70
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
    16krandomread:
      jobname: randread
      mode: randread
      numjobs:
      - 1
      op_size: 16384
      total_iodepth:
      - 4
      - 8
      - 12
      - 16
      - 24
      - 48
      - 64
      - 128
      - 256
```

```
  - 384
  - 588
16krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
1Mrandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 28
  - 32
1Mrandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 16
  - 24
  - 32
  - 48
1Mseqread:
  jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 1048576
```

```
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
  - 12
  - 14
  - 16
  - 20
1Mseqwrite:
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 32
  - 48
  - 64
  - 96
  - 128
  - 160
256krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
256krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 32
```

```
  - 64
  - 96
  - 128
  - 256
2Mrandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 2097152
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 28
  - 32
2Mrandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 2097152
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 16
  - 24
  - 32
  - 48
2Mseqread:
  jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 2097152
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
  - 12
  - 14
  - 16
  - 20
2Mseqwrite:
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
```

```
  op_size: 2097152
  total_iodepth:
  - 1
  - 2
  - 4
  - 5
  - 6
  - 8
  - 16
  - 32
  - 48
  - 64
  - 96
  - 128
32krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
32krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
4Mrandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 4194304
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
```

```
  - 12
  - 16
  - 20
  - 24
  - 28
  - 32
4Mrandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 4194304
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 16
  - 24
  - 32
  - 48
4Mseqread:
  jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 4194304
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
  - 12
  - 14
  - 16
  - 20
4Mseqwrite:
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  op_size: 4194304
  total_iodepth:
  - 1
  - 2
  - 4
  - 5
  - 6
  - 8
  - 16
  - 32
  - 48
  - 64
  - 96
  - 128
4k7030:
  jobname: randmix
```

```
  mode: randrw
  numjobs:
  - 1
  op_size: 4096
  rwmixread: 70
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 384
4krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 588
  - 768
4krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
  - 768
512krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
```

```
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 40
  - 48
  - 64
512krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 16
  - 24
  - 32
  - 48
  - 64
512kseqread:
  jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 12
  - 16
  - 20
  - 24
  - 32
512kseqwrite:
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 4
  - 6
  - 8
  - 16
  - 32
  - 48
  - 64
```

```
  - 96
  - 128
64k3070:
  jobname: randmix
  mode: randrw
  numjobs:
  - 1
  op_size: 65536
  rwmixread: 30
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 96
  - 128
  - 256
64k7030:
  jobname: randmix
  mode: randrw
  numjobs:
  - 1
  op_size: 65536
  rwmixread: 70
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 96
  - 128
  - 256
64krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
64krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
```

```
  op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 384
64kseqread:
  jobname: read
  mode: read
  numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 192
  - 256
64kseqwrite:
  jobname: write
  mode: write
  numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 512
8krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 8192
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
```

```
    - 128
    - 256
    - 384
    - 588
    - 768
  8krandomwrite:
    jobname: randwrite
    mode: randwrite
    numjobs:
    - 1
    op_size: 8192
    total_iodepth:
    - 2
    - 4
    - 8
    - 16
    - 32
    - 64
    - 128
    - 256
    - 384
    - 512
    - 768
  precondition:
    jobname: precond1rw
    mode: randwrite
    monitor: false
    numjobs:
    - 1
    op_size: 65536
    time: 120
    total_iodepth:
    - 16
  seq16kread:
    jobname: seqread
    mode: read
    numjobs:
    - 1
    op_size: 16384
    total_iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 192
    - 288
  seq16kwrite:
    jobname: seqwrite
    mode: write
    numjobs:
    - 1
    op_size: 16384
    total_iodepth:
    - 2
    - 4
    - 8
    - 16
```

```
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384
    - 512
    - 768
    - 1024
  seq256kread:
    jobname: seqread
    mode: read
    numjobs:
    - 1
    op_size: 262144
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 48
    - 64
  seq256kwrite:
    jobname: seqwrite
    mode: write
    numjobs:
    - 1
    op_size: 262144
    total_iodepth:
    - 1
    - 2
    - 4
    - 8
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 256
  seq32kread:
    jobname: seqread
    mode: read
    numjobs:
    - 1
    op_size: 32768
    total_iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 192
```

```
  seq32kwrite:
    jobname: seqwrite
    mode: write
    numjobs:
    - 1
    op_size: 32768
    total_iodepth:
    - 2
    - 4
    - 8
    - 16
    - 32
    - 64
    - 128
    - 256
    - 512
    - 768
  seq4kread:
    jobname: seqread
    mode: read
    numjobs:
    - 1
    op_size: 4096
    total_iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 192
    - 288
    - 384
  seq4kwrite:
    jobname: seqwrite
    mode: write
    numjobs:
    - 1
    op_size: 4096
    total_iodepth:
    - 2
    - 8
    - 16
    - 24
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384
    - 512
    - 768
    - 1024
    - 1280
    - 1536
  seq8kread:
    jobname: seqread
    mode: read
    numjobs:
```

```
        - 1
        op_size: 8192
        total_iodepth:
        - 2
        - 4
        - 8
        - 12
        - 16
        - 24
        - 32
        - 64
        - 96
        - 128
        - 192
        - 288
        - 384
      seq8kwrite:
        jobname: seqwrite
        mode: write
        numjobs:
        - 1
        op_size: 8192
        total_iodepth:
        - 2
        - 8
        - 16
        - 24
        - 32
        - 48
        - 64
        - 128
        - 256
        - 384
        - 512
        - 768
        - 1024
        - 1280
        - 1536
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
      a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
      a: --- IP Address ---:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 8
```

```
  pdsh_cmd: /bin/pdsh
  pdsh_ssh_args: -a -x -l%u %h
  pid_dir: /tmp/cbt/pid
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: root
monitoring_profiles:
  collectl:
    args: -c 18 -oz -sZC -i 10 --sep ";" -F0 -P -f {collectl_dir}
```

results

```
librbdfio:
  cmd_path: /usr/local/bin/fio.lee
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
  norandommap: true
  osd_ra:
  - 4096
  poolname: rbd_replicated
  prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
  - 1
  ramp: 20
  rbdname: cbt-librbdfio
  time: 60
  time_based: true
  use_existing_volumes: true
  vol_size: 92812
  volumes_per_client:
  - 16
  wait_pgautoscaler_timeout: 10
  workloads:
    16k7030:
      jobname: randmix
      mode: randrw
      numjobs:
      - 1
      op_size: 16384
      rwmixread: 70
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
    16krandomread:
      jobname: randread
      mode: randread
      numjobs:
      - 1
      op_size: 16384
      total_iodepth:
      - 4
      - 8
      - 12
      - 16
      - 24
      - 48
      - 64
      - 128
      - 256
```

```
    - 384
    - 588
  1Mrandomread:
    jobname: randread
    mode: randread
    numjobs:
    - 1
    op_size: 1048576
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 12
    - 16
    - 20
    - 24
    - 28
    - 32
    - 48
    - 64
  1Mseqread:
    jobname: seqread
    mode: read
    numjobs:
    - 1
    op_size: 1048576
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 6
    - 8
    - 10
    - 12
    - 14
    - 16
    - 20
    - 32
    - 48
    - 64
  256krandomread:
    jobname: randread
    mode: randread
    numjobs:
    - 1
    op_size: 262144
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
  2Mrandomread:
    jobname: randread
```

```
  mode: randread
  numjobs:
  - 1
  op_size: 2097152
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 28
  - 32
  - 48
  - 64
2Mseqread:
  jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 2097152
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
  - 12
  - 14
  - 16
  - 20
  - 32
  - 48
  - 64
32krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
4Mrandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 4194304
```

```
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 28
  - 32
  - 48
  - 64
4Mseqread:
  jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 4194304
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
  - 12
  - 14
  - 16
  - 20
  - 32
  - 48
  - 64
4k7030:
  jobname: randmix
  mode: randrw
  numjobs:
  - 1
  op_size: 4096
  rwmixread: 70
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 384
4krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 4
```

```
    - 8
    - 12
    - 16
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384
    - 588
    - 768
  512krandomread:
    jobname: randread
    mode: randread
    numjobs:
    - 1
    op_size: 524288
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 24
    - 32
    - 40
    - 48
    - 64
  512kseqread:
    jobname: seqread
    mode: read
    numjobs:
    - 1
    op_size: 524288
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 6
    - 8
    - 12
    - 16
    - 20
    - 24
    - 32
    - 48
    - 64
  64k3070:
    jobname: randmix
    mode: randrw
    numjobs:
    - 1
    op_size: 65536
    rwmixread: 30
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
```

```
  - 32
  - 64
  - 96
  - 128
  - 256
64k7030:
  jobname: randmix
  mode: randrw
  numjobs:
  - 1
  op_size: 65536
  rwmixread: 70
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 96
  - 128
  - 256
64krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
64kseqread:
  jobname: read
  mode: read
  numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 192
  - 256
8krandomread:
  jobname: randread
  mode: randread
```

```
    numjobs:
    - 1
    op_size: 8192
    total_iodepth:
    - 4
    - 8
    - 12
    - 16
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384
    - 588
    - 768
  precondition:
    jobname: precond1rw
    mode: randwrite
    monitor: false
    numjobs:
    - 1
    op_size: 65536
    time: 120
    total_iodepth:
    - 16
  seq16kread:
    jobname: seqread
    mode: read
    numjobs:
    - 1
    op_size: 16384
    total_iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 192
    - 288
  seq256kread:
    jobname: seqread
    mode: read
    numjobs:
    - 1
    op_size: 262144
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 48
    - 64
```

```
      seq32kread:
        jobname: seqread
        mode: read
        numjobs:
        - 1
        op_size: 32768
        total_iodepth:
        - 2
        - 4
        - 8
        - 12
        - 16
        - 24
        - 32
        - 64
        - 96
        - 128
        - 192
      seq4kread:
        jobname: seqread
        mode: read
        numjobs:
        - 1
        op_size: 4096
        total_iodepth:
        - 2
        - 4
        - 8
        - 12
        - 16
        - 24
        - 32
        - 64
        - 96
        - 128
        - 192
        - 288
        - 384
      seq8kread:
        jobname: seqread
        mode: read
        numjobs:
        - 1
        op_size: 8192
        total_iodepth:
        - 2
        - 4
        - 8
        - 12
        - 16
        - 24
        - 32
        - 64
        - 96
        - 128
        - 192
        - 288
        - 384
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
```

```
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
      a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
      a: --- IP Address ---:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 8
  pdsh_cmd: /bin/pdsh
  pdsh_ssh_args: -a -x -l%u %h
  pid_dir: /tmp/cbt/pid
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: root
monitoring_profiles:
  collectl:
    args: -c 18 -oz -sZC -i 10 --sep ";" -F0 -P -f {collectl_dir}
```

results

```
librbdfio:
  cmd_path: /usr/local/bin/fio.lee
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
  norandommap: true
  osd_ra:
  - 4096
  poolname: rbd_replicated
  prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
  - 1
  ramp: 20
  rbdname: cbt-librbdfio
  time: 60
  time_based: true
  use_existing_volumes: true
  vol_size: 92812
  volumes_per_client:
  - 16
  wait_pgautoscaler_timeout: 10
  workloads:
    16k7030:
      jobname: randmix
      mode: randrw
      numjobs:
      - 1
      op_size: 16384
      rwmixread: 70
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
    16krandomread:
      jobname: randread
      mode: randread
      numjobs:
      - 1
      op_size: 16384
      total_iodepth:
      - 4
      - 8
      - 12
      - 16
      - 24
      - 48
      - 64
      - 128
      - 256
```

```
  - 384
  - 588
1Mrandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 28
  - 32
  - 48
  - 64
1Mseqread:
  jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
  - 12
  - 14
  - 16
  - 20
  - 32
  - 48
  - 64
256krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
2Mrandomread:
  jobname: randread
```

```
  mode: randread
  numjobs:
  - 1
  op_size: 2097152
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 28
  - 32
  - 48
  - 64
2Mseqread:
  jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 2097152
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
  - 12
  - 14
  - 16
  - 20
  - 32
  - 48
  - 64
32krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
4Mrandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 4194304
```

```
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 28
  - 32
  - 48
  - 64
4Mseqread:
  jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 4194304
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
  - 12
  - 14
  - 16
  - 20
  - 32
  - 48
  - 64
4k7030:
  jobname: randmix
  mode: randrw
  numjobs:
  - 1
  op_size: 4096
  rwmixread: 70
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 384
4krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 4
```

```
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 588
  - 768
512krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 40
  - 48
  - 64
512kseqread:
  jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 12
  - 16
  - 20
  - 24
  - 32
  - 48
  - 64
64k3070:
  jobname: randmix
  mode: randrw
  numjobs:
  - 1
  op_size: 65536
  rwmixread: 30
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
```

```
  - 32
  - 64
  - 96
  - 128
  - 256
64k7030:
  jobname: randmix
  mode: randrw
  numjobs:
  - 1
  op_size: 65536
  rwmixread: 70
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 96
  - 128
  - 256
64krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
64kseqread:
  jobname: read
  mode: read
  numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 192
  - 256
8krandomread:
  jobname: randread
  mode: randread
```

```
    numjobs:
    - 1
    op_size: 8192
    total_iodepth:
    - 4
    - 8
    - 12
    - 16
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384
    - 588
    - 768
  precondition:
    jobname: precond1rw
    mode: randwrite
    monitor: false
    numjobs:
    - 1
    op_size: 65536
    time: 120
    total_iodepth:
    - 16
  seq16kread:
    jobname: seqread
    mode: read
    numjobs:
    - 1
    op_size: 16384
    total_iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 192
    - 288
  seq256kread:
    jobname: seqread
    mode: read
    numjobs:
    - 1
    op_size: 262144
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 48
    - 64
```

```
      seq32kread:
        jobname: seqread
        mode: read
        numjobs:
        - 1
        op_size: 32768
        total_iodepth:
        - 2
        - 4
        - 8
        - 12
        - 16
        - 24
        - 32
        - 64
        - 96
        - 128
        - 192
      seq4kread:
        jobname: seqread
        mode: read
        numjobs:
        - 1
        op_size: 4096
        total_iodepth:
        - 2
        - 4
        - 8
        - 12
        - 16
        - 24
        - 32
        - 64
        - 96
        - 128
        - 192
        - 288
        - 384
      seq8kread:
        jobname: seqread
        mode: read
        numjobs:
        - 1
        op_size: 8192
        total_iodepth:
        - 2
        - 4
        - 8
        - 12
        - 16
        - 24
        - 32
        - 64
        - 96
        - 128
        - 192
        - 288
        - 384
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
```

```
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
      a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
      a: --- IP Address ---:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 8
  pdsh_cmd: /bin/pdsh
  pdsh_ssh_args: -a -x -l%u %h
  pid_dir: /tmp/cbt/pid
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: root
monitoring_profiles:
  collectl:
    args: -c 18 -oz -sZC -i 10 --sep ";" -F0 -P -f {collectl_dir}
```