

Comparitive Performance Report for direct-reads-3-way-replica-balance-reads- off vs direct-reads-3-way-replica-balance-reads- on-run2

Table of contents

- Comparison summary for direct-reads-3-way-replica-balance-reads-off vs direct-reads-3-way-replica-balance-reads-on-run2
- Response Curves
 - Sequential Read
 - Random Read
 - Random Read/Write
- Configuration yaml files
 - results

Comparison summary for direct-reads-3-way-replica-balance-reads-off vs direct-reads-3-way-replica-balance-reads-on-run2


Sequential Read	direct_reads_3_way_replica_balance_reads_off	direct_reads_3_way_replica_balance_reads_on	change throughput	change latency
4K	143709 IOps@0.9ms	107034 IOps@3.6ms	-26%	300%
8K	128312 IOps@2.0ms	105672 IOps@3.6ms	-18%	80%
16K	114997 IOps@3.3ms	103105 IOps@3.7ms	-10%	12%
32K	93769 IOps@4.1ms	97390 IOps@3.9ms	4%	-5%
64K	4924 MB/s@5.1ms	5606 MB/s@4.5ms	14%	-12%
128K	7892 MB/s@6.4ms	8767 MB/s@5.7ms	11%	-11%
256K	11395 MB/s@8.8ms	11861 MB/s@8.5ms	4%	-3%
384K	12083 MB/s@16.7ms	11613 MB/s@5.4ms	-4%	-68%
512K	12749 MB/s@21.1ms	11295 MB/s@11.9ms	-11%	-44%
768K	12639 MB/s@31.9ms	10795 MB/s@9.3ms	-15%	-71%
1024K	12511 MB/s@10.7ms	11363 MB/s@5.9ms	-9%	-45%
2048K	11441 MB/s@11.7ms	11182 MB/s@6.0ms	-2%	-49%
4096K	10356 MB/s@12.9ms	10778 MB/s@9.3ms	4%	-28%


Random Read	direct_reads_3_way_replica_balance_reads_off	direct_reads_3_way_replica_balance_reads_on	change throughput	change latency
4K	159762 IOps@2.4ms	108657 IOps@3.5ms	-32%	46%
8K	149927 IOps@2.6ms	104567 IOps@3.7ms	-30%	42%
16K	140977 IOps@2.7ms	100039 IOps@3.8ms	-29%	41%
32K	121409 IOps@2.6ms	91446 IOps@4.2ms	-25%	62%
64K	6234 MB/s@4.0ms	5127 MB/s@4.9ms	-18%	23%
128K	9393 MB/s@3.6ms	8126 MB/s@4.1ms	-13%	14%
256K	12027 MB/s@7.0ms	11012 MB/s@3.0ms	-8%	-57%
384K	12422 MB/s@5.1ms	11309 MB/s@4.4ms	-9%	-14%
512K	12548 MB/s@5.3ms	10471 MB/s@6.4ms	-17%	21%
768K	12242 MB/s@8.2ms	10410 MB/s@4.8ms	-15%	-41%
1024K	12205 MB/s@5.5ms	11034 MB/s@6.1ms	-10%	11%
2048K	11184 MB/s@12.0ms	11147 MB/s@6.0ms	-0%	-50%
4096K	10313 MB/s@13.0ms	10898 MB/s@9.2ms	6%	-29%

Random Read/Write	direct_reads_3_way_replica_balance_reads_off	direct_reads_3_way_replica_balance_reads_on	change throughput	change latency
4K_70/30	86087 IOps@3.0ms	63744 IOps@6.0ms	-26%	100%
16K_70/30	77812 IOps@4.1ms	59743 IOps@6.4ms	-23%	56%
64K_70/30	3809 MB/s@6.6ms	3147 MB/s@6.6ms	-17%	0%
64K_30/70	2696 MB/s@7.7ms	2246 MB/s@9.3ms	-17%	21%


Response Curves


Sequential Read







Random Read





Random Read/Write





Configuration yaml files

Only yaml files that differ by more than 20 lines from the yaml file for the baseline directory will be added here in addition to the baseline yaml

results

```

librbd fio:
  cmd_path: /usr/local/bin/fio2
  create_report: true
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
  norandommap: true
  osd_ra:
    - 4096
  poolname: rbd_replicated
  prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
    - 1
  ramp: 30
  rbdname: cbt-librbd fio
  time: 90
  time_based: true
  use_existing_volumes: true
  vol_size: 1000
  volumes_per_client:
    - 16
  wait_pgautoscaler_timeout: 10
  workloads:
    128k randomread:
      jobname: randread
      mode: randread
      numjobs:
        - 1
      op_size: 131072
      total_iodepth:
        - 1
        - 2
        - 3
        - 4
        - 8
        - 12
        - 16
        - 20
        - 24
        - 28
        - 32
        - 64
        - 128
        - 256
        - 384
    128k sequentialread:
      jobname: seqread
      mode: read
      numjobs:
        - 1
      op_size: 131072
      total_iodepth:
        - 1
        - 2
        - 3
        - 4
        - 8

```

```

- 12
- 16
- 20
- 24
- 28
- 32
- 64
- 128
- 256
- 384
16kmixread70:
  jobname: mixread
  mode: randrw
  numjobs:
    - 1
  op_size: 16384
  rwmixread: 70
  total_iodepth:
    - 1
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 320
    - 384
16krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 16384
  total_iodepth:
    - 1
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 320
    - 384
16ksequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 16384
  total_iodepth:
    - 1
    - 2
    - 4

```

```

- 6
- 8
- 12
- 16
- 24
- 32
- 64
- 128
- 256
- 320
- 384
1Mrandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 1048576
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 12
    - 16
    - 20
    - 24
    - 28
    - 32
    - 64
    - 128
    - 256
    - 384
1Msequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 1048576
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 12
    - 16
    - 20
    - 24
    - 28
    - 32
    - 64
    - 128
    - 256
    - 384
256krandomread:
  jobname: randomread
  mode: randread
  numjobs:
    - 1
  op_size: 262144
  total_iodepth:
    - 1

```

```

- 2
- 4
- 6
- 8
- 12
- 16
- 24
- 32
- 64
- 128
- 256
- 320
- 384
256ksequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 262144
  total_iodepth:
    - 1
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 320
    - 384
2Mrandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 2097152
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 12
    - 16
    - 20
    - 24
    - 28
    - 32
    - 64
    - 128
    - 192
2Msequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 2097152
  total_iodepth:
    - 1

```

```

- 2
- 3
- 4
- 8
- 12
- 16
- 20
- 24
- 28
- 32
- 64
- 128
- 192
32krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 32768
  total_iodepth:
    - 1
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 320
    - 384
32ksequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 32768
  total_iodepth:
    - 1
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 320
    - 384
384krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 393216
  total_iodepth:
    - 1

```

```

- 2
- 3
- 4
- 5
- 8
- 16
- 24
- 32
- 64
- 128
- 160
- 256
- 512
384ksequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 393216
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
    - 160
    - 256
    - 512
4Mrandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 4194304
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 12
    - 16
    - 20
    - 24
    - 28
    - 32
    - 64
    - 128
    - 192
4Msequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 4194304
  total_iodepth:
    - 1

```

- 2
- 3
- 4
- 8
- 12
- 16
- 20
- 24
- 28
- 32
- 64
- 128
- 192

4kmixread70:

- jobname: mixread
- mode: randrw
- numjobs:
- 1
- op_size: 4096
- rwmixread: 70
- total_iodepth:
- 1
- 2
- 4
- 6
- 8
- 12
- 16
- 24
- 32
- 64
- 128
- 256
- 320
- 384

4krandomread:

- jobname: randread
- mode: randread
- numjobs:
- 1
- op_size: 4096
- total_iodepth:
- 1
- 2
- 4
- 6
- 8
- 12
- 16
- 24
- 32
- 64
- 128
- 256
- 320
- 384

4ksequentialread:

- jobname: seqread
- mode: read
- numjobs:
- 1
- op_size: 4096
- total_iodepth:


```

- 1
- 2
- 4
- 6
- 8
- 12
- 16
- 24
- 32
- 64
- 128
- 256
- 320
- 384
512krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 524288
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 24
    - 32
    - 40
    - 48
    - 64
    - 128
    - 256
    - 512
512ksequentialread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 524288
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 24
    - 32
    - 40
    - 48
    - 64
    - 128
    - 256
    - 512
64kmixread30:
  jobname: mixread
  mode: randrw
  numjobs:
    - 1
  op_size: 65536
  rwmixread: 30

```

```

    total_iodepth:
      - 1
      - 2
      - 4
      - 6
      - 8
      - 12
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
      - 320
      - 384
  64kmixread70:
    jobname: mixread
    mode: randrw
    numjobs:
      - 1
    op_size: 65536
    rwmixread: 70
    total_iodepth:
      - 1
      - 2
      - 4
      - 6
      - 8
      - 12
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
      - 320
      - 384
  64krandomread:
    jobname: randread
    mode: randread
    numjobs:
      - 1
    op_size: 65536
    total_iodepth:
      - 1
      - 2
      - 4
      - 6
      - 8
      - 12
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
      - 320
      - 384
  64ksequentialread:
    jobname: seqread
    mode: read
    numjobs:
      - 1

```

```

  op_size: 65536
  total_iodepth:
  - 1
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 320
  - 384
768krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 786432
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 40
  - 48
  - 64
  - 128
  - 256
  - 512
768ksequentialread:
  jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 786432
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 160
  - 256
  - 512
8krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1

```

```

    op_size: 8192
    total_iodepth:
      - 1
      - 2
      - 4
      - 6
      - 8
      - 12
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
      - 320
      - 384
  8ksequentialread:
    jobname: seqread
    mode: read
    numjobs:
      - 1
    op_size: 8192
    total_iodepth:
      - 1
      - 2
      - 4
      - 6
      - 8
      - 12
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
      - 320
      - 384
  precondition:
    jobname: precond1rw
    mode: randwrite
    monitor: false
    numjobs:
      - 1
    op_size: 65536
    time: 600
    total_iodepth:
      - 16
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
    - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:

```

```

    a: null
mkfs_opts: -f -i size=2048
mons:
  --- server1 ---:
    a: --- IP Address ---:6789
mount_opts: -o inode64,noatime,logbsize=256k
osds:
- --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: cjames
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -FO --rawtoo --sep ";" -f {collectl_dir}

```