SNACKS AND DESIGN

BROUGHT

TO YOU BY

FEDERICO AND JIMMY

QUESTIONS

I have yet to understand the img tag

Opening tag   Description   URL of image   Closing bracket

`<img alt="Hero" src="http://en.support.files.wordpress.com/2014/03/hero.gif">`

Are there any best practices with indents in sublime? ex html elements separation, etc.

What are the conventions with indentations?

Indent according to [hierarchy](#) of DOM tree

_____

_____

What would be the best way to learn more about different html tags?

https://developer.mozilla.org/en-US/docs/Web/HTML/Element

http://www.html-5-tutorial.com/all-html-tags.htm

how can i make an ordered list be ordered by letters instead of numbers?

http://www.ironspider.ca/lists/olists.htm

how can i make an unordered list have a hyphen instead of a dot?

```css
ul {
  list-style-type: none;
}
```

```css
li:before {
  content: "-";
}
```

When do you use tags within other tags?

When to use <em>

‣ **When the browser comes across two or more spaces next to each other, it only displays one space.**

‣ **Similarly, if the browser comes across a line break, it treats that as a white space.**

‣ **This is known as white space collapsing.**

‣ **Developers often take advantage of this to make their code easier to read.**

‣ **The <strong> element indicates that its content has a strong importance.**
‣ **By default, browsers will show the contents of a strong element in bold.**

<strong>

‣**The <em> tag indicates emphasis that may subtly change the meaning of a sentence.**
‣ **By default, browsers will show the contents of a strong element in italic.**

<em>

I think John was there
I *think* John was there

_____

_____

Will we be learning sublime (effectively - shortcuts..etc) throughout the class?

NEXT WEEK

http://docs.sublimetext.info/en/latest/reference/keyboard_shortcuts_osx.html

How can we add multiple pages to our website?

[Link to other page](#)

_____

_____

What are the best places to practice, or activities to do outside of the class. Also I wish the class explained the reasoning behind why code is structured the way it is more.

https://www.codecademy.com/

MORE HTML
&
CSS BASICS

REVIEW

Opening tag

Closing tag

<tag name>content</tag name>

Element

‣ **Specify which page you want to link using the href attribute.**
‣ **Users can click on anything between the opening and closing <a> tags.**

Page the link takes you to

Amazon

Text to display

KEY OBJECTIVE

‣ Review HTML Tags

TIMING

15 min

1. Look at review.png (in starter code folder)

2. Add markup to the text in starter_code > [0] - HTML Review Activity > index.html

3. Google and implement <nav> <img> and <hr> tags.

‣Used to contain a set of navigational links.
‣ Used to wrap major navigational blocks

<nav></nav>

‣ Used to create a horizontal rule, or line, across the page

<hr>

Use HTML [entity codes](#) to add special characters to your HTML.

		
	! !	**"** " "	**#** #	**$** $	**%** %	**&** & &
' '	**(** (	**)**)	***** * *	**+** +	**,** ,	**.** .	**/** / / /
		U+0002F SOLIDUS					
: :	**;** ;	**<** < <	**=** =	**>** > >	**?** ?	**@** @	**[** [[
**** \	**]**]]	**^** ^	**_** _	**`** ` `	**{** { {	**|** | | |	**}** } }

LEARNING OBJECTIVES

▸ Describe the DOM and draw a simple DOM tree.

▸ Predict image paths and apply relative paths to <img> and <a> tags.

▸ Differentiate between basic web color principles: RGB, RGBA, hexadecimal color.

▸ Use CSS to add basic styles to an HTML page.

GRAB AN INDEX CARD AND DRAW YOUR FAMILY TREE ON ONE SIDE

AGENDA

‣ More HTML Basics
‣ Intro to CSS
‣ Lab

MORE HTML BASICS

HTML STRUCTURE

WHAT IS THE DOM

DOM TREE

DOM TREE

‣ The Document Object Model (DOM) is the model that **describes how all elements in an HTML page, like headers, images, paragraphs etc., are related to the topmost structure: the document itself.**

DOM TREE

```html
<h1>Site title</h1>
<p>Bacon ipsum dolor amet brisket tail frankfurter cupim pig salami.
Biltong beef ribs ribeye short loin flank corned beef tri-tip beef ball tip
sausage jowl swine. Fatback porchetta strip steak doner chicken <a href="
http://www.jamieoliver.com/recipes/pork-recipes/pork-belly-roast/">pork
belly</a>. Rump picanha jowl ground round, pancetta doner boudin landjaeger
prosciutto meatloaf.</p>
<ul>
  <li>Bacon</li>
  <li>Chicken</li>
  <li>Meatloaf</li>
</ul>
```

HTML STRUCTURE

ACTIVITY

EXERCISE

KEY OBJECTIVE

▸ Draw out a simple DOM tree

TIMING

2 min

1. Review starter_code > [1] - DOM Tree > index.html

2. On the back of your index card, draw out a simple DOM tree for the HTML

IMAGES

Images are added to the page with the img element

‣ **Void element** — Doesn't need a closing tag
‣ Two *required* attributes — src and alt

The src attribute tells the browser where it can find an image.

Path to the image file

`<img src="images/camera.jpg" alt="Girl holding a camera" />`

The alt attribute provides a text description of the image that:

- ‣ Replaces the image if it doesn't load
- ‣ Is used by screen readers

Text description

```
<img src="images/camera.jpg" alt="Girl holding a camera" />
```

LET'S TAKE A CLOSER LOOK

URLS

‣ There are two main types of URLs:

ABSOLUTE

RELATIVE

WHEN YOU LINK TO ANOTHER SITE:

‣ Value of the href attribute will be the *full web address* for the site
‣ This is known as the **absolute** URL.

Absolute URL

\Amazon\

\<img src="http://saraheholden.com/img/aboutPhoto.jpg" alt="Profile Pic>

WHEN YOU LINK TO ANOTHER PAGE OR FILE ON THE SAME SITE:

‣ You don't need to specify a domain name in the URL.
‣ Use **Relative URL:** indicates where pages are *in relation to the current page*

Relative URL

`<a href="about.html">About Page</a>`

`<img scr="images/logo.png" alt="logo">`

DIRECTORY STRUCTURE

‣ On larger sites, it's *best practice* to organize code by placing the files for each major section of the site into a new folder
‣ These folders are often referred to as **directories**.

▸ The topmost folder is called the **root** folder. It contains all other files and folders for a website.

LET'S TAKE A CLOSER LOOK

DIRECTORY STRUCTURE

‣ Relationships between folders can be described using similar language to that of a family tree

RELATIVE URLS

FOLDER FILE IS IN:	DESCRIPTION	EXAMPLE
SAME	File name	info.html
CHILD	Name of child folder + / + file name	people/index.html
GRANDCHILD	Name of child folder + / + Name of grandchild folder + / + file name	people/culture/index.html
PARENT	../ + path	../index.html
GRANDPARENT	../../ + path	../../index.html

Note that ../ means to go up one directory, and can be used repeatedly:
../../ would go up two directories.

RELATIVE URLS

1. First we use ../ to go back to the parent directory
2. Then we add the path to the image

**img src="../images/flag.png" alt="Flag">**

ACTIVITY

EXERCISE

KEY OBJECTIVE

▸ Practice writing absolute and relative paths

ACTIVITY

‣ We want to add the image map.jpeg to our
homepage (index.html)

‣ Write out the image tag (include src and
alt attributes)

argentina

index.html — *You are writing code in this file*

images
flag.png
map.jpeg — *You want to add this image*

ACTIVITY

‣ We want to add the image map.jpeg to our homepage (index.html)
‣ Write out the image tag (include src and alt attributes)

**Answer: <img src="images/map.jpeg" alt="Map">**

	DESCRIPTION	PATH
CHILD	Name of child folder + / + file name	images/map.jpeg

ACTIVITY

‣ We want to add flag.png to the homepage
of the "people" section of our site.
‣ Write out the image tag (include src and
alt attributes)

HINT:

1. First we use ../ to go back to the parent directory
2. Then we add a path to the image

argentina

index.html

people

index.html   *You are here*

images   *You want to add this image*

flag.png
map.jpeg

ACTIVITY

‣ We want to add flag.png to the homepage of the "people" section of our site.
‣ Write out the image tag (include src and alt attributes)

HINT:

1. First we use ../ to go back to the parent directory
2. Then we add a path to the image

**img src="../images/flag.png" alt="Flag">**

ACTIVITY

‣ We want to add the image flag.png to our homepage (index.html)

‣ Write out the image tag (include src and alt attributes)

ACTIVITY

‣ We want to add the image flag.png to our homepage (index.html)

‣ Write out the image tag (include src and alt attributes)

argentina

index.html — *You are here*

images

flag.png — *You want to*
map.jpeg — *add this image*

<img src="images/flag.png" alt="Flag">

ACTIVITY

‣ We want to add a link from our homepage (index.html) to our about page (about.html)

‣ Write out the anchor tag (including href attribute)

ACTIVITY

‣ We want to add a link from our homepage (index.html) to our about page (about.html)

‣ Write out the anchor tag (including href attribute)

About Page

INTRO TO CSS

WHAT IS CSS?

Muir Woods

Keffiyeh next level retro, brunch *sriracha* dreamcatcher mixtape jean shorts XOXO master cleanse keytar **Kickstarter**. Neutra kale chips Vice health goth ethical, flannel single-origin coffee stumptown meditation Kickstarter mumblecore yr cronut master cleanse keytar.

Bushwick sartorial pickled, quinoa church-key before they sold out drinking vinegar put a bird on it readymade organic lumbersexual. Four dollar toast chia *Intelligentsia* YOLO Marfa. Migas raw denim photo booth authentic, roof party shabby chic pop-up flexitarian *skateboard* blog.

Muir Woods

Keffiyeh next level retro, brunch *sriracha* dreamcatcher mixtape jean shorts XOXO master cleanse keytar **Kickstarter**. Neutra kale chips Vice health goth ethical, flannel single-origin coffee stumptown meditation Kickstarter mumblecore yr cronut master cleanse keytar.

Bushwick sartorial pickled, quinoa church-key before they sold out drinking vinegar put a bird on it readymade organic lumbersexual. Four dollar toast chia *Intelligentsia* YOLO Marfa. Migas raw denim photo booth authentic, roof party shabby chic pop-up flexitarian *skateboard* blog.

WHAT IS CSS?

‣ CSS is what handles the presentation layer of our webpage.

‣ CSS allows us to associate style rules with HTML elements.

plain ol' HTML

HTML + CSS

Selector

h1 { color: yellow; }

Declaration

```css
h1, h2 {
    color: yellow;
    font-size: 16px;
}
```

Property   Value

‣ You can include CSS rules by placing them inside a <style> element, which usually sits inside the <head>.

```
<head>
  <meta charset="UTF-8">
  <title>Visit Big Sur</title>

  <style>
    h1 {
      color: yellow;
    }
  </style>
</head>
```

‣ Use the <link> element to tell the browser where to find the CSS file that should be used to style the page.
‣ This should live inside the <head> of the document.

```
<head>
  <meta charset="UTF-8">
  <title>Document</title>
  <link rel="stylesheet" href="css/style.css">
</head>
```

‣ The **href** specifies the path to the CSS file.
‣ The **rel** attribute specifies the relationship between the HTML page and the file it is linked to.

BENEFITS OF USING AN EXTERNAL STYLESHEET:

‣ Multiple pages can use same stylesheet (Don't repeat yourself!)
‣ Only have to make changes in one file
‣ Keep content separate from presentation

HTML ← CSS → HTML

COLOR

COLOR

TEXT COLOR:

Muir Woods

Keffiyeh next level retro, brunch *sriracha* dreamcatcher mixtape jean shorts XOXO master cleanse keytar **Kickstarter**. Neutra kale chips Vice health goth ethical, flannel single-origin coffee stumptown meditation Kickstarter mumblecore yr cronut master cleanse keytar.

```
h1 {
  color: blue;
}

p {
  color: red;
}
```

BACKGROUND COLOR:

Muir Woods

Keffiyeh next level retro, brunch *sriracha* dreamcatcher mixtape jean shorts XOXO master cleanse keytar **Kickstarter**. Neutra kale chips Vice health goth ethical, flannel single-origin coffee stumptown meditation Kickstarter mumblecore yr cronut master cleanse keytar.

```
body {
  background-color: blue;
}
```

COLOR

‣ Every color on a computer screen is created by mixing amounts of red, green, and blue

‣ To find the color you want, you can use a color picker

‣ Mac: [Sip](#) (free)

‣ Windows: [Just Color Pic](#) (free)

‣ Photoshop

COLOR

RGB VALUES

‣ Values for red, green and blue are expressed as numbers between 0 and 255

rgb(72, 209, 204)

HEX CODES

‣ Represent values for red, green and blue in hexadecimal (base 16) code

#48D1CC

COLOR NAMES

‣ Colors are represented by predefined names. They are not used very much but are helpful for basic colors such as black and white. Full list of color names

MediumTurquoise

OPACITY

RGBA

‣ RGBA works the same as RGB, except that it takes a 4th value called 'alpha'.
‣ This is a value between 0 and 1 which can be used to determine a color's opacity on the page.

`rgba(0, 0, 0, 1)`

`rgba(0, 0, 0, 0.5)`

`rgba(0, 0, 0, 0.25)`

LET'S TAKE A CLOSER LOOK

ACTIVITY

EXERCISE

KEY OBJECTIVE

‣ Use CSS to add basic styles to an HTML page.

TIMING

3 min

1. Open starter_code > [2] - CSS Practice > index.html
2. (together) Add a link to the style.css file
3. Follow the instructions under Part 1

TYPE

TYPEFACE TERMINOLOGY

TEXT-ALIGN

left
    center
        right
justify

TEXT-TRANSFORM

UPPERCASE
lowercase
Capitalize

TEXT-DECORATION

none
underline

LINE-HEIGHT

20px

FONT-WEIGHT

Normal
Bold

FONT-STYLE

Regular
Italic

FONT-FAMILY

sans-serif
serif

FONT-SIZE

12px
26px

FONT FAMILY

serif

‣ Georgia

‣ Times

‣ Times New Roman

sans-serif

‣ Arial

‣ Verdana

‣ Helvetica

ACTIVITY

EXERCISE

KEY OBJECTIVE

▸ Use CSS to add basic styles to an HTML page.

TIMING

3 min

1. Refer back to starter_code > [2] - CSS Practice > index.html

2. Follow the instructions under Part 2

CASCADING STYLE SHEETS

HOW CSS RULES CASCADE

‣ Cascading Style Sheets

‣ Cascade: CSS rules are able to override one another and cancel each other out, depending on their order. In other words, the rules are able to cascade downward until they are canceled out by another rule.

LAST RULE

‣ If the two selectors are identical, the latter will take precedence

INHERITANCE

Dad — recessive blue + Mom — recessive blue = Child — recessive blue

▸ Inheritance in CSS is how certain properties are passed on from a parent element down to its children

▸ If you specify the font-family or color properties on the <body> element, they will apply child elements. This is because the font-family property is inherited by child elements.

▸ Not all properties are inherited. For example, it wouldn't make sense for the border to be inherited since it's unlikely that a child element should need the same border as its parent.

▸ You can force a lot of properties to inherit values from their parent elements by using 'inherit' for the value of the properties.

ACTIVITY

EXERCISE

KEY OBJECTIVE

▸ Practice using CSS by styling Wendy Bite's Resume page

TIMING

Until 8:45

1. Review supplied .pngs starting with Lab…
2. (together) project set up
3. Style Wendy's About Me and Resume pages

LEARNING OBJECTIVES

‣ Describe the DOM and draw simple DOM tree.

‣ Predict image paths and apply relative paths to <img> and <a> tags.

‣ Differentiate between basic web color principles: RGB, RGBA, hexadecimal color.

‣ Use CSS to add basic styles to an HTML page.

HOMEWORK

HOMEWORK

‣ **Continue working through the lab we started on today**

‣ **Make your own version the "About me" page!**

IF YOU ARE STUCK...

1) Use the "Chrome Inspector" to look at your code
2) Ask your question in the Slack channel and see if any fellow students might know the answer
3) Ask Adriana & Jamie

* When using your fellow students and instructors, pushing your code to Github is a great place to share where all of your code is currently at.

ADRIANA

Daniel

Ben

Nancy

Connor

Florencia

Lee

Madison

Jermaine

JAMIE

Blanca

Eva

Chris

James

Amanda

Federico

Teri

Jiha

ADRIANA.LCS316@GMAIL.COM   JAMIELEEPILGRIM@GMAIL.COM

EXIT TICKETS