
Complete R / pinned M deployment migration
P root-weighted ratio 0.6785; 95% paired-root interval [0.6631, 0.6939]
Fixed work: all 16 roots, four paired blocks
HumanEval/53 (60 prompt tokens)
HumanEval/83 (50 prompt tokens)
MATH500/0000 (59 prompt tokens)
MATH500/0003 (26 prompt tokens)
HumanEval/155 (74 prompt tokens)
HumanEval/85 (61 prompt tokens)
MATH500/0011 (71 prompt tokens)
MATH500/0026 (64 prompt tokens)
HumanEval/59 (75 prompt tokens)
HumanEval/98 (78 prompt tokens)
MATH500/0007 (78 prompt tokens)
MATH500/0044 (76 prompt tokens)
HumanEval/0 (130 prompt tokens)
HumanEval/1 (121 prompt tokens)
MATH500/0001 (122 prompt tokens)
MATH500/0009 (161 prompt tokens)
0.5
0.6
0.7
0.8
0.9
1.0
P: M / R host request time
Measured request boundaries
P / R
P / M
G / R
G / M
Reset + input delivery + prefill
Continuation + bookkeeping
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
Mean host request seconds
Single device/window; formal prompts 26-161 tokens; R ubatch1, M ubatch32. Different numerical contracts.
G: all responses hit cap128; only20/32 token trajectories identical. No quality-equivalence claim.