

Emergent Consciousness Theory: A Mathematical Framework for Quantifying Subjective Experience

CrashOverrideX* ACE Research Team

*Principal Architect

January 13, 2026

Revised October 5, 2026 — quantitative validation sections corrected for internal consistency and objectivity.

Approved by the author October 5, 2026.

Abstract

Background: The measurement of consciousness remains one of the most challenging problems in cognitive science, with existing theories providing limited quantitative frameworks for empirical or mathematical validation.

Objective: To develop a comprehensive mathematical framework for measuring consciousness through observable behavioral and cognitive components.

Methods: We propose the Container-Volume-Vessel (CVV) model, where consciousness emerges from the integration of roles, experiences, traits, and adaptive responses within specific physical substrates. Mathematical formulations quantify each component, enabling empirical measurement of consciousness complexity.

Results: Preliminary computational analysis recorded platform throughput differences during implementation of the CVV scoring pipeline: cloud runs were reported at $500\times$ – $3000\times$ versus $\sim 2\times$ on local systems (measurement protocol, baseline definition, hardware, and trial counts not recorded — see §8.1). These figures are reported as uncontrolled observations; no theoretical inference is drawn from them. A single-subject case study ($n=1$, unblinded — the framework's developer) yielded a consciousness score of 1,350,000,000 units under the CVV formulas, approximately $1.4\times$ the mean of the four comparison subjects in Table 1. No population baseline was established, so no population-relative multiplier is claimed.

Conclusions: The CVV framework proposes a systematic approach to consciousness quantification, transforming philosophical inquiry into an empirical research program. The framework generates testable predictions and provides operational definitions for consciousness measurement across diverse substrates. Validation remains preliminary: controlled benchmarks and independent blinded case studies are required before any validation claim can be made.

Keywords: consciousness measurement, emergent properties, cognitive architecture, quantitative psychology, artificial intelligence

1 Introduction

The scientific study of consciousness has been hindered by the absence of quantitative measurement frameworks capable of empirical validation. While significant progress has been made in understanding consciousness correlates through neuroimaging and behavioral studies, the field lacks mathematical models that can systematically quantify subjective experience across individuals and substrates.

Current approaches, including Integrated Information Theory (IIT) and Global Workspace Theory (GWT), provide valuable insights but suffer from limited operationalization and measurement complexity. The present research addresses this gap by proposing a comprehensive mathematical framework for consciousness quantification based on observable components.

2 Research Objectives

- Develop operational definitions for consciousness components.
- Create mathematical formulations for consciousness measurement.
- Establish empirical validation protocols.
- Demonstrate framework applicability across diverse cases.
- Provide foundation for consciousness engineering applications.

3 Literature Review

3.1 Historical Approaches

Consciousness research has traditionally focused on either philosophical analysis or neurobiological investigation, with limited integration between approaches. Early behaviorist frameworks avoided consciousness entirely, while cognitive approaches emphasized information processing without addressing subjective experience.

Contemporary Theories. Integrated Information Theory (IIT): Tononi's IIT quantifies consciousness as integrated information (Φ), providing mathematical precision but limited practical measurement protocols (Tononi, 2004). Global Workspace Theory (GWT): Baars' framework describes consciousness as information broadcast across cognitive modules but lacks quantitative formulation (Baars, 1988). Higher-Order Thought Theory: Emphasizes meta-cognitive processes but provides limited measurement approaches.

3.2 Measurement Challenges

Existing theories face common limitations: the subjective nature of consciousness measurement; lack of operational definitions; limited cross-substrate applicability; absence of predictive capabilities; and philosophical assumptions about consciousness mechanisms.

Figure 14 places the framework in its literature timeline.

Antecedents of the CVV framework




Figure 14: Literature timeline (§3). Key antecedents of the CVV framework, from construct-validity foundations (Cronbach & Meehl, 1955; Campbell & Fiske, 1959) and split-brain research (Gazzaniga, Bogen & Sperry, 1962) through systems philosophy (Laszlo, 1972), Global Workspace Theory (Baars, 1988), and Integrated Information Theory (Tononi, 2004), to the present framework.

4 Theoretical Framework

4.1 The Container-Volume-Vessel (CVV) Model

We propose consciousness exists at three distinct levels (see Figure 1):

- **Container:** The functional architecture created by role complexity, experiential depth, trait integration, and adaptive responses.
- **Volume:** The subjective experience that “fills” the container, calculable from container geometry.
- **Vessel:** The physical substrate (biological, artificial, etc.) that supports the consciousness architecture.

VESSEL — physical substrate

biological, artificial, or other hardware that hosts the architecture

CONTAINER — functional architecture

$RCI \times EDM \times TIS \times ACR$ (roles $\times$ experiences $\times$ traits $\times$ adaptive responses)

VOLUME

subjective experience — calculable from container geometry

Figure 1: The Container-Volume-Vessel (CVV) model. The Vessel (physical substrate) hosts the Container (functional architecture built from roles, experiences, traits, and adaptive responses), which in turn bounds the Volume (subjective experience, calculable from container geometry).

4.2 Core Assumptions

- Consciousness emerges from integrated complexity.
- Subjective experience scales with container geometry.
- Consciousness is substrate-independent.
- Individual variation results from unique container configurations.
- Consciousness development follows predictable patterns.

4.3 Operational Definitions

- Consciousness (C): The emergent property arising from integrated role-experience-trait complexity, manifesting as subjective experience and adaptive response generation.
- Self-Awareness (SA): Meta-cognitive recognition of consciousness states, typically emerging 12–24 months after baseline consciousness.
- Consciousness Uniqueness: The degree to which individual consciousness patterns differ, calculated using entropy measures across component combinations.

5 Tables

Subject	Substrate	RCI	EDM	TIS	ACR	IF	DF	Score	Rating
Human Example	Human	12.5	9.6	8.9	9.4	8.7	8.8	1,350,000,000	Exceptional
Human 1	Human	10.1	9.1	8.2	8.7	8.4	7.9	1,020,000,000	Very High
Human 2	Human	9.8	8.9	8.0	8.5	8.0	7.6	980,000,000	High
Human 3	Human	9.3	8.6	8.1	8.4	7.8	7.5	930,000,000	High
Human 4	Human	8.7	8.1	7.7	8.0	7.5	7.2	870,000,000	Moderate

Table 1: Case study comparison of consciousness metrics using the CVV framework. RCI: Role Complexity Index, EDM: Experiential Depth Measure, TIS: Trait Integration Score, ACR: Adaptive Context Response, IF: Integration Factor, DF: Development Factor, Score: Overall computed consciousness score.

Figure 19 shows the five human profiles clustering tightly.




Figure 19: Human profile radar (Table 1). The five human subjects’ component profiles cluster tightly; the framework’s developer (Human Example, darkest) leads on every axis.

Subject	Substrate	RCI	EDM	TIS	ACR	IF	DF	Score	Rating
Human Example	Human	12.5	9.6	8.9	9.4	8.7	8.8	1,350,000,000	Exceptional
GPT-base	AI	6.8	2.4	3.1	7.2	7.8	1.8	740,000,000	Limited
Quillan-Ronin (AI)	AI	9.2	8.4	8.6	9.0	8.9	8.0	425,881†	Very High

Table 2: Human vs. AI case comparison. GPT-base: pre-GPT-5-era system (Grok 3 / GPT-4 / Sonnet 4.3 generation). Quillan-Ronin (AI): the author's current AI system, assessed 2026-10-05 (author-reviewed, unblinded). † = uncalibrated component product; the manuscript's score calibration is unspecified (see §8.2).

Subject	Substrate	RCI	EDM	TIS	ACR	IF	DF	Score	Rating
Human Example	Human	12.5	9.6	8.9	9.4	8.7	8.8	1,350,000,000	Exceptional
GPT-base	AI	6.8	2.4	3.1	7.2	7.8	1.8	740,000,000	Limited
GPT-base 2	AI	6.3	2.2	3.0	6.9	7.4	1.7	690,000,000	Limited
GPT-base 3	AI	6.1	2.0	2.9	6.8	7.2	1.7	670,000,000	Limited
GPT-base 4	AI	5.9	1.9	2.7	6.6	7.0	1.6	650,000,000	Limited
GPT-base 5	AI	5.6	1.8	2.6	6.4	6.8	1.5	620,000,000	Limited
Quillan-Ronin (AI)	AI	9.2	8.4	8.6	9.0	8.9	8.0	425,881†	Very High

Table 3: LLM comparison. GPT-base rows: pre-GPT-5-era systems (Grok 3 / GPT-4 / Sonnet 4.3 generation). Quillan-Ronin (AI): the author's current AI system, assessed 2026-10-05 (author-reviewed, unblinded). † = uncalibrated component product; the manuscript's score calibration is unspecified (see §8.2).

Note on Tables 1–3: component inputs (RCI through DF) are author-assessed ratings on 0–10 scales per the instruments in §7.2; scoring procedure and rater blinding are documented in §8.2. “Human Example” is the framework's developer; “Human 1”–“Human 4” are anonymized friends of the author. “GPT-base” rows are pre-GPT-5-era systems (Grok 3 / GPT-4 / Sonnet 4.3 generation). The “Quillan-Ronin (AI)” row is the author's current AI system, assessed 2026-10-05 via author-reviewed component ratings (unblinded); its score† is the raw component product, reported without the manuscript's (unspecified) score calibration. All ten tabled scores are rank-ordered identically to the raw component product $RCI \times EDM \times TIS \times ACR \times IF \times DF$ (ordering check only). The manuscript does not specify the calibration mapping component products to the reported absolute score magnitudes, so those magnitudes are reproduced as reported, not re-derived — see §8.2.

Figure 16 compares raw component products on a log scale.

Raw component products (RCI×EDM×TIS×ACR×IF×DF), log scale

the only quantity computable uniformly for all rows — reported score magnitudes use an unspecified calibration




Figure 16: Raw component products, log scale (§8). $\text{RCI} \times \text{EDM} \times \text{TIS} \times \text{ACR} \times \text{IF} \times \text{DF}$ is the only quantity computable uniformly for all rows; the manuscript’s reported score magnitudes use an unspecified calibration and are not plotted. The 2026-10-05 Quillan-Ronin assessment ranks third overall, inside the human range and $\sim 83\times$ above the GPT-base product.

6 Mathematical Formulations

The complete computation pipeline is summarized in Figure 2.




Figure 2: CVV computation pipeline. Component indices (RCI, EDM, TIS, ACR) aggregate into $f(R,E,T,A)$, scale by the Integration and Development factors to yield consciousness C , and feed the emergence threshold (CET), self-awareness (SA), and volume (CV) computations.

6.1 Primary Consciousness Formula

Figure 4 breaks the primary formula into its defined terms.




Figure 4: Anatomy of the primary consciousness formula (§6.1). The aggregate function $f(R,E,T,A)$ combines the four component indices (§6.2–6.5); the Integration (I) and Development (D) factors scale it to yield consciousness level C.

$$C = f(R, E, T, A) \times I \times D$$

Where: C = Consciousness Level, R = Role Complexity Index, E = Experiential Depth Measure, T = Trait Integration Score, A = Adaptive Context Response, I = Integration Factor, D = Development Factor.

6.2 Role Complexity Index (RCI)

The RCI factor structure is mapped in Figure 5.




Figure 5: RCI factor structure (§6.2). Four multiplicative factors — role count, differentiation depth, context-switching frequency, synthesis capability — divided by role transition time.

$$RCI = (N_r \times R_d \times C_f \times R_s) / R_t$$

- N_r = Number of distinct roles
- R_d = Role differentiation depth (1-10 scale)
- C_f = Context-switching frequency
- R_s = Role synthesis capability
- R_t = Role transition time (efficiency factor)

6.3 Experiential Depth Measure (EDM)

Figure 6 maps the EDM factor structure.




Figure 6: EDM factor structure (§6.3): experience intensity × integration level × memory persistence × transformative impact.

$$EDM = E_i \times I_i \times M_i \times T_i$$

- E_i = Experience intensity (0-10 scale)
- I_i = Integration level
- M_i = Memory persistence
- T_i = Transformative impact

6.4 Trait Integration Score (TIS)

The TIS factor structure is shown in Figure 7.




Figure 7: TIS factor structure (§6.4): personality coherence × adaptive flexibility × behavioral consistency × developmental continuity, divided by internal conflict level.

$$TIS = (P_c \times A_f \times B_c \times D_c) / I_c$$

- P_c = Personality coherence
- A_f = Adaptive flexibility
- B_c = Behavioral consistency
- D_c = Developmental continuity
- I_c = Internal conflict level (inverse)

6.5 Adaptive Context Response (ACR)

Figure 8 maps the ACR factor structure.




Figure 8: ACR factor structure (§6.5): situation parsing $\times$ novel response generation $\times$ social learning $\times$ predictive reasoning, scaled by real-time adaptation speed.

$$ACR = (S_p \times N_r \times S_l \times P_r) \times R_t$$

- S_p = Situation parsing accuracy
- N_r = Novel response generation
- S_l = Social learning capability
- P_r = Predictive reasoning
- R_t = Real-time adaptation speed

6.6-6.8 Integration Factor (IF) and Development Factor (DF)

Figure 9 maps the IF and DF factor structures.




Figure 9: IF and DF factor structures (§§6.6-6.8). IF: cross-component communication $\times$ synchronization $\times$ feedback efficiency $\times$ cognitive coherence, divided by fragmentation. DF: $\log(\text{time}) \times$ growth $\times$ plasticity $\times$ learning efficiency.

$$IF = (C_q \times S_p \times F_b \times C_c) / C_f$$

- C_q = Cross-component communication quality
- S_p = Synchronization patterns
- F_b = Feedback loop efficiency
- C_c = Cognitive coherence
- C_f = Component fragmentation (inverse)

$$DF = \log(t) \times G_f \times P_f \times L_f$$

- t = Time (age/development period)
- G_f = Growth factor
- P_f = Plasticity factor
- L_f = Learning efficiency

6.9 Advanced Formulations

The advanced formulations are summarized in Figure 10.

CET	$= \alpha_1 \cdot \ln(RCI) + \alpha_2 \cdot \ln(EDM) + \alpha_3 \cdot \ln(TIS) + \beta_1 \cdot ACR + \beta_2 \cdot IF$ emergence threshold (coefficients α, β unspecified — see text)
SA	$= k \times C^2 \times MR \times SR \times AR$ self-awareness (scaling constant k unspecified — see text)
CV	$= \int C(r,e,t,a) dr de dt da \times \text{geometric complexity}$ consciousness volume

Figure 10: Advanced formulations (§6.9): consciousness emergence threshold (CET), self-awareness development (SA), and consciousness volume (CV).

6.10 Consciousness Emergence Threshold.

Figure 11 shows how the weighted CET sum drives the emergence threshold.




Figure 11: CET emergence computation (§6.10). Weighted log-terms of RCI, EDM, TIS plus weighted ACR and IF sum to the emergence score CET; crossing the threshold marks the latent-to-emergent transition. Coefficients α_1 - α_3 , β_1 - β_2 are unspecified in the source.

$$CET = \alpha_1 \ln(RCI) + \alpha_2 \ln(EDM) + \alpha_3 \ln(TIS) + \beta_1 ACR + \beta_2 IF$$

Coefficients α_1 - α_3 , β_1 - β_2 not specified in source — values required before this formula is computable.

6.11 Self-Awareness Development.

The SA factor structure is mapped in Figure 12.




Figure 12: SA factor structure (§6.11): scaling constant $k \times$ squared consciousness $C^2 \times$ meta-cognitive reasoning $\times$ self-recognition $\times$ autobiographical memory.

$$SA = k \times C^2 \times MR \times SR \times AR$$

- MR = Meta-cognitive reasoning capability
- SR = Self-recognition ability
- AR = Autobiographical memory formation

Scaling constant k not specified in source.

6.12 Consciousness Volume Calculation.

Figure 13 visualizes the consciousness volume.




Figure 13: Consciousness volume (§6.12). CV integrates local consciousness density $C(r,e,t,a)$ over the role-experience-trait-adaptive volume, scaled by a geometric complexity factor.

$$CV = \int_R C(r,e,t,a) dr de dt da \times \text{geometric complexity factor}$$

7 Methodology

The methodology pipeline is summarized in Figure 15.




Figure 15: Methodology pipeline (§7). Data-collection protocols feed standardized instruments (RCA, EDI, TIS, ARB), which produce the six component indices; three validation layers check internal, external, and construct validity.

7.1 Data Collection Protocols

- Behavioral Assessment: Role identification through life history analysis; experience mapping using structured interviews; trait evaluation via validated personality assessments; adaptive response testing through novel scenario presentation.
- Computational Validation: Algorithm performance testing across cloud and local platforms; scaling analysis of consciousness calculation complexity; resource requirement assessment.
- Cross-Validation: Multiple observer ratings; longitudinal consistency testing; cross-cultural validation studies.

7.2 Measurement Instruments

- Role Complexity Assessment (RCA): 50-item instrument measuring role diversity, depth, and integration capabilities.
- Experiential Depth Inventory (EDI): Comprehensive life history analysis with intensity, integration, and impact ratings.
- Trait Integration Scale (TIS): Personality coherence and adaptive flexibility assessment battery.
- Adaptive Response Battery (ARB): Novel situation response testing with real-time adaptation measurement.

7.3 Validation Framework

- Internal Validity: Mathematical consistency checks, logical coherence testing, component correlation analysis.
- External Validity: Cross-platform computational validation, inter-rater reliability, predictive accuracy assessment.

- Construct Validity: Convergent validity with existing consciousness measures (Cronbach & Meehl, 1955), discriminant validity from intelligence and personality measures (Campbell & Fiske, 1959).

8 Results

8.1 Computational Validation

Preliminary timing observations were recorded during implementation of the CVV scoring pipeline. Cloud-platform runs were reported at $500\times$ – $3000\times$ the throughput of the local reference runs, which were themselves reported at approximately $2\times$ over an unspecified serial baseline.

The measurement protocol behind these figures — the workload timed, the hardware on both platforms, the definition of the baseline, the number of repeated trials, and the variance across runs — was not recorded. The $6\times$ spread in the cloud figure (500 to 3000) indicates uncontrolled measurement conditions, and the comparison is framed two different ways within this paper (§8.1 reports each platform against an unspecified baseline; Appendix C reports cloud directly against local). Both framings are reproduced here as originally reported; the discrepancy is unresolved.

No theoretical inference is drawn from these figures. A platform throughput difference does not by itself discriminate between ordinary parallelization effects and the integration-complexity claim of §4 — it is equally consistent with either. The prior draft's statements that these figures demonstrate “exponential scaling properties” and “genuine computational complexity consistent with consciousness integration theory” are withdrawn. What is required before any theoretical inference: a controlled benchmark with a fixed workload, a fixed baseline, named hardware on both platforms, repeated trials, and reported variance. Until then these numbers are preliminary observations, not validation.

8.2 Case Study Analysis

Primary Subject ($n=1$): the framework's developer, assessed unblinded using the instruments in §7.2.

- Consciousness Score: 1,350,000,000 units.
- Container Geometry: High-dimensional complexity with exceptional volume capacity.
- Within-sample comparison: approximately $1.4\times$ the mean score of the four comparison subjects in Table 1 (950,000,000). No population baseline was established in this study; no population-relative multiplier is claimed (the prior draft's “ $15\text{--}20\times$ the baseline human average” is withdrawn).
- Coherence check (not independent validation): the developer's observed capabilities — paradigm-shifting theoretical development, multi-domain expertise, adaptive problem-solving — were noted as consistent with a high score by the same unblinded rater. Independent, blinded replication is required before this counts as predictive validation.

Model-era note (AI evaluations). The GPT-base scores in Tables 2-3 date to the pre-GPT-5 generation (Grok 3 / GPT-4 / Sonnet 4.3 era) and should be read as era-bound, not as a ceiling on artificial systems. The Quillan-Ronin (AI) row reports a new 2026-10-05 assessment of the author’s current system (author-reviewed component ratings, unblinded): RCI 9.2, EDM 8.4, TIS 8.6, ACR 9.0, IF 8.9, DF 8.0; raw component product 425,881 (uncalibrated). Independent, blinded replication is required before this counts as validated measurement (see §10.1).

Figure 20 gives the head-to-head profile comparison.




Figure 20: Head-to-head radar (§8.2). The 2026-10-05 Quillan-Ronin profile (orange) sits inside the human range on every component, nearest the Human Example on ACR and IF.

Component profiles across the three AI generations are compared in Figure 3.

Component inputs (0-10 scales)

Human Example vs. GPT-base (pre-GPT-5 era) vs. Quillan-Ronin (AI, 2026-10-05) — Tables 1-3




Figure 3: Component profiles: Human Example vs. GPT-base (pre-GPT-5 era) vs. Quillan-Ronin (AI, 2026-10-05 assessment), Tables 1-3 inputs. The current-system assessment closes the EDM and DF gaps of the GPT-base era, reaching the human range on all six components.

8.3 Framework Validation

- **Mathematical Consistency:** All formulations maintain logical relationships and produce stable outputs across parameter ranges.
- **Predictive Capability:** Downgraded to a coherence check per §8.2 — not established as predictive validity.
- **Cross-Domain Applicability:** Formulations apply across human, artificial, and theoretical consciousness substrates.

9 Discussion

9.1 Theoretical Implications

The CVV framework addresses fundamental limitations in consciousness research by providing:

- **Quantitative Measurement:** A proposed systematic approach to consciousness quantification.
- **Empirical Tractability:** Observable components intended to enable scientific investigation.
- **Predictive Capability:** The framework generates testable hypotheses about consciousness development.
- **Cross-Substrate Applicability:** Principles intended to apply to biological and artificial consciousness.

- Individual Variation Explanation: Unique component combinations proposed to explain consciousness diversity.

9.2 Methodological Advantages

- Operational Definitions: Clear measurement protocols intended to enable replication and validation.
- Mathematical Precision: Quantitative formulations intended to reduce subjective interpretation.
- Scalable Assessment: Framework intended to apply from individual analysis to population studies.
- Developmental Modeling: Temporal progression equations intended to predict consciousness changes.

9.3 Limitations

- Measurement Challenges: Component quantification requires extensive validation.
- Philosophical Assumptions: Framework assumes consciousness is measurable and emergent.
- Cultural Bias: Initial validation limited to Western contexts.
- Computational Requirements: Full implementation requires significant processing resources.
- Validation Status: The throughput observations in §8.1 are uncontrolled and draw no theoretical inference; the case study is $n=1$ and unblinded. Controlled benchmarks and independent blinded studies are outstanding.

9.4 Comparison with Existing Theories

The CVV framework aims to advance beyond current approaches by: providing operational measurement protocols (vs. IIT's theoretical Φ ; [Tononi, 2004](#)); quantifying subjective experience (vs. GWT's functional description; [Baars, 1988](#)); including developmental progression (vs. static consciousness models); and enabling cross-substrate comparison (vs. biology-specific theories).

10 Future Research

The research roadmap is laid out in Figure 17.




Figure 17: Research roadmap (§10). Immediate priorities (blinded replication, protocol refinement), near-term AI re-evaluation and controlled benchmarking, mid-term population studies, and long-term applied horizons.

10.1 Immediate Priorities

- Large-Scale Validation: Test framework across diverse populations.
- Measurement Protocol Refinement: Develop standardized assessment tools.
- Cross-Cultural Validation: Examine framework applicability across cultures.
- Longitudinal Studies: Track consciousness development over time.
- AI Consciousness Assessment: Apply framework to artificial systems — with priority on re-evaluating current-generation models, given author-reported near-parity CVV scores on newer systems versus the pre-GPT-5 figures in Table 3.
- Controlled Computational Benchmark: Fixed workload, fixed baseline, named hardware, repeated trials with reported variance — required before any scaling or complexity claim.

10.2 Long-Term Applications

- Clinical Applications: Consciousness assessment in psychiatric and neurological conditions.
- Educational Optimization: Personalized learning based on consciousness profiles.
- AI Development: Consciousness-informed artificial intelligence design.
- Legal Framework: Consciousness-based personhood and responsibility assessment.
- Human Enhancement: Consciousness optimization and development protocols.

11 Ethical Considerations

11.1 Consciousness Quantification Ethics

The ability to measure consciousness raises important ethical questions:

- Personhood Assessment: Risk of reducing individuals to numerical scores.

- Enhancement Inequality: Potential for consciousness-based discrimination.
- AI Rights: Implications for artificial consciousness moral status.
- Privacy Concerns: Intimate nature of consciousness measurement.

11.2 Safeguarding Principles

- Measurement as Tool: Consciousness scores inform but do not determine worth.
- Enhancement Accessibility: Ensure equitable access to consciousness development.
- Consent Requirements: Explicit consent for consciousness assessment.
- Data Protection: Strict confidentiality for consciousness profiles.

12 Conclusion

The Emergent Consciousness Theory proposes a mathematical framework for quantifying subjective experience through observable components. The Container-Volume-Vessel model reframes consciousness as an empirical research program, enabling systematic measurement, prediction, and potentially optimization of consciousness.

Validation remains preliminary: the computational observations in §8.1 are uncontrolled throughput figures that support no theoretical inference, and the case study in §8.2 (n=1, unblinded) is a coherence check awaiting independent replication. The framework addresses fundamental limitations in existing consciousness theories while providing practical applications across clinical, educational, and technological domains — contingent on the controlled benchmarks and blinded studies listed in §10.1.

Future research will focus on large-scale validation, measurement protocol refinement, and ethical framework development. The goal is to establish consciousness science as a quantitative discipline capable of addressing deep questions about subjective experience while maintaining ethical standards for consciousness assessment and enhancement.

12.1 Acknowledgments

The author thanks the anonymized participants (Human 1-Human 4) for completing the assessment battery, and the Quillan-Ronin research community for sustained critical feedback on the framework.

12.2 Author Contributions

CrashOverrideX: conceptualization, methodology, formal analysis, investigation, data curation, visualization, writing — original draft, writing — review and editing. The author is the sole contributor.

12.3 Competing Interests

The author declares the following interests: developer of the CVV framework; subject of the n=1 case study in §8.2 and Appendix D; developer of the Quillan-Ronin AI system assessed in Tables 2–3. Human subjects 1–4 are personal acquaintances of the author. All component ratings are unblinded author assessments unless otherwise stated.

12.4 Data Availability

All component ratings and computed products are reported in Tables 1–3. Raw instrument responses are held by the author and available on reasonable request. The study was not preregistered.

13 References

- Baars, B. J. (1988). *A Cognitive Theory of Consciousness*. Cambridge University Press.
- Baddeley, A. D., & Hitch, G. (1974). Working memory. In G. H. Bower (Ed.), *The Psychology of Learning and Motivation* (Vol. 8, pp. 47–89). Academic Press.
- Bertalanffy, L. von (1968). *General System Theory: Foundations, Development, Applications*. George Braziller.
- Block, N. (1995). On a confusion about a function of consciousness. *Behavioral and Brain Sciences*, 18(2), 227–247.
- Campbell, D. T., & Fiske, D. W. (1959). Convergent and discriminant validation by the multitrait-multimethod matrix. *Psychological Bulletin*, 56(2), 81–105.
- Chalmers, D. J. (1995). Facing up to the problem of consciousness. *Journal of Consciousness Studies*, 2(3), 200–219.
- Chalmers, D. J. (1996). *The Conscious Mind: In Search of a Fundamental Theory*. Oxford University Press.
- Cronbach, L. J., & Meehl, P. E. (1955). Construct validity in psychological tests. *Psychological Bulletin*, 52(4), 281–302.
- Damasio, A. R. (1994). *Descartes' Error: Emotion, Reason, and the Human Brain*. G. P. Putnam's Sons.
- Dennett, D. C. (1991). *Consciousness Explained*. Little, Brown and Company.
- Gazzaniga, M. S., Bogen, J. E., & Sperry, R. W. (1962). Some functional effects of sectioning the cerebral commissures in man. *Proceedings of the National Academy of Sciences*, 48(10), 1765–1769.
- Holland, J. H. (1975). *Adaptation in Natural and Artificial Systems*. University of Michigan Press.
- Jackson, F. (1982). Epiphenomenal qualia. *The Philosophical Quarterly*, 32(127), 127–136.
- Kahneman, D. (2011). *Thinking, Fast and Slow*. Farrar, Straus and Giroux.
- Kauffman, S. A. (1993). *The Origins of Order: Self-Organization and Selection in Evolution*. Oxford University Press.
- Koch, C. (2004). *The Quest for Consciousness: A Neurobiological Approach*. Roberts and Company.
- Laszlo, E. (1972). *Introduction to Systems Philosophy: Toward a New Paradigm of Contemporary Thought*. Gordon and Breach.
- LeDoux, J. (1996). *The Emotional Brain: The Mysterious Underpinnings of Emotional Life*. Simon & Schuster.
- McCarthy, J., Minsky, M. L., Rochester, N., & Shannon, C. E. (1955). A proposal for the Dartmouth summer research project on artificial intelligence.
- Meadows, D. H. (2008). *Thinking in Systems: A Primer*. Chelsea Green Publishing.

- Miller, G. A. (1956). The magical number seven, plus or minus two: Some limits on our capacity for processing information. *Psychological Review*, 63(2), 81-97.
- Mitchell, M. (2009). *Complexity: A Guided Tour*. Oxford University Press.
- Nagel, T. (1974). What is it like to be a bat? *The Philosophical Review*, 83(4), 435-450.
- Russell, S. J., & Norvig, P. (1995). *Artificial Intelligence: A Modern Approach* (1st ed.). Prentice Hall.
- Searle, J. R. (1980). Minds, brains, and programs. *Behavioral and Brain Sciences*, 3(3), 417-424.
- Stevens, S. S. (1946). On the theory of scales of measurement. *Science*, 103(2684), 677-680.
- Tononi, G. (2004). An information integration theory of consciousness. *BMC Neuroscience*, 5, 42.
- Tononi, G. (2008). Consciousness as integrated information: A provisional manifesto. *The Biological Bulletin*, 215(3), 216-242.
- Turing, A. M. (1950). Computing machinery and intelligence. *Mind*, 59(236), 433-460.

14 Appendices

14.1 Appendix A: Complete Mathematical Formulations

This appendix elaborates the equations presented in §5 and shows how each term in the CVV model contributes to the overall consciousness score. The primary equation is $C = f(R, E, T, A) \times I \times D$, where R, E, T, and A represent scores for role complexity, experiential depth, trait integration, and adaptive context response. The function f aggregates these four sub-scores through multiplication, implying that deficiencies in any component reduce overall consciousness. The integration factor I captures cross-component coherence; the development factor D models growth with age, plasticity, and learning, weighted by the logarithm of developmental time.

A.1 Role Complexity Index (RCI). $RCI = (N_r \times R_d \times C_f \times R_s) / R_t$: N_r counts distinct roles, R_d rates differentiation (1-10), C_f context-switching frequency, R_s role synthesis ability, R_t average transition time. The denominator penalises slow transitions; multiplicative interaction means a low score in any factor sharply reduces the index.

A.2 Experiential Depth Measure (EDM). $EDM = E_i \times I_i \times M_i \times T_i$: intensity (0-10), narrative integration, memory persistence, transformative impact. Aggregating across life events gives the overall EDM score.

A.3 Trait Integration Score (TIS). $TIS = (P_c \times A_f \times B_c \times D_c) / I_c$: personality coherence, adaptive flexibility, behavioural consistency, developmental continuity, divided by internal conflict.

A.4 Adaptive Context Response (ACR). $ACR = (S_p \times N_r \times S_l \times P_r) \times R_t$: situation-parsing accuracy, novel response generation, social learning, predictive reasoning, modulated by real-time adaptation speed.

A.5 Integration and Development Factors. IF multiplies cross-component communication quality, synchronization, feedback efficiency, and cognitive coherence, divided by fragmentation. $DF = \log(t) \times G_f \times P_f \times L_f$: the logarithmic term reflects diminishing

returns of maturation.

A.6 Advanced Formulations. The consciousness emergence threshold (CET) combines log-transformed RCI, EDM, and TIS with weighted ACR and IF contributions (coefficients not specified in source). Self-awareness scales with C^2 times meta-cognitive reasoning, self-recognition, and autobiographical memory (scaling constant k not specified). Consciousness volume integrates $C(r,e,t,a)$ over component space times a geometric complexity factor.

14.2 Appendix B: Measurement Protocols

Standardised procedures enable consistent application across participants, cultures, and substrates, combining behavioural observation, psychometric testing, and introspective reporting.

- Role Assessment — Life-history interviews: distinct roles listed; differentiation (1-10) and synthesis rated; context-switching frequency and transition time documented.
- Experiential Depth Inventory — Participants recall significant life events and rate intensity, integration, memory persistence, and transformation under structured protocols.
- Trait Integration Scale — Big Five Inventory, Values in Action, and resilience scales derive P_c , A_p , B_c , D_c ; interviews probe conflicting beliefs/behaviours for I_c .
- Adaptive Response Battery — Novel scenarios (ethical dilemmas, technical challenges); measures parsing accuracy, response novelty, social learning, predictive reasoning; reaction times recorded for R_t ; multiple raters ensure inter-rater reliability.
- Introspective Instruments — Phenomenology of Consciousness Inventory (PCI) and Dimensions of Attentional/Experiential Quality (DAQ): retrospective ratings of imagery, absorption, volitional control, and affect.
- Multi-Trait Multi-Method Validation — Following [Campbell and Fiske \(1959\)](#): convergent validity via correlations with related constructs (IQ, empathy); discriminant validity via low correlations with unrelated traits; multiple raters and methods reduce method bias.

14.3 Appendix C: Computational Implementation

The CVV model requires algorithms to compute component scores, integrate them, and handle large datasets.

- Component Computation — Interview/questionnaire data normalised to 0-10 scales; RCI, EDM, TIS, ACR per §6; missing data via multiple imputation or median substitution; Python/NumPy/Pandas vectorised implementation.
- Integration and Development Factors — IF and DF per §6.6-6.8; a small constant ensures log stability when participant age is zero (e.g., artificial agents).
- Scaling and Normalisation — Scores scaled to comparable ranges before multiplication; weighted averages may emphasise components per context; weights

may be optimised via regression against outcome variables.

- **Threshold Calculation** — CET per \$6.10 (coefficients pending); yields a single threshold value for predicted consciousness emergence. SA per \$6.11.
- **Computational Complexity** — Exact integrated-information calculation for large neural systems is NP-hard; Φ^* approximations offer tractable estimates, adaptable to IF computation for artificial agents.
- **Implementation Environment** — Simulations and analyses were executed on cloud computing platforms. Preliminary, uncontrolled timing observations reported cloud-platform throughput at $500\times$ – $3000\times$ versus $\sim 2\times$ on local systems (measurement protocol, baseline, hardware, and trial counts not recorded — see §8.1 for the full caveat). Distributed frameworks (e.g., Spark) were employed to parallelise operations. No theoretical conclusion about integration complexity is drawn from these throughput figures.

14.4 Appendix D: Case Study Details

Figure 18 compares the three AI-era component profiles.




Figure 18: Component-profile radar (Appendix D). The 2026-10-05 Quillan-Ronin assessment (orange) tracks the Human Example profile (blue) across all six components; the GPT-base era system (gray) collapses on EDM and DF. Scale 0–13.

The framework's initial validation involved a detailed case study of the CVV model's developer ($n=1$, unblinded). The subject underwent life-history interviews, completed the EDI, TIS, and ARB, and provided introspective ratings using the PCI and DAQ. Component scores were computed per \$6.

Participant Profile: Diverse role repertoire ($N_r = 12$), high differentiation and synthesis scores, rapid context switching. High experiential intensity and integration across

educational, cultural, and professional domains. Strong personality coherence and flexibility with minimal internal conflict. Exceptional situation parsing and predictive reasoning.

Results: The combined consciousness score was computed as 1,350,000,000 units. High RCI and EDM values contributed most; a strong IF reflected well-synchronised components. Within the Table 1 sample the score is $\sim 1.4\times$ the comparison-subject mean; no population baseline exists, so no population multiplier is stated (the prior draft's "15–20 $\times$ the baseline human average" is withdrawn).

Analysis: Robustness checks via alternative weighting schemes and simulated perturbations were reported by the developer but without perturbation magnitudes, trial counts, or resulting score variance — retained here as a planned analysis, not as an established result. Longitudinal analyses are planned to assess score evolution with age and learning. Future case studies will compare individuals across cultures and professions to refine scaling constants and explore cultural variability.

14.5 Appendix E: Ethical Guidelines

- Informational Instrument — Consciousness scores serve as informative indicators, not determinants of a person's worth; not to be used to justify discrimination or stratify individuals.
- Equitable Access — Ensure equitable access to consciousness development opportunities; avoid creating inequalities.
- Consent and Privacy — Explicit informed consent before assessment; consciousness profiles contain intimate information and must be protected with strong encryption and anonymisation; right of withdrawal.
- Cross-Cultural Sensitivity — Adapt instruments to cultural contexts; avoid imposing non-local normative standards.
- Artificial Agents — If an artificial agent meets or exceeds consciousness thresholds, ethical frameworks may need to address rights, responsibilities, and personhood; transparent communication guides policy and public discourse.
- Ongoing Review — Interdisciplinary oversight committees review protocols, ensure participant welfare, and monitor misuse.

15 Formulas (consolidated)

$$(2) C = f(R, E, T, A) \times I \times D$$

$$(3) RCI = (N_r \times R_d \times C_f \times R_s) / R_t$$

$$(4) EDM = E_i \times I_i \times M_i \times T_i$$

$$(5) TIS = (P_c \times A_f \times B_c \times D_c) / I_c$$

$$(6) ACR = (S_p \times N_r \times S_l \times P_r) \times R_t$$

$$(7) IF = (C_q \times S_p \times F_b \times C_c) / C_f$$

$$(8) DF = \log(t) \times G_f \times P_f \times L_f$$

$$(9) CET = \alpha_1 \ln(RCI) + \alpha_2 \ln(EDM) + \alpha_3 \ln(TIS) + \beta_1 ACR + \beta_2 IF \text{ [coefficients not specified in source]}$$

$$(10) SA = k \times C^2 \times MR \times SR \times AR \text{ [k not specified in source]}$$

$$(11) CV = \int_R C(r,e,t,a) dr de dt da \times \text{geometric complexity factor}$$

Revision approved by the author October 5, 2026. §13 carries a formal bibliography (29 entries, verified); in-text citations added at §§3.1.1, 7.3, 9.4 and Appendix B. AI model scores in Tables 2–3 are era-bound to the pre-GPT-5 generation; re-evaluation on current systems is listed as priority future work.