LOTTE CHEMICAL

staron®
Solid Surfaces

LOTTE CHEMICAL | CALIFORNIA INC.
6 Centerpointe Dr. Suite 300, La Palma, CA 90623, USA
LOTTE@lccalifornia.com

Copyright © 2025 LOTTE CHEMICAL Co., Ltd.
Printed in KOREA

STRETCH YOUR IMAGINATION WITH STARON FOR INFINITE POSSIBILITIES.

TIMELESS BEAUTY

From intricately detailed veining to lustrous muted waves

The upgraded **Supreme Collection** draws its inspiration from the timeless allure of marble, featuring the mesmerizing movements and intricate crack patterns found in nature. Each exquisite design captures the authentic colors and detailed patterns of genuine stone. Delivering an impeccably smooth surface with timeless elegance.

Experience the timeless charm of Downy Grey with deep textures and enduring design with various light performances. Downy Cream and Downy Dove embrace the touch of tranquility to your interior design with feather-like soft colors and subtle patterns.

Find the beauty and practicality in one surface for your next project.

Discover our superior surfaces in the new **Supreme Collections.**

RELIABLE PERFORMANCE

- Cutting-edge technology sets a new standard in surface
- inconspicuous repairment available for its homogenous composition

HYGIENIC SURFACE

- Non-porous surface inhibits growth of mold or bacteria
- Resistant to heat and abrasion
- Refurbishment to a new condition available

DIMENSIONAL FLEXIBILITY

- Thermo-formable into three-dimensional shapes
- Excellent workability for unlimited design possibilities

INFINITE RANGE OF COLORS

- Over 150 color options ranging from natural to vivid
- Ongoing collaboration with color trend experts to stay commercially relevant

IMPERCEPTIBLE SEAMS

- Consistent color and texture on every sheet provides a smooth and seamless surface
- Installed without gaps, crevices, or obvious joint-lines

TRANSLUCENCY

- Creative back-lighting effects via diversified material thickness, allowing transmission from low-energy light source

GLOBAL NETWORK

- Regional branch offices and worldwide product distribution networks

RELIABLE QUALITY

- Advanced quality control policy and a commercial 10-year warranty
- Certified eco-friendly by Greenguard and Scientific Certification System

Premiere

Inspired by the timeless beauty of natural stones,
the Premiere collection captures the grace of nature.
Featuring an outstanding large vein in the Calacatta style,
it embodies an opulent luxury that transcends
conventional vein designs.

Gravita VG392

Largo VL312

Legato VL322

Largo

Exterior wall Cladding



Plumeria House
Bright White
Bangkok, Thailand

Aspen Snow AS610	**Bright White** BW010	**Pearl** SP011	**Pure white** SP016	**Quasar White** SQ019

Sanded Grey SG420	**Sanded Icicle** SI414	**Sanded Sahara** SS440	**Sanded Vermillion** SV430	**Sanded White Pepper** WP410

Quarry



Mosaic Dalmatian
QD212

Mosaic Nimbus
QN287

Quarry Greige
QG229

Mosaic Dalmatian

Quarry Oyster
TO310

Quarry Ridge
QR278

Quarry Starred(N)
QS288

Solid

Ultramarine

Bright White
BW010

Forest
SF061

Ivory
SI040

Pearl
SP011

Piano Black
GP790

Pure white
SP016

Quasar White
SQ019

Ultramarine
SU067

ECLIPSE COLLECTION

Meet the Eclipse collection that encapsulates
the durability of natural stones interwoven
with everyday fleeting moments,
infused with a subtle shimmer of luxury.

Eclipse Cream SC444

Eclipse Luna SL477

Eclipse White SW412

STUCCO COLLECTION

Introducing the Stucco Collection
reinterpreted by Staron–lime, fine sand,
and other elements are blended
into a paste and applied for a textured wall finish,
enhanced with the hues of nature.

Stucco Angora NA972

Stucco Cotton NC912

Stucco Earth NE945

Supreme

Arctic White VA311

Ash Concrete VA129

Ashfall VA381

Beige Granite VB172

Cloudbank VC118

Cloudbank

Cotton White VC110

Dandelion VD175

Dawn VD126

Delphi VD111

Downy Cream VC343

Downy Dove SP105

Grigio Concrete

Downy Grey VG321

Downy White SF100



Flux VF113



Grigio Concrete VG180

Supreme

Latte Cream VL343



Loam VL155

Magnolia VM143

Morning Sky VM114

Natural Bridge VN144

Ocean View

Ocean View VO171

Reno VR184

Rotor Cloud VR322

Snowfall VS324

Tranquil VT115

Urban Grey VU127

TEMPEST STELLA COLLECTION

Maintaining the sophistication of
Staron's Tempest collection,
the Tempest Stella collection is reintroduced,
blending emotive colors with luxurious allure.

Lyra

Grus FG188

Lyra FL175



Vela FV126

Terrazzo

Terrazzo Bologna
NT970



Terrazzo Torino
NT981

Terrazzo Venezia
NT150

Terrazzo Torino

Differentiating points

Point 1. Create differentiated spaces

With a natural pattern on a white, cool gray, and black tone base, it's designed to be adaptable to any interior design. Different colors and darkness of patterns are applied to the dual veins to give a various look.

Largo VL312

Patterns in warm and cool tones are added to the white background to emphasize both calmness and cheerfulness.

Legato VL322

A cool gray base creates a calm yet powerful look.

Gravita VG392

Warm-tone patterns and chips are added to the black base to emphasize the heaviness and wonder of black.

Point 2. Natural Seaming

Improved the smoothness of the pattern when joining tops at 90 degrees. The abundance of veins makes the two plates look like a single piece when joined, giving them a more natural look.

Point 3. Unique technology

LOTTE's unique technology allows for the creation of natural marble pattern.

More than double the richness of vein

Ultra-Hygienic Material Solution for Healthcare

evermoin®

The healthiest choice for your design

evermoin® Ultra-Hygienic material/surface from staron® can be applied to almost any interior space within a healthcare facility. Imagine casework, work-stations and wall-cladding in a functional and renewable material that is durable as well as ultra-hygienic.
Achieve the perfect blend of simplicity in design with an ultra-hygienic surface that is engineered for a healthier life.

Evermoin Angel White
MA020

Benefit of evermoin®

Ultra-Hygienic
Speedy ultra-hygienic effect and action on representative bacteria and fungi

Durability
Excellent Ultra-Hygienic retention and Confirmed quality on stability and durability

Safety
Material certification harmless to human body and environment (EPA, NSF, FDA)

Safety Properties

Obtained certification, such as Japan SIAA, US NSF, and FDA, that guarantees sanitary safety and reliability to be harmless to human environments.

Harmless to human body	Safe for food contact
SIAA for KOHKIN **SIAA** Society of International sustaining growth for Ultra-Hygienic Articles	NSF **NSF** National Sanitation Foundation



Legato

COLORS OF STARON

ASPEN

Aspen Alder AA625

Aspen Brown AB632

Aspen Cliff AC652

Aspen Concrete AC629

Aspen Eggshell AE642

Aspen Lily AL645

Aspen Pepper AP640

Aspen Snow AS610

ECLIPSE



Eclipse Cream SC444

Eclipse Luna SL477



Eclipse White SW412

EVERMOIN (ULTRA-HYGIENIC)



Evermoin Angel White
MA020

METALLIC



Metallic Yukon
EY510

PEBBLE



Pebble Blue PB870

Pebble Boulder PB852

Pebble Chiffon PC842



Collina Urbanity PU886

Pebble Frost PF812

Pebble Gold PG840



Pebble Grey PG810

Pebble Saratoga PS820

Pebble Seastar PS843

Pebble Swan PS813

Pebble TeaRose PT845

PREMIERE

Gravita VG392

Largo VL312

Legato VL322

QUARRY

Mosaic Dalmatian QD212

Mosaic Nimbus QN287

Quarry Greige QG229

Quarry Oyster TO310

Quarry Ridge QR278

Quarry Starred(N) QS288

SANDED

Sanded Birch SB412

Sanded Chestnut SC457

Sanded Cornmeal SC433

Sanded Cream SM421

Sanded Gold Dust SG441



Sanded Grey SG420

Sanded Icicle SI414

Sanded Linen SL443

SANDED

Sanded Mocha SM453

Sanded Onyx SO423

Sanded Sahara SS440

Sanded Taupe ST486



Sanded Tundra ST482

Sanded Vermillion SV430

Sanded White Pepper WP410

SOLID



Bright White BW010

Forest SF061

Ivory SI040

Pearl SP011

Piano Black GP790

Pure white SP016



Quasar White SQ019

Ultramarine SU067

STUCCO

Stucco Angora NA972

Stucco Cotton NC912

Stucco Earth NE945

SUPREME

Arctic White VA311

Ash Concrete VA129

Ashfall VA381

Beige Granite VB172

Cloudbank VC118

Cotton White VC110


Dandelion VD175

Dawn VD126

Delphi VD111

Downy Cream VC343

Downy Dove SP105

Downy Grey VG321

Downy White SF100

Flux VF113

Grigio Concrete VG180

Latte Cream VL343

Loam VL155

Magnolia VM143

Morning Sky VM114

Natural Bridge VN144

Ocean View VO171

Reno VR184

Rotor Cloud VR322

Snowfall VS324

Tranquil VT115

Urban Grey VU127

TEMPEST


Caraway FC155


Coconut FC112

Confection FC116

Glimmer FG144

Horizon FH114

Igneous FI187

Peak FP100


Radiance(Shimmer) FR148

Whippoorwill FW145

TEMPEST STELLA


Grus FG188

Lyra FL175

Vela FV126

TERRAZZO

Terrazzo Bologna NT970


Terrazzo Torino NT981

Terrazzo Venezia NT150

Eco-Friendly Materials, Staron

Printed representation of colors may vary from actual samples. Please review actual sample prior to selection.

• To view new colors in greater detail, please visit www.staron.com

Translucent Ultra-Hygienic Exterior Material Eco-Friendly

SINKS & BOWLS

Staron solid surface sinks and bowls can be installed together with the all-acrylic sheet to achieve a seamless appearance and more smooth and polished fit. The continuous transition from sink to surface leaves no seams for bacteria or mold to accumulate and grow, making Staron's non-porous solid surfaces as the most desirable choice for hygienic interior commercial applications. Staron sinks come in five following colors in sixteen popular models:

COLOR OPTIONS

Bright White BW010

Pearl SP011

Ivory SI040

Pure white SP016

Quasar White SQ019

MOUNTING OPTIONS



Seam mount

Under mount

KITCHEN / UTILITY SINKS

A2311



A 31.25in (794mm)
B 4.33in (110mm)
C 16.57in (421mm)
D 18.93in (481mm)
E 13.70in (348mm)
F 9.25in (235mm)
G 9.84in (250mm)
H 3.54in (90mm)

A1121



A 12.83in (326mm)
B 14.01in (356mm)
C 16.37in (416mm)
D 10.47in (266mm)
E 6.49in (165mm)
F 7.08in (180mm)
H 3.54in (90mm)

A1231



A 23.30in (592mm)
B 16.61in (422mm)
C 18.97in (482mm)
D 20.94in (532mm)
E 7.36in (187mm)
F 7.95in (202mm)
H 3.54in (90mm)

A1181



A 18.11in (460mm)
B 15.75in (400mm)
C 18.11in (460mm)
D 15.75in (400mm)
E 8.18in (208mm)
F 8.85in (225mm)
H 3.54in (90mm)

B3290



A 29.52in (750mm)
B 15.75in (400mm)
C 17.64in (450mm)
D 27.48in (700mm)
E 7.28in (185mm)
F 7.87in (200mm)
H 3.54in (90mm)

B3180



A 17.67in (450mm)
B 15.75in (400mm)
C 17.67in (450mm)
D 15.75in (400mm)
E 6.89in (175mm)
F 7.48in (190mm)
H 3.54in (90mm)

LAVATORY SINKS / BASINS

A3211



A 21.57in (548mm)
B 3.38in (86mm)
C 14.01in (356mm)
D 15.59in (396mm)
E 20.00in (508mm)
F 6.14in (156mm)
G 6.81in (173mm)
H 1.77in (45mm)

A3181



A 18.18in (462mm)
B 3.70in (94mm)
C 13.22in (336mm)
D 14.80in (376mm)
E 16.61in (422mm)
F 5.47in (139mm)
G 6.14in (156mm)
H 1.77in (45mm)

B3150



A 16.81in (427mm)
B 10.94in (278mm)
C 12.87in (327mm)
D 14.88in (378mm)
E 4.57in (116mm)
F 5.43in (138mm)
H 1.77in (45mm)

B3190



A 20.63in (524mm)
B 10.79in (274mm)
C 12.87in (327mm)
D 18.66in (474mm)
E 4.57in (116mm)
F 5.43in (138mm)
H 1.77in (45mm)

NEW

B1212



A 22.87in (581mm)
B 4.8in (122mm)
C 15.74in (400mm)
D 17.75in (451mm)
E 20.86in (530mm)
F 7.28in (185mm)
G 7.87in (200mm)
H 3.54in (90mm)

B1177



A 17.71in (450mm)
B 4.72in (120mm)
C 17.71in (450mm)
D 19.68in (500mm)
E 15.74in (400mm)
F 7.28in (185mm)
G 7.87in (200mm)
H 3.54in (90mm)

B1160



A 17.32in (440mm)
B 4.4in (112mm)
C 15.74in (400mm)
D 17.32in (440mm)
E 15.74in (400mm)
F 11.81in (300mm)
G 12.79in (325mm)
H 3.54in (90mm)

B3200



A 21.65in (550mm)
B 5.51in (140mm)
C 11.02in (280mm)
D 12.99in (330mm)
E 19.68in (500mm)
F 4.72in (120mm)
G 5.51in (140mm)
H 1.73in (44mm)

B3192



A 20.86in (530mm)
B 3.5in (89mm)
C 12.59in (320mm)
D 14.56in (370mm)
E 18.89in (480mm)
F 4.76in (121mm)
G 5.55in (141mm)
H 1.73in (44mm)

A3148



A 14.8in (376mm)
B 6.88in (175mm)
C 13.77in (350mm)
D 14.8in (376mm)
E 13.77in (350mm)
F 3.81in (97mm)
G 4.52in (115mm)
H 1.73in (44mm)

PERFORMANCE PROPERTIES

The information contained herein is provided by LOTTE CHEMICAL Co., Ltd. and subsidiaries and affiliates for information purposes only and should be used by individuals with technical experience and knowledge in the area. LOTTE CHEMICAL does not make any representation or warranties of the usefulness or expected result of the information, and does not assume any responsibility whatsoever related to the use of the information. Exclusion of the implied warranties may not apply in certain jurisdictions.

PROPERTY	TEST RESULT	TEST PROCEDURE
Tensile strength	6,000 psi	ASTM D 638
Tensile modulus	600,000 psi	ASTM D 638
Flexural strength	10,000 psi	ASTM D 790
Flexural modulus	1,000,000 psi	ASTM D 790
Elongation	0.5%	ASTM D 638
Hardness	92 Rockwell “M” Scale 65 Barcol impressor	ASTM D 785 ASTM D 2583
Thermal expansion	2.0x1.0^{-5} in/in F^{0}	ASTM D 696
Gloss (60 Gardner)	Between 5-20	NEMA LD-3
Color stability	No change-200hrs	NEMA LD-3
Stain resistance	Passed Rating 41	ANSIZ 124
Abrasion resistance	Passed	ANSIZ 124
Boiling water surface resistance	No effect	NEMA LD-3
High temperature resistance	No effect	NEMA LD-3
IZON Impact resistance (Notched)	0.28ft. lbf/in	ASTM D 256
Ball drop 1/2” (12 mm) sheet	144”w/1/2lb ball No failure	NEMA LD-3
Fungi and Bacterial resistance	No growth	ASTM G 21, G22
Specific gravity Solid colors Patterened colors	 1.72 1.69	ASTM D 792
Water absorption	0.04%, (1/2”, 24hrs) 0.11%, (1/8”, 24hrs)	ASTM D 570
Flammability Flame spread Smoke density	Class A/Class 1 10 10	UBC 8-1 ASTM E 84 ASTM E 84
Radiant heat resistance	No visual effect	NEMA LD-3
Toxicity	84.4g (Solid color) 81.8g (Patterned color)	Pittsburgh test protocol (LC50 Test)

PRODUCT DIMENSIONS

COLLECTION

Evermoin, Solid, Sanded, Aspen, Pebble, Quarry, Terrazzo, Metallic, Eclipse, Stucco, Tempest Stella, Tempest, Supreme, Premiere



THICKNESS	WIDTH	LENGTH
mm	mm	mm
12 (1/2”)	760 (30”)	3,680 (145”)

COLLECTION

Solid, Sanded, Stucco, Eclipse, Aspen, Metallic



THICKNESS	WIDTH	LENGTH
mm	mm	mm
6 (1/4”)	760 (30”)	2,500 (98”)

- Bright White with wider widths is available. Widths of 1350mm and 930mm with the thickness of 6mm, 9mm and 12mm are available.
- Panel thicknesses of 9mm and 19mm available on request.
- 6mm thickness sheet is not recommended for horizontal application.
- If there is a specific dimension or size that is required for a particular project, please consult with the local agent or distributor.

STARON® 10-YEAR LIMITED WARRANTY

The 10-year warranty applies to Staron, Tempest and Supreme Collection products that have been installed in an interior, commercial-use or residential application.
For more details, please consult with your Staron products distributor, or visit www.staron.com

DISCLAIMER

The information contained herein is provided by LOTTE CHEMICAL Co., Ltd. and LOTTE Chemical California INC. for information purposes only and should be used by individuals with technical experience and knowledge in the area. LOTTE CHEMICAL Co., Ltd. does not make any representation or warranties of the usefulness or expected result of the information, and does not assume any responsibility whatsoever related to the use of the information. Exclusion of the implied warranties may not apply in certain jurisdictions. LOTTE Chemical California INC. is a subsidiary of LOTTE CHEMICAL Co., Ltd.