




Request lifecycle

How one API call moves through the service, and the shared infrastructure every domain uses


INBOUND REQUEST PIPELINE: EVERY CALL TO /{TENANT}/ZCARE/V1/** PASSES THESE STEPS IN ORDER




Business domain map

17 domain packages following the member’s care journey, delivered milestone by milestone (M3–M19)

Care journey, left to right. Each card: package, roadmap milestone, tables owned and ⚡ domain events emitted.



FOUNDATION & PLATFORM DOMAINS



How domains talk to each other

Calls

another domain's services and DTOs only, never its repositories or entities, and never in a cycle

Events

effects that need no compile-time link travel as ⚡ domain events through the transactional outbox (integration)

Consent

every domain calls the ConsentGate interface; enrolment implements it, nobody else reads consent tables

Care context

health domains implement CareContextContributor; the composer gathers sections only after consent passes

M2 infrastructure

In place

config

security

tenant

common

Shared by every domain; never depends on a domain package. The base package holds only ZimasaZcareApplication.

Inside every domain package: the same 7 role folders

controllers

→

services

→

repositories

plus entities · dto · mappers · specifications

Entities never leave the service layer; controllers never touch a repository.

Data, security & delivery


How tenant data is kept apart, how the schema is owned and migrated, and how the service is built and run

TENANT ISOLATION IN DEPTH: SEVEN LAYERS, EACH OF WHICH FAILS CLOSED




Layers 1–4 run in the application (blue); layers 5–7 are enforced by PostgreSQL itself (green), so an application bug cannot cross tenants.

BUILD, TEST & RUN



DATABASE ROLES & CONNECTIONS



SCHEMA DELIVERY: 20 LIQUIBASE FILES, RUN IN ORDER



Each domain file: tables → foreign keys → triggers → row-level security → grants. XML changesets carry PostgreSQL SQL, with HALT preconditions and a rollback in every changeset. Names match the agreed design exactly, because the API maps constraint names to error codes. File 20 re-runs read-only posture checks on every update.