Project: leelance

We introduce some terms for avoiding confusions.

- Explicit version declaration in Maven: a library version is declared as a hard-coded value in version tag, e.g., <version>2.5</version>.
- **Implicit version declaration in Maven:** a library version is declared as a referenced value in version tag through a declared property, e.g., <version>\${guava.version}</version>.
- **Inconsistent library:** a library whose multiple versions are used in multiple modules of a project; e.g., module A declares guava 2.5 but module B declares guava 2.6.
- False consistent library: a library that is used in multiple modules of a project with the same version declared separately; e.g., module A declares guava 2.5 explicitly and module B declares guava 2.5 explicitly. Therefore, such a consistency is likely to turn into inconsistency when there is an incomplete library update.

I. Overview

Your project have 9 inconsistent libraries and 3 false consistent libraries.

II. Inconsistent Libraries

1. com.alibaba:fastjson

The distinct versions are 1.2.21, 1.2.31, 1.2.12.

Index	Module	Туре	Property	Version
1	spring-boot-mybatis	explicit	NA	1.2.12
2	spring-boot-cache-ehcach e	explicit	NA	1.2.12
3	spring-boot-quartz	explicit	NA	1.2.12
4	spring-boot-websocket	explicit	NA	1.2.12
5	spring-boot-hibernate5	explicit	NA	1.2.12
6	spring-boot-cache-redis	explicit	NA	1.2.12
7	spring-boot-activemq-con sumer	explicit	NA	1.2.12
8	spring-boot-shiro-redis	explicit	NA	1.2.12
9	spring-boot-email	explicit	NA	1.2.12
10	spring-boot-jpa-querydsl	explicit	NA	1.2.12
11	spring-boot-websocket-ne tty-server	explicit	NA	1.2.31
12	spring-boot-jpa	explicit	NA	1.2.12
13	spring-boot-activemq-prod ucer	explicit	NA	1.2.12
14	spring-boot-shiro	explicit	NA	1.2.12
15	spring-boot-freemarker	explicit	NA	1.2.12
16	spring-boot-activiti	explicit	NA	1.2.21

Harmonization Recommendation Inheritance Relationship of POMs in All Related Modules

See leelance__fdse__spring-boot-all_2020-02-20_com.alibaba____fastjson____jar_0.png for details.

The inconsistent library versions in Modules 1-16 are harmonized into version 1.2.61.

Harmonization Effort

Index	Module	NA (NAC)	NDA (NDAC)	NMA (NMAC)
1	spring-boot-mybatis	0	0	0
2	spring-boot-cache-ehcache	0	0	0
3	spring-boot-quartz	0	0	0
4	spring-boot-websocket	0	0	0
5	spring-boot-hibernate5	0	0	0
6	spring-boot-cache-redis	0	0	0
7	spring-boot-activemq-consumer	0	0	0
8	spring-boot-shiro-redis	0	0	0
9	spring-boot-email	0	0	0
10	spring-boot-jpa-querydsl	0	0	0
11	spring-boot-websocket-netty-serve r	1(2)	0(0)	0(0)
12	spring-boot-jpa	0	0	0
13	spring-boot-activemq-producer	0	0	0
14	spring-boot-shiro	0	0	0
15	spring-boot-freemarker	0	0	0
16	spring-boot-activiti	6(23)	0(0)	0(0)

NA (Number of APIs): the number of called library APIs in one module.

NMA (Number of Modifiefd APIs): the number of called library APIs whose call graphs (A control flow graph which represents calling relationships between subroutines in the library) are modified in the recommended library version.

 $\textbf{NMAC} \ (\textbf{Number of Modifiefd API Calls}): \ the \ number \ of \ library \ API \ calls \ to \ modified \ library \ APIs.$

The inconsistent library versions in Modules 1-16 are harmonized into version 1.2.60.

Index	Module	NA (NAC)	NDA (NDAC)	NMA (NMAC)
1	spring-boot-mybatis	0	0	0
2	spring-boot-cache-ehcache	0	0	0
3	spring-boot-quartz	0	0	0
4	spring-boot-websocket	0	0	0
5	spring-boot-hibernate5	0	0	0
6	spring-boot-cache-redis	0	0	0

NAC (Number of API Calls): the number of library API calls in one module.

NDA (Number of Deleted APIs): the number of called library APIs that are deleted in the recommended library version.

NDAC (Number of Deleted API Calls): the number of library API calls that are deleted in the recommended library version.

7	spring-boot-activemq-consumer	0	0	0
8	spring-boot-shiro-redis	0	0	0
9	spring-boot-email	0	0	0
10	spring-boot-jpa-querydsl	0	0	0
11	spring-boot-websocket-netty-serve r	1(2)	0(0)	0(0)
12	spring-boot-jpa	0	0	0
13	spring-boot-activemq-producer	0	0	0
14	spring-boot-shiro	0	0	0
15	spring-boot-freemarker	0	0	0
16	spring-boot-activiti	6(23)	0(0)	0(0)

NA (Number of APIs): the number of called library APIs in one module.

NMA (Number of Modifiefd APIs): the number of called library APIs whose call graphs (A control flow graph which represents calling relationships between subroutines in the library) are modified in the recommended library version.

NMAC (Number of Modifiefd API Calls): the number of library API calls to modified library APIs.

The inconsistent library versions in Modules 1-16 are harmonized into version 1.2.62.

Harmonization Effort

Index	Module	NA (NAC)	NDA (NDAC)	NMA (NMAC)
1	spring-boot-mybatis	0	0	0
2	spring-boot-cache-ehcache	0	0	0
3	spring-boot-quartz	0	0	0
4	spring-boot-websocket	0	0	0
5	spring-boot-hibernate5	0	0	0
6	spring-boot-cache-redis	0	0	0
7	spring-boot-activemq-consumer	0	0	0
8	spring-boot-shiro-redis	0	0	0
9	spring-boot-email	0	0	0
10	spring-boot-jpa-querydsl	0	0	0
11	spring-boot-websocket-netty-serve r	1(2)	0(0)	0(0)
12	spring-boot-jpa	0	0	0
13	spring-boot-activemq-producer	0	0	0
14	spring-boot-shiro	0	0	0
15	spring-boot-freemarker	0	0	0
16	spring-boot-activiti	6(23)	0(0)	0(0)

NA (Number of APIs): the number of called library APIs in one module.

 $\it NAC$ (Number of API Calls): the number of library API calls in one module.

NDA (Number of Deleted APIs): the number of called library APIs that are deleted in the recommended library version.

NAC (Number of API Calls): the number of library API calls in one module.

 $[\]textbf{NDA (Number of Deleted APIs):} the number of called \ library \ APIs \ that \ are \ deleted \ in \ the \ recommended \ library \ version.$

 $NDAC \ (\textit{Number of Deleted API Calls}): \ the \ number \ of \ library \ API \ calls \ that \ are \ deleted \ in \ the \ recommended \ library \ version.$

NDAC (Number of Deleted API Calls): the number of library API calls that are deleted in the recommended library version.

NMA (Number of Modifiefd APIs): the number of called library APIs whose call graphs (A control flow graph which represents calling relationships between subroutines in the library) are modified in the recommended library version.


NMAC (Number of Modifiefd API Calls): the number of library API calls to modified library APIs.

2. com.alibaba:druid

The distinct versions are 1.0.20, 1.0.27.

Index	Module	Туре	Property	Version
1	spring-boot-mybatis	explicit	NA	1.0.20
2	spring-boot-shiro-redis	explicit	NA	1.0.20
3	spring-boot-freemarker	explicit	NA	1.0.20
4	spring-boot-activiti	explicit	NA	1.0.27

Harmonization Recommendation Inheritance Relationship of POMs in All Related Modules



The pom in red references the property value declared in the pom in green.

The inconsistent library versions in Modules 1-4 are harmonized into version 1.0.27.

Harmonization Effort

Index	Module	NA (NAC)	NDA (NDAC)	NMA (NMAC)
1	spring-boot-mybatis	0	0	0
2	spring-boot-shiro-redis	0	0	0
3	spring-boot-freemarker	0	0	0
4	spring-boot-activiti	0	0	0

NA (Number of APIs): the number of called library APIs in one module.

NAC (Number of API Calls): the number of library API calls in one module.

NDA (Number of Deleted APIs): the number of called library APIs that are deleted in the recommended library version.

NDAC (Number of Deleted API Calls): the number of library API calls that are deleted in the recommended library version.

NMA (Number of Modifiefd APIs): the number of called library APIs whose call graphs (A control flow graph which represents calling relationships between subroutines in the library) are modified in the recommended library version.

NMAC (Number of Modifiefd API Calls): the number of library API calls to modified library APIs.


3. org.mybatis.spring.boot:mybatis-spring-boot-starter

The distinct versions are 1.1.1, 1.3.1.

Index	Module	Туре	Property	Version
1	spring-boot-mybatis	explicit	NA	1.1.1
2	spring-boot-shiro-redis	explicit	NA	1.1.1
3	spring-boot-shiro	explicit	NA	1.3.1

4	spring-boot-freemarker	explicit	NA	1.1.1
5	spring-boot-activiti	explicit	NA	1.1.1

Harmonization Recommendation Inheritance Relationship of POMs in All Related Modules



The pom in red references the property value declared in the pom in green.

The inconsistent library versions in Modules 1-5 are harmonized into version 1.3.1.

Harmonization Effort

Index	Module	NA (NAC)	NDA (NDAC)	NMA (NMAC)
1	spring-boot-mybatis	0	0	0
2	spring-boot-shiro-redis	0	0	0
3	spring-boot-shiro	0	0	0
4	spring-boot-freemarker	0	0	0
5	spring-boot-activiti	0	0	0

NA (Number of APIs): the number of called library APIs in one module.

NDAC (Number of Deleted API Calls): the number of library API calls that are deleted in the recommended library version.

NMA (Number of Modifiefd APIs): the number of called library APIs whose call graphs (A control flow graph which represents calling relationships between subroutines in the library) are modified in the recommended library version.

NMAC (Number of Modifiefd API Calls): the number of library API calls to modified library APIs.

4. com.google.guava:guava

The distinct versions are 19.0, 20.0.


Index	Module	Туре	Property	Version
1	spring-boot-springfox	explicit	NA	19.0
2	spring-boot-websocket	explicit	NA	19.0
3	spring-boot-activemq-con sumer	explicit	NA	19.0
4	spring-boot-shiro-redis	explicit	NA	19.0
5	spring-boot-email	explicit	NA	19.0
6	spring-boot-activemq-prod ucer	explicit	NA	19.0
7	spring-boot-shiro	explicit	NA	19.0
8	spring-boot-freemarker	explicit	NA	19.0
9	spring-boot-activiti	implicit	guava.version	20.0

Harmonization Recommendation

NAC (Number of API Calls): the number of library API calls in one module.

NDA (Number of Deleted APIs): the number of called library APIs that are deleted in the recommended library version.

Inheritance Relationship of POMs in All Related Modules



The pom in red references the property value declared in the pom in green.

The inconsistent library versions in Modules 1-9 are harmonized into version 28.2-android.

Harmonization Effort

Index	Module	NA (NAC)	NDA (NDAC)	NMA (NMAC)
1	spring-boot-springfox	0	0	0
2	spring-boot-websocket	1(1)	0(0)	1(1)
3	spring-boot-activemq-consumer	0	0	0
4	spring-boot-shiro-redis	2(3)	0(0)	2(3)
5	spring-boot-email	0	0	0
6	spring-boot-activemq-producer	0	0	0
7	spring-boot-shiro	1(2)	0(0)	1(2)
8	spring-boot-freemarker	0	0	0
9	spring-boot-activiti	1(2)	0(0)	1(2)

NA (Number of APIs): the number of called library APIs in one module.

NMA (Number of Modifiefd APIs): the number of called library APIs whose call graphs (A control flow graph which represents calling relationships between subroutines in the library) are modified in the recommended library version.

NMAC (Number of Modifiefd API Calls): the number of library API calls to modified library APIs.

Files related:

Module	File	Туре	API
spring-boot-websocket	spring-boot-websocket/src/main/java/com/ lance/websocket/config/SocketSessionHa ndler.java	Modified com.google.common.collect.Sets.newCon ntHashSet()	
spring-boot-shiro-redis	spring-boot-shiro-redis/src/main/java/com/l ance/shiro/config/ShiroConfig.java	Modified	com.google.common.collect.Maps.newHashM ap()
	spring-boot-shiro-redis/src/main/java/com/l ance/shiro/config/ShrioRedisCache.java	Modified	com.google.common.collect.Sets.newHashSet ()
spring-boot-shiro	spring-boot-shiro/src/main/java/com/lance/ shiro/config/ShiroConfig.java	Modified	com.google.common.collect.Maps.newHashM ap()
spring-boot-activiti	spring-boot-activiti/src/main/java/com/lanc e/activiti/common/shiro/ShiroConfig.java	Modified	com.google.common.collect.Maps.newHashM ap()

The inconsistent library versions in Modules 1-9 are harmonized into version 28.2-jre.

NAC (Number of API Calls): the number of library API calls in one module.

NDA (Number of Deleted APIs): the number of called library APIs that are deleted in the recommended library version.

NDAC (Number of Deleted API Calls): the number of library API calls that are deleted in the recommended library version.

Harmonization Effort

Index	Module	NA (NAC)	NDA (NDAC)	NMA (NMAC)
1	spring-boot-springfox	0	0	0
2	spring-boot-websocket	1(1)	1(1)	0(0)
3	spring-boot-activemq-consumer	0	0	0
4	spring-boot-shiro-redis	2(3)	2(3)	0(0)
5	spring-boot-email	0	0	0
6	spring-boot-activemq-producer	0	0	0
7	spring-boot-shiro	1(2)	1(2)	0(0)
8	spring-boot-freemarker	0	0	0
9	spring-boot-activiti	1(2)	1(2)	0(0)

NA (Number of APIs): the number of called library APIs in one module.

NMAC (Number of Modified API Calls): the number of library API calls to modified library APIs.

Files related:

Module	File	Туре	API
spring-boot-websocket	spring-boot-websocket/src/main/java/com/ lance/websocket/config/SocketSessionHa ndler.java	Deleted com.google.common.collect.Sets.newConc ntHashSet()	
spring-boot-shiro-redis	spring-boot-shiro-redis/src/main/java/com/l ance/shiro/config/ShiroConfig.java	Deleted	com.google.common.collect.Maps.newHashM ap()
	spring-boot-shiro-redis/src/main/java/com/l ance/shiro/config/ShrioRedisCache.java	Deleted	com.google.common.collect.Sets.newHashSet ()
spring-boot-shiro	spring-boot-shiro/src/main/java/com/lance/ shiro/config/ShiroConfig.java	Deleted	com.google.common.collect.Maps.newHashM ap()
spring-boot-activiti	spring-boot-activiti/src/main/java/com/lanc e/activiti/common/shiro/ShiroConfig.java	Deleted	com.google.common.collect.Maps.newHashM ap()

The inconsistent library versions in Modules 1-9 are harmonized into version 28.1-android.

Index	Module	NA (NAC)	NDA (NDAC)	NMA (NMAC)
1	spring-boot-springfox	0	0	0
2	spring-boot-websocket	1(1)	0(0)	1(1)
3	spring-boot-activemq-consumer	0	0	0
4	spring-boot-shiro-redis	2(3)	0(0)	2(3)
5	spring-boot-email	0	0	0
6	spring-boot-activemq-producer	0	0	0

NAC (Number of API Calls): the number of library API calls in one module.

NDA (Number of Deleted APIs): the number of called library APIs that are deleted in the recommended library version.

NDAC (Number of Deleted API Calls): the number of library API calls that are deleted in the recommended library version.

NMA (Number of Modifiefd APIs): the number of called library APIs whose call graphs (A control flow graph which represents calling relationships between subroutines in the library) are modified in the recommended library version.

7	spring-boot-shiro	1(2)	0(0)	1(2)
8	spring-boot-freemarker	0	0	0
9	spring-boot-activiti	1(2)	0(0)	1(2)

NA (Number of APIs): the number of called library APIs in one module.

NAC (Number of API Calls): the number of library API calls in one module.

NDA (Number of Deleted APIs): the number of called library APIs that are deleted in the recommended library version.

NDAC (Number of Deleted API Calls): the number of library API calls that are deleted in the recommended library version.

NMA (Number of Modifiefd APIs): the number of called library APIs whose call graphs (A control flow graph which represents calling relationships between subroutines in the library) are modified in the recommended library version.

NMAC (Number of Modifiefd API Calls): the number of library API calls to modified library APIs.

Files related:


Module	File	Туре	API
spring-boot-websocket	spring-boot-websocket/src/main/java/com/ lance/websocket/config/SocketSessionHa ndler.java	Modified	com.google.common.collect.Sets.newConcurre ntHashSet()
spring-boot-shiro-redis	spring-boot-shiro-redis/src/main/java/com/l ance/shiro/config/ShiroConfig.java	Modified	com.google.common.collect.Maps.newHashM ap()
	spring-boot-shiro-redis/src/main/java/com/l ance/shiro/config/ShrioRedisCache.java	Modified	com.google.common.collect.Sets.newHashSet ()
spring-boot-shiro	spring-boot-shiro/src/main/java/com/lance/ shiro/config/ShiroConfig.java	Modified	com.google.common.collect.Maps.newHashM ap()
spring-boot-activiti	spring-boot-activiti/src/main/java/com/lanc e/activiti/common/shiro/ShiroConfig.java	Modified	com.google.common.collect.Maps.newHashM ap()

5. org.apache.commons:commons-lang3

The distinct versions are 3.5, 3.4, 3.2.1.

Index	Module	Туре	Property	Version
1	spring-boot-quartz	explicit	NA	3.4
2	spring-boot-websocket	explicit	NA	3.2.1
3	spring-boot-activemq-con sumer	explicit	NA	3.2.1
4	spring-boot-shiro-redis	explicit	NA	3.2.1
5	spring-boot-email	explicit	NA	3.2.1
6	spring-boot-websocket-ne tty-server	explicit	NA	3.5
7	spring-boot-activemq-prod ucer	explicit	NA	3.2.1
8	spring-boot-shiro	explicit	NA	3.2.1
9	spring-boot-freemarker	explicit	NA	3.2.1

Harmonization Recommendation Inheritance Relationship of POMs in All Related Modules



The pom in red references the property value declared in the pom in green.

The inconsistent library versions in Modules 1-9 are harmonized into version 3.9.

Harmonization Effort

Index	Module	NA (NAC)	NDA (NDAC)	NMA (NMAC)
1	spring-boot-quartz	1(2)	0(0)	1(2)
2	spring-boot-websocket	1(1)	0(0)	1(1)
3	spring-boot-activemq-consumer	0	0	0
4	spring-boot-shiro-redis	3(4)	0(0)	2(3)
5	spring-boot-email	1(1)	0(0)	0(0)
6	spring-boot-websocket-netty-serve r	4(5)	0(0)	0(0)
7	spring-boot-activemq-producer	1(1)	0(0)	1(1)
8	spring-boot-shiro	3(4)	0(0)	2(3)
9	spring-boot-freemarker	0	0	0

NA (Number of APIs): the number of called library APIs in one module.

NMA (Number of Modifiefd APIs): the number of called library APIs whose call graphs (A control flow graph which represents calling relationships between subroutines in the library) are modified in the recommended library version.

 $\textbf{NMAC} \ (\textbf{Number of Modifiefd API Calls}): \ the \ number \ of \ library \ API \ calls \ to \ modified \ library \ APIs.$

Module	File	Туре	API
spring-boot-quartz	spring-boot-quartz/src/main/java/com/lanc e/quartz/service/TaskServiceImpl.java	Modified	org.apache.commons.lang3.time.DateFormatU tils.format(java.util.Date,java.lang.String)
spring-boot-websocket	spring-boot-websocket/src/main/java/com/ lance/websocket/config/SocketSessionInf o.java	Modified	org.apache.commons.lang3.time.DateUtils.add Minutes(java.util.Date,int)
spring-boot-shiro-redis	spring-boot-shiro-redis/src/main/java/com/l ance/shiro/config/URLPermissionsFilter.ja va	Modified	org.apache.commons.lang3.StringUtils.equals(java.lang.CharSequence,java.lang.CharSeque nce)
			org.apache.commons.lang3.StringUtils.endsWi thAny(java.lang.CharSequence,java.lang.Char Sequence[])
spring-boot-activemq-pro ducer	spring-boot-activemq-producer/src/main/ja va/com/lance/mq/producer/web/IndexCont roller.java	Modified	org.apache.commons.lang3.time.DateFormatU tils.format(java.util.Date,java.lang.String)
spring-boot-shiro	spring-boot-shiro/src/main/java/com/lance/ shiro/config/URLPermissionsFilter.java	Modified	org.apache.commons.lang3.StringUtils.equals(java.lang.CharSequence,java.lang.CharSeque nce)

NAC (Number of API Calls): the number of library API calls in one module.

NDA (Number of Deleted APIs): the number of called library APIs that are deleted in the recommended library version.

NDAC (Number of Deleted API Calls): the number of library API calls that are deleted in the recommended library version.

	org.apache.commons.lang3.StringUtils.endsWi
	thAny(java.lang.CharSequence,java.lang.Char
	Sequence[])

The inconsistent library versions in Modules 1-9 are harmonized into version 3.8.1.

Harmonization Effort

Index	Module	NA (NAC)	NDA (NDAC)	NMA (NMAC)
1	spring-boot-quartz	1(2)	0(0)	1(2)
2	spring-boot-websocket	1(1)	0(0)	1(1)
3	spring-boot-activemq-consumer	0	0	0
4	spring-boot-shiro-redis	3(4)	0(0)	2(3)
5	spring-boot-email	1(1)	0(0)	0(0)
6	spring-boot-websocket-netty-serve r	4(5)	0(0)	0(0)
7	spring-boot-activemq-producer	1(1)	0(0)	1(1)
8	spring-boot-shiro	3(4)	0(0)	2(3)
9	spring-boot-freemarker	0	0	0

NA (Number of APIs): the number of called library APIs in one module.

NMA (Number of Modifiefd APIs): the number of called library APIs whose call graphs (A control flow graph which represents calling relationships between subroutines in the library) are modified in the recommended library version.

 $\textbf{NMAC} \ (\textbf{Number of Modifiefd API Calls}): \ the \ number \ of \ library \ API \ calls \ to \ modified \ library \ APIs.$

Module	File	Туре	API
spring-boot-quartz	spring-boot-quartz/src/main/java/com/lanc e/quartz/service/TaskServiceImpl.java	Modified	org.apache.commons.lang3.time.DateFormatU tils.format(java.util.Date,java.lang.String)
spring-boot-websocket	spring-boot-websocket/src/main/java/com/ lance/websocket/config/SocketSessionInf o.java	Modified	org.apache.commons.lang3.time.DateUtils.add Minutes(java.util.Date,int)
spring-boot-shiro-redis	spring-boot-shiro-redis/src/main/java/com/l ance/shiro/config/URLPermissionsFilter.ja va	Modified	org.apache.commons.lang3.StringUtils.equals(java.lang.CharSequence,java.lang.CharSeque nce)
			org.apache.commons.lang3.StringUtils.endsWi thAny(java.lang.CharSequence,java.lang.Char Sequence[])
spring-boot-activemq-pro ducer	spring-boot-activemq-producer/src/main/ja va/com/lance/mq/producer/web/IndexCont roller.java	Modified	org.apache.commons.lang3.time.DateFormatU tils.format(java.util.Date,java.lang.String)
spring-boot-shiro	spring-boot-shiro/src/main/java/com/lance/ shiro/config/URLPermissionsFilter.java	Modified	org.apache.commons.lang3.StringUtils.equals(java.lang.CharSequence,java.lang.CharSeque nce)

NAC (Number of API Calls): the number of library API calls in one module.

NDA (Number of Deleted APIs): the number of called library APIs that are deleted in the recommended library version.

NDAC (Number of Deleted API Calls): the number of library API calls that are deleted in the recommended library version.

	org.apache.commons.lang3.StringUtils.endsWithAny(java.lang.CharSequence,java.lang.Char
	Sequence[])

The inconsistent library versions in Modules 1-9 are harmonized into version 3.8.

Harmonization Effort

Index	Module	NA (NAC)	NDA (NDAC)	NMA (NMAC)
1	spring-boot-quartz	1(2)	0(0)	1(2)
2	spring-boot-websocket	1(1)	0(0)	1(1)
3	spring-boot-activemq-consumer	0	0	0
4	spring-boot-shiro-redis	3(4)	0(0)	2(3)
5	spring-boot-email	1(1)	0(0)	0(0)
6	spring-boot-websocket-netty-serve r	4(5)	0(0)	0(0)
7	spring-boot-activemq-producer	1(1)	0(0)	1(1)
8	spring-boot-shiro	3(4)	0(0)	2(3)
9	spring-boot-freemarker	0	0	0

NA (Number of APIs): the number of called library APIs in one module.

NMA (Number of Modifiefd APIs): the number of called library APIs whose call graphs (A control flow graph which represents calling relationships between subroutines in the library) are modified in the recommended library version.

 $\textbf{NMAC} \ (\textbf{Number of Modifiefd API Calls}): \ the \ number \ of \ library \ API \ calls \ to \ modified \ library \ APIs.$

Module	File	Туре	API
spring-boot-quartz	spring-boot-quartz/src/main/java/com/lanc e/quartz/service/TaskServiceImpl.java	Modified	org.apache.commons.lang3.time.DateFormatU tils.format(java.util.Date,java.lang.String)
spring-boot-websocket	spring-boot-websocket/src/main/java/com/ lance/websocket/config/SocketSessionInf o.java	Modified	org.apache.commons.lang3.time.DateUtils.add Minutes(java.util.Date,int)
spring-boot-shiro-redis	spring-boot-shiro-redis/src/main/java/com/l ance/shiro/config/URLPermissionsFilter.ja va	Modified	org.apache.commons.lang3.StringUtils.equals(java.lang.CharSequence,java.lang.CharSeque nce)
			org.apache.commons.lang3.StringUtils.endsWi thAny(java.lang.CharSequence,java.lang.Char Sequence[])
spring-boot-activemq-pro ducer	spring-boot-activemq-producer/src/main/ja va/com/lance/mq/producer/web/IndexCont roller.java	Modified	org.apache.commons.lang3.time.DateFormatU tils.format(java.util.Date,java.lang.String)
spring-boot-shiro	spring-boot-shiro/src/main/java/com/lance/ shiro/config/URLPermissionsFilter.java	Modified	org.apache.commons.lang3.StringUtils.equals(java.lang.CharSequence,java.lang.CharSeque nce)

NAC (Number of API Calls): the number of library API calls in one module.

NDA (Number of Deleted APIs): the number of called library APIs that are deleted in the recommended library version.

NDAC (Number of Deleted API Calls): the number of library API calls that are deleted in the recommended library version.


	org.apache.commons.lang3.StringUtils.endsWi thAny(java.lang.CharSequence,java.lang.Char
	Sequence[])

6. org.apache.shiro:shiro-ehcache

The distinct versions are 1.2.6, 1.2.5, 1.3.2.

Index	Module	Туре	Property	Version
1	spring-boot-shiro-redis	implicit	shiro.version	1.2.6
2	spring-boot-shiro	implicit	shiro.version	1.2.5
3	spring-boot-activiti	implicit	shiro.version	1.3.2

Harmonization Recommendation Inheritance Relationship of POMs in All Related Modules



The pom in red references the property value declared in the pom in green.

The inconsistent library versions in Modules 1-3 are harmonized into version 1.4.1.

Harmonization Effort

Index	Module	NA (NAC)	NDA (NDAC)	NMA (NMAC)
1	spring-boot-shiro-redis	0	0	0
2	spring-boot-shiro	1(1)	0(0)	0(0)
3	spring-boot-activiti	1(1)	0(0)	0(0)

NA (Number of APIs): the number of called library APIs in one module.

NMA (Number of Modifiefd APIs): the number of called library APIs whose call graphs (A control flow graph which represents calling relationships between subroutines in the library) are modified in the recommended library version.

NMAC (Number of Modifiefd API Calls): the number of library API calls to modified library APIs.

The inconsistent library versions in Modules 1-3 are harmonized into version 1.5.1.

Index	Module	NA (NAC)	NDA (NDAC)	NMA (NMAC)
1	spring-boot-shiro-redis	0	0	0
2	spring-boot-shiro	1(1)	0(0)	0(0)
3	spring-boot-activiti	1(1)	0(0)	0(0)

NAC (Number of API Calls): the number of library API calls in one module.

NDA (Number of Deleted APIs): the number of called library APIs that are deleted in the recommended library version.

NDAC (Number of Deleted API Calls): the number of library API calls that are deleted in the recommended library version.

NA (Number of APIs): the number of called library APIs in one module.

NAC (Number of API Calls): the number of library API calls in one module.

NDA (Number of Deleted APIs): the number of called library APIs that are deleted in the recommended library version.

NDAC (Number of Deleted API Calls): the number of library API calls that are deleted in the recommended library version.

NMA (Number of Modifiefd APIs): the number of called library APIs whose call graphs (A control flow graph which represents calling relationships between subroutines in the library) are modified in the recommended library version.

NMAC (Number of Modifiefd API Calls): the number of library API calls to modified library APIs.

The inconsistent library versions in Modules 1-3 are harmonized into version 1.4.0.

Harmonization Effort

Index	Module	NA (NAC)	NDA (NDAC)	NMA (NMAC)
1	spring-boot-shiro-redis	0	0	0
2	spring-boot-shiro	1(1)	0(0)	0(0)
3	spring-boot-activiti	1(1)	0(0)	0(0)

NA (Number of APIs): the number of called library APIs in one module.

NAC (Number of API Calls): the number of library API calls in one module.

NDA (Number of Deleted APIs): the number of called library APIs that are deleted in the recommended library version.

NDAC (Number of Deleted API Calls): the number of library API calls that are deleted in the recommended library version.

NMA (Number of Modifiefd APIs): the number of called library APIs whose call graphs (A control flow graph which represents calling relationships between subroutines in the library) are modified in the recommended library version.

NMAC (Number of Modifiefd API Calls): the number of library API calls to modified library APIs.


7. org.apache.shiro:shiro-spring

The distinct versions are 1.2.6, 1.2.5, 1.3.2.

Index	Module	Туре	Property	Version
1	spring-boot-shiro-redis	implicit	shiro.version	1.2.6
2	spring-boot-shiro	implicit	shiro.version	1.2.5
3	spring-boot-activiti	implicit	shiro.version	1.3.2

Harmonization Recommendation

Inheritance Relationship of POMs in All Related Modules



The pom in red references the property value declared in the pom in green.

The inconsistent library versions in Modules 1-3 are harmonized into version 1.3.2.

Index	Module	NA (NAC)	NDA (NDAC)	NMA (NMAC)
1	spring-boot-shiro-redis	0	0	0
2	spring-boot-shiro	0	0	0
3	spring-boot-activiti	0	0	0

NA (Number of APIs): the number of called library APIs in one module.

NAC (Number of API Calls): the number of library API calls in one module.

NDA (Number of Deleted APIs): the number of called library APIs that are deleted in the recommended library version.

NDAC (Number of Deleted API Calls): the number of library API calls that are deleted in the recommended library version.

NMA (Number of Modifiefd APIs): the number of called library APIs whose call graphs (A control flow graph which represents calling relationships between subroutines in the library) are modified in the recommended library version.


NMAC (Number of Modifiefd API Calls): the number of library API calls to modified library APIs.

8. org.apache.shiro:shiro-web

The distinct versions are 1.2.6, 1.2.5, 1.3.2.

Index	Module	Туре	Property	Version
1	spring-boot-shiro-redis	implicit	shiro.version	1.2.6
2	spring-boot-shiro	implicit	shiro.version	1.2.5
3	spring-boot-activiti	implicit	shiro.version	1.3.2

Harmonization Recommendation Inheritance Relationship of POMs in All Related Modules



The pom in red references the property value declared in the pom in green.

The inconsistent library versions in Modules 1-3 are harmonized into version 1.4.1.

Harmonization Effort

Index	Module	NA (NAC)	NDA (NDAC)	NMA (NMAC)
1	spring-boot-shiro-redis	1(1)	0(0)	1(1)
2	spring-boot-shiro	1(1)	0(0)	1(1)
3	spring-boot-activiti	1(1)	0(0)	1(1)

NA (Number of APIs): the number of called library APIs in one module.

NAC (Number of API Calls): the number of library API calls in one module.

NDA (Number of Deleted APIs): the number of called library APIs that are deleted in the recommended library version.

 $NDAC \ (\textit{Number of Deleted API Calls}): the \ number \ of \ library \ API \ calls \ that \ are \ deleted \ in \ the \ recommended \ library \ version.$

NMA (Number of Modifiefd APIs): the number of called library APIs whose call graphs (A control flow graph which represents calling relationships between subroutines in the library) are modified in the recommended library version.

NMAC (Number of Modifiefd API Calls): the number of library API calls to modified library APIs.

Module	File	Туре	API
spring-boot-shiro-redis	spring-boot-shiro-redis/src/main/java/com/l ance/shiro/config/ShiroConfig.java	Modified	org.apache.shiro.web.mgt.DefaultWebSecurity Manager.setSessionManager(org.apache.shiro .session.mgt.SessionManager)

spring-boot-shiro	spring-boot-shiro/src/main/java/com/lance/ shiro/config/ShiroConfig.java	Modified	org.apache.shiro.web.mgt.DefaultWebSecurity Manager.setSessionManager(org.apache.shiro .session.mgt.SessionManager)
spring-boot-activiti	spring-boot-activiti/src/main/java/com/lanc e/activiti/common/shiro/ShiroConfig.java	Modified	org.apache.shiro.web.mgt.DefaultWebSecurity Manager.setSessionManager(org.apache.shiro .session.mgt.SessionManager)

The inconsistent library versions in Modules 1-3 are harmonized into version 1.4.2.

Harmonization Effort

Index	Module	NA (NAC)	NDA (NDAC)	NMA (NMAC)
1	spring-boot-shiro-redis	1(1)	0(0)	0(0)
2	spring-boot-shiro	1(1)	0(0)	1(1)
3	spring-boot-activiti	1(1)	0(0)	0(0)

NA (Number of APIs): the number of called library APIs in one module.

NAC (Number of API Calls): the number of library API calls in one module.

NDA (Number of Deleted APIs): the number of called library APIs that are deleted in the recommended library version.

NDAC (Number of Deleted API Calls): the number of library API calls that are deleted in the recommended library version.

NMA (Number of Modifiefd APIs): the number of called library APIs whose call graphs (A control flow graph which represents calling relationships between subroutines in the library) are modified in the recommended library version.

NMAC (Number of Modifiefd API Calls): the number of library API calls to modified library APIs.

Files related:

Module	File	Туре	API
spring-boot-shiro	spring-boot-shiro/src/main/java/com/lance/ shiro/config/ShiroConfig.java	Modified	org.apache.shiro.web.mgt.DefaultWebSecurity Manager.setSessionManager(org.apache.shiro .session.mgt.SessionManager)

The inconsistent library versions in Modules 1-3 are harmonized into version 1.5.1.

Harmonization Effort

Index	Module	NA (NAC)	NDA (NDAC)	NMA (NMAC)
1	spring-boot-shiro-redis	1(1)	0(0)	1(1)
2	spring-boot-shiro	1(1)	0(0)	1(1)
3	spring-boot-activiti	1(1)	0(0)	1(1)

NA (Number of APIs): the number of called library APIs in one module.

NAC (Number of API Calls): the number of library API calls in one module.

NDA (Number of Deleted APIs): the number of called library APIs that are deleted in the recommended library version.

NDAC (Number of Deleted API Calls): the number of library API calls that are deleted in the recommended library version.

NMA (Number of Modifiefd APIs): the number of called library APIs whose call graphs (A control flow graph which represents calling relationships between subroutines in the library) are modified in the recommended library version.

NMAC (Number of Modifiefd API Calls): the number of library API calls to modified library APIs.

Module	File	Туре	API
spring-boot-shiro-redis	spring-boot-shiro-redis/src/main/java/com/l ance/shiro/config/ShiroConfig.java	Modified	org.apache.shiro.web.mgt.DefaultWebSecurity Manager.setSessionManager(org.apache.shiro .session.mgt.SessionManager)


spring-boot-shiro	spring-boot-shiro/src/main/java/com/lance/ shiro/config/ShiroConfig.java	Modified	org.apache.shiro.web.mgt.DefaultWebSecurity Manager.setSessionManager(org.apache.shiro .session.mgt.SessionManager)
spring-boot-activiti	spring-boot-activiti/src/main/java/com/lanc e/activiti/common/shiro/ShiroConfig.java	Modified	org.apache.shiro.web.mgt.DefaultWebSecurity Manager.setSessionManager(org.apache.shiro .session.mgt.SessionManager)

9. org.apache.shiro:shiro-core

The distinct versions are 1.2.6, 1.2.5, 1.3.2.

Index	Module	Туре	Property	Version
1	spring-boot-shiro-redis	implicit	shiro.version	1.2.6
2	spring-boot-shiro	implicit	shiro.version	1.2.5
3	spring-boot-activiti	implicit	shiro.version	1.3.2

Harmonization Recommendation Inheritance Relationship of POMs in All Related Modules



The pom in red references the property value declared in the pom in green.

The inconsistent library versions in Modules 1-3 are harmonized into version 1.5.1.

Harmonization Effort

Index	Module	NA (NAC)	NDA (NDAC)	NMA (NMAC)
1	spring-boot-shiro-redis	2(3)	0(0)	0(0)
2	spring-boot-shiro	3(4)	0(0)	0(0)
3	spring-boot-activiti	5(5)	0(0)	3(3)

NA (Number of APIs): the number of called library APIs in one module.

NAC (Number of API Calls): the number of library API calls in one module.

NDA (Number of Deleted APIs): the number of called library APIs that are deleted in the recommended library version.

NDAC (Number of Deleted API Calls): the number of library API calls that are deleted in the recommended library version.

NMA (Number of Modifiefd APIs): the number of called library APIs whose call graphs (A control flow graph which represents calling relationships between subroutines in the library) are modified in the recommended library version.

NMAC (Number of Modifiefd API Calls): the number of library API calls to modified library APIs.

Module	File	Туре	API
	spring-boot-activiti/src/main/java/com/lanc e/activiti/common/shiro/UsernamePasswo rdCaptchaToken.java	Modified	org.apache.shiro.authc.UsernamePasswordTo ken.UsernamePasswordToken()

spring-boot-activiti			org.apache.shiro.authc.UsernamePasswordTo ken.UsernamePasswordToken(java.lang.String ,char[],boolean,java.lang.String)
	spring-boot-activiti/src/main/java/com/lanc e/activiti/common/shiro/UserRealm.java	Modified	org.apache.shiro.authz.SimpleAuthorizationInf o.addRole(java.lang.String)

The inconsistent library versions in Modules 1-3 are harmonized into version 1.5.0.

Harmonization Effort

Index	Module	NA (NAC)	NDA (NDAC)	NMA (NMAC)
1	spring-boot-shiro-redis	2(3)	0(0)	0(0)
2	spring-boot-shiro	3(4)	0(0)	0(0)
3	spring-boot-activiti	5(5)	0(0)	0(0)

NA (Number of APIs): the number of called library APIs in one module.

NMA (Number of Modifiefd APIs): the number of called library APIs whose call graphs (A control flow graph which represents calling relationships between subroutines in the library) are modified in the recommended library version.

NMAC (Number of Modifiefd API Calls): the number of library API calls to modified library APIs.

The inconsistent library versions in Modules 1-3 are harmonized into version 1.4.2.

Harmonization Effort

Index	Module	NA (NAC)	NDA (NDAC)	NMA (NMAC)
1	spring-boot-shiro-redis	2(3)	0(0)	0(0)
2	spring-boot-shiro	3(4)	0(0)	0(0)
3	spring-boot-activiti	5(5)	0(0)	0(0)

NA (Number of APIs): the number of called library APIs in one module.

NDAC (Number of Deleted API Calls): the number of library API calls that are deleted in the recommended library version.

NMA (Number of Modifiefd APIs): the number of called library APIs whose call graphs (A control flow graph which represents calling relationships between subroutines in the library) are modified in the recommended library version.

NMAC (Number of Modifiefd API Calls): the number of library API calls to modified library APIs.

III. False Consistent Libraries

1. com.alibaba:fastjson

Ind ex	Module	Туре	Property	Version
1	spring-boot-sharding	explicit	NA	1.2.54
2	spring-boot-samples	explicit	NA	

${\bf 2.\ org.apache.commons:} commons-lang {\bf 3}$

Ind ex	Module	Туре	Property	Version
1	spring-boot-sharding	explicit	NA	3.8.1
2	spring-boot-samples	explicit	NA	

NAC (Number of API Calls): the number of library API calls in one module.

NDA (Number of Deleted APIs): the number of called library APIs that are deleted in the recommended library version.

NDAC (Number of Deleted API Calls): the number of library API calls that are deleted in the recommended library version.

NAC (Number of API Calls): the number of library API calls in one module.

NDA (Number of Deleted APIs): the number of called library APIs that are deleted in the recommended library version.

3. org.jsoup:jsoup

Ind ex	Module	Туре	Property	Version
1	spring-boot-crawler	explicit	NA	1.9.2
2	spring-boot-samples	explicit	NA	