

PreflightQC — LinkedIn Video Specification Source Research (August 2026)

Asset research only. This document does not implement anything; it is a source-verified specification register for building deterministic offline video QA rules.

TL;DR

- **LinkedIn publishes three separate, numerically deterministic video specifications that PreflightQC should encode as three distinct presets** — ORGANIC (native/Page video, up to 5 GB, many containers), VIDEO_ADS (MP4 only, 75 KB–500 MB, tightly bounded 360–1920 px), and CTV (MP4/H.264, 16:9, 6–60 s, ≥12 Mbps, 48 kHz stereo) — and organic vs. advertising requirements differ enough that they must never be merged.
- **Almost every gating rule is locally measurable from the delivered file with ffprobe/MediaInfo** (container, size, duration, dimensions, aspect ratio, frame rate, audio sample rate, codec); the notable exceptions are **captions** (supplied as an external SRT sidecar or burned into pixels — not a reliably inspectable embedded track, so it must NOT gate) and **CTV loudness** (–23 LUFS requires an `ebur128` computation, not a static field).
- **The single most important conflict to resolve: the LinkedIn Video Ads maximum file size is 500 MB, per LinkedIn's own documentation — not the 200 MB widely repeated in third-party blogs.** LinkedIn's Video Ads Specifications page states verbatim "Video File Size: 75 KB (min) - 500 MB (max)," [linkedin](#) corroborated by the Microsoft Learn Videos API docs ("File size: Between 75kb and 500MB"). [Microsoft Learn](#) Treat 200 MB as stale/non-authoritative.

1. SOURCE PACK STATUS

The source pack is **SUFFICIENT to build deterministic FAIL-safe validation rules for three placements** — organic Pages/native video, in-feed Video Ads, and Connected TV (CTV) ads — because each has a first-party, numeric LinkedIn specification page and, for ads, a corroborating versioned developer API doc.

It is **INSUFFICIENT / OUT OF SCOPE** for:

- **LinkedIn Live** — a streaming ingest (RTMP/RTMPS), not a delivered media file; no offline-inspectable asset.
- **Message / Conversation Ads** — these carry image + banner creative only; no in-message video asset with deterministic file requirements.

Freshness: Good. The Video Ads and CTV Marketing Solutions spec pages carry a "© LinkedIn Corporation 2026" footer; the Microsoft Learn Marketing API docs are versioned `li-lms-2026-05/06/07` with a `page ms.date` of 2026-04-10. The organic Help Center pages do not expose a visible last-updated date (confidence noted per row).

Material conflicts requiring a decision (detailed in §9): (a) ad file size 500 MB (LinkedIn) vs 200 MB (third parties) → **use 500 MB**; (b) organic max duration 10 min (S1) vs 15 min desktop/10 min mobile (S2) → **do not hard-FAIL below 15 min**; (c) ad loop threshold wording differs between current and legacy LinkedIn pages (informational only).

2. OFFICIAL SOURCE REGISTER

#	Title	URL	Publisher	Access date	Governs	Last-updated visible
	Video specifications					

S1	for your LinkedIn Pages and Career Pages	linkedin.com/help/linkedin/answer/a1311816	LinkedIn Help	2026-08-09	Organic Page/native video (numeric spec)	Not shown
S2	Video sharing troubleshooting	linkedin.com/help/linkedin/answer/a548372	LinkedIn Help	2026-08-09	Organic native upload duration	Not shown
S3	Video Ads Specifications	business.linkedin.com/advertise/ads/sponsored-content/video-ads/specs	LinkedIn Marketing Solutions	2026-08-09	Video ads (numeric spec)	© 2026
S4	Video ads advertising specifications	linkedin.com/help/lms/answer/a424737	LinkedIn Marketing Solutions Help	2026-08-09	Video ads (prose/guidelines)	Not shown
S5	Connected TV Ads Specifications	business.linkedin.com/advertise/ads/sponsored-content/connected-tv-ads/specs	LinkedIn Marketing Solutions	2026-08-09	CTV ads (numeric spec)	© 2026
S6	CTV Ads specifications	linkedin.com/help/lms/answer/a6282198	LinkedIn Marketing Solutions Help	2026-08-09	CTV ads	Not shown
S7	Videos API	learn.microsoft.com/.../community-management/shares/videos-api	Microsoft Learn (LinkedIn)	2026-08-09	Video upload API constraints	li-lms-2026-07
S8	Create and Manage Creatives	learn.microsoft.com/.../account-structure/create-and-manage-creatives	Microsoft Learn (LinkedIn)	2026-08-09	Creative/asset constraints, CTV VAST tags	ms.date 2026-04-10
S9	Supported file formats for custom content (LinkedIn Learning)	linkedin.com/help/learning/answer/a702912	LinkedIn Learning Help	2026-08-09	Learning video/caption/audio formats	Not shown
S10	Conversation ads advertising specifications	linkedin.com/help/lms/answer/a426057	LinkedIn Marketing Solutions Help	2026-08-09	Conversation/message ads (no video asset)	Not shown

Access note: The Help Center article pages (S1, S2, S4, S6, S9, S10) block automated fetching (robots-disallowed, JS-rendered). Their values were captured from indexed search snippets and cross-checked against the non-blocked Marketing Solutions spec pages (S3, S5) and the Microsoft Learn API docs (S7, S8), which were fully retrieved. Where a value appears only in a robots-blocked snippet, confidence is annotated accordingly.

3. ORGANIC VIDEO SPECIFICATION MATRIX — Preset `linkedin_organic` (source S1/S2)

S1 states verbatim: "Max file size - 5 GB · Minimum file size - 75 KB · Max video duration - 10 minutes · Minimum video duration - 3 seconds · Resolution range - 256x144 – 4096x2304 · Aspect ratio - 1:2.4 – 2.4:1 · Frame rates - 10 FPS – 60 FPS · Bit rates - 192 KBPS – 30 MBPS." Supported formats listed: "ASF · FLV · MP3 · MP4 · MPEG-1 · MPEG-4 · MKV · WebM · H264/AVC · Vorbis · VP8 · VP9 · WMV2 · WMV3 · We no longer support AVI, QuickTime, or MOV files." [LinkedIn](#)

Property	Exact rule	Hard/Rec	Source	Confidence	Locally measurable	PreflightQC

Container/formats	ASF, FLV, MP3, MP4, MPEG-1, MPEG-4, MKV, WebM, H264/AVC, Vorbis, VP8, VP9, WMV2, WMV3; AVI/QuickTime/MOV NOT supported	Hard	S1	High	Y	FAIL if not in list
Max file size	5 GB	Hard	S1	High	Y	FAIL if >5 GB
Min file size	75 KB	Hard	S1	High	Y	FAIL if <75 KB
Max duration	10 minutes (S1); 15 min desktop / 10 min mobile (S2)	Hard	S1/S2	Medium (pages differ)	Y	WARN 10–15 min; FAIL >15 min
Min duration	3 seconds	Hard	S1	High	Y	FAIL if <3 s
Resolution range	256×144 – 4096×2304	Hard	S1	High	Y	FAIL outside range
Aspect ratio	1:2.4 – 2.4:1 (≈0.417–2.4)	Hard	S1	High	Y (w/h×SAR)	FAIL outside range
Frame rate	10 FPS – 60 FPS	Hard	S1	High	Y	FAIL outside range
Bitrate	192 KBPS – 30 MBPS	Hard (stated as guideline)	S1	Medium	Y	WARN outside (see §9 note on stream vs container)
Audio codecs	Vorbis, AAC, MP3 appear among supported codecs (MP3 listed as container/codec)	Rec	S1	Medium	Y	INFO
Audio required?	UNDOCUMENTED BY LINKEDIN	—	—	—	Y	IGNORE (do not gate on missing audio)
Audio sample rate	UNDOCUMENTED for organic	—	—	—	Y	INFO
Audio channels	UNDOCUMENTED	—	—	—	Y	INFO
Orientation	Any within AR range; vertical rendered with padding	Rec	S1	Medium	Y	INFO

4. ADVERTISING VIDEO SPECIFICATION MATRIX — Preset `linkedin_video_ads` (source S3/S4/S7/S8)

S3 states verbatim: “Video File Type: MP4 · Video Sound Format: AAC or MPEG4 · Recommended frame rate: 30 frames per second [LinkedIn](#) · Video File Size: 75 KB (min) – 500 MB (max) · Video Duration: 3 seconds – 30 minutes · Video Captions: Optional · Video Sound Rate: Less than 64 KHz · Minimum width: 360 pixels · Maximum width: 1920 pixels · Minimum height: 360 pixels · Maximum height: 1920 pixels · Minimum aspect ratio: 9:16 (0.563) · Maximum aspect ratio: 16:9 (1.778) · Aspect ratio

tolerance: 5%." [linkedin](#) S7 (Videos API) corroborates: "Length: Three seconds to 30 minutes. File size: Between 75kb and 500MB. File format: MP4." [Microsoft Learn](#) S4 adds: "Apple ProRes not supported." [LinkedIn](#)

Property	Exact rule	Hard/Rec	Source	Confidence	Locally measurable	PreflightQC
Container	MP4 only	Hard	S3/S4/S7	High	Y	FAIL if not MP4
Video codec	H.264/AVC (industry standard)	Rec (LinkedIn ad page does not enumerate a hard video-codec list)	S3	Medium	Y	WARN if not H.264
Audio (sound) format	AAC or MPEG4	Hard	S3	High	Y	WARN if other
Max file size	500 MB (min 75 KB)	Hard	S3/S7/S8	High	Y	FAIL if >500 MB or <75 KB
Duration	3 seconds – 30 minutes	Hard	S3/S4/S7	High	Y	FAIL outside
Min/Max width	360 – 1920 px	Hard	S3	High	Y	FAIL outside
Min/Max height	360 – 1920 px	Hard	S3	High	Y	FAIL outside
Min aspect ratio	9:16 = 0.563	Hard	S3	High	Y	FAIL if <0.563 (apply 5% tol.)
Max aspect ratio	16:9 = 1.778	Hard	S3	High	Y	FAIL if >1.778 (apply 5% tol.)
AR tolerance	5%	Hard	S3	High	Y	applies to AR checks
Supported display ratios	4:5 (0.8), 9:16 (0.57), 16:9 (1.78), 1:1 (1.0)	Rec	S3	High	Y	INFO
Recommended frame rate	30 fps	Rec	S3	High	Y	WARN if >30 fps
Audio sample rate	Less than 64 KHz	Hard	S3	High	Y	FAIL if ≥64 kHz
Captions	Optional (SRT sidecar, not embedded)	Rec	S3	High	N	IGNORE
Recommended dims per ratio	4:5 360×450→1080×1350; 9:16 360×640→1080×1920; 16:9 640×360→1920×1080; 1:1 360×360→1920×1920	Rec	S3	High	Y	WARN outside recommended box
Thumbnail	JPG/PNG, ≤2 MB, match video AR	Rec	S3	High	N (separate file)	IGNORE for the video asset
ProRes	Not supported	Hard	S4	High	Y	FAIL if ProRes
Upload	Desktop upload only; max 25				N (not a	

constraints	videos/24h; no YouTube/Vimeo link	Hard (workflow)	S4	High	media property)	IGNORE
-------------	-----------------------------------	-----------------	----	------	-----------------	--------

5. OTHER PLACEMENTS

5a. CTV Ads — Preset `linkedin_ctv` (source S5/S6)

S5 states verbatim — Design: “Dimensions: General: 1920 x 1080 pixels, 1280 x 720 pixels; Recommended: 1920 x 1080 pixels · Aspect Ratio: 16:9 · Format: MP4 · Max File Size: 500MB · Video Duration: Min/Max: 6 seconds – 60 seconds; Recommended: 6, 15, 30, 45, or 60 seconds · Audio Duration: Must match video.” [linkedin](#) Technical: “Bit Rate: General: 12 Mbps or higher; Recommended: 15 – 40 Mbps · Audio: 2-channel, -23 integrated LUFS; PCM (16 or 24 bit only, preferred) or AAC codec; 192 Kbps minimum; 48 kHz sample rate · Frame rate (must be constant): General: 23.98, 24, 25, or 29.97, 30 fps based on native rate; Recommended: 29.97 fps · Codec ID: H.264 · Chroma Subsampling: General: 4:2:0; Recommended: 4:2:2.” [linkedin](#) S6 notes CTV is “currently in testing” [LinkedIn](#) and that “Uploading a video that meets the recommended requirements doesn’t guarantee delivery to all publishers.” [LinkedIn](#) [LinkedIn](#)

Property	Exact rule	Hard/Rec	Source	Confidence	Locally measurable	PreflightQC
Dimensions	1920×1080 or 1280×720 (rec 1920×1080)	Hard	S5	High	Y	FAIL if not one of these
Aspect ratio	16:9	Hard	S5	High	Y	FAIL if not 16:9
Format	MP4	Hard	S5	High	Y	FAIL if not MP4
Max file size	500 MB	Hard	S5	High	Y	FAIL if >500 MB
Duration	6 – 60 seconds (rec 6/15/30/45/60 s)	Hard	S5	High	Y	FAIL outside 6–60 s
Bitrate	≥12 Mbps general; 15–40 Mbps recommended	Hard/Rec	S5	High	Y	FAIL if <12 Mbps; WARN if <15 Mbps
Frame rate	Must be constant ; 23.98/24/25/29.97/30 fps; rec 29.97	Hard	S5	High	Y (VFR detection)	FAIL if VFR or outside set
Video codec	H.264	Hard	S5	High	Y	FAIL if not H.264
Chroma subsampling	4:2:0 general; 4:2:2 recommended	Hard/Rec	S5	High	Y	WARN if not 4:2:0/4:2:2
Audio channels	2-channel (stereo)	Hard	S5	High	Y	FAIL if not stereo
Audio loudness	–23 integrated LUFS	Hard	S5	High	Partial (needs loudness calc)	WARN (compute via ebur128)
Audio codec	PCM (16/24-bit preferred) or AAC	Hard	S5	High	Y	WARN if other
Audio bitrate	192 Kbps minimum	Hard	S5	High	Y	FAIL if <192 Kbps
Audio sample rate	48 kHz	Hard	S5	High	Y	FAIL if not 48 kHz
Audio						WARN if

duration	Must match video	Hard	S5	High	Y	mismatch
----------	------------------	------	----	------	---	----------

CTV VAST-tag note (S8): from API version 202507, CTV creatives may reference a third-party VAST tag URL (currently Innovid only). In that path the media is not delivered to LinkedIn as a file, so PreflightQC cannot inspect it — applies only to directly uploaded CTV video assets.

5b. Message / Conversation Ads (S10)

No in-message video asset is supported; these formats carry image + banner creative and CTA buttons only. **No deterministic video file requirements. PreflightQC: NOT APPLICABLE.**

5c. LinkedIn Live

Streaming (RTMP/RTMPS), not a delivered media file. Commonly cited (third-party, needs official confirmation): 16:9, max 1080p, max 30 fps, keyframe every 2 s, video bitrate ~6 Mbps max, audio 128 kbps / 48 kHz, H.264/AAC. **UNDOCUMENTED as an offline file-QA case — OUT OF SCOPE.**

5d. LinkedIn Learning (S9) — authoring surface, not a commercial placement

Verbatim: “LinkedIn Learning currently supports the following video file formats: ASF, AVI, FLV, MPEG-1, MPEG-4, MKV, QuickTime, WebM, H264/AVC, MP4, VP8, VP9, WMV2, and WMV3 file types. [LinkedIn](#) We support the following closed caption formats: WEBVTT (.vtt) and SRT (.srt). [LinkedIn](#) For .srt files, there is a maximum of 47 characters per line and a total of three lines... We support the following audio extensions: AAC, MP3, and Vorbis. LinkedIn does not support standalone audio for MP3 files.” [LinkedIn](#) Included for completeness; it is an LMS ingest surface, not an ad/organic feed placement.

6. HARD FAIL-SAFE RULES (violation → LinkedIn rejects/refuses; locally measurable)

ORGANIC: container not in supported list; file <75 KB or >5 GB; duration <3 s; resolution outside 256×144–4096×2304; AR outside 1:2.4–2.4:1; frame rate <10 or >60 fps.

VIDEO_ADS: container ≠ MP4; file <75 KB or >500 MB; duration <3 s or >30 min; width or height outside 360–1920 px; AR outside 0.563–1.778 (±5% tolerance); audio sample rate ≥64 kHz; ProRes present.

CTV: not MP4; not 16:9; dimensions not exactly 1920×1080 or 1280×720; file >500 MB; duration outside 6–60 s; video codec ≠ H.264; variable frame rate; frame rate outside {23.98,24,25,29.97,30}; audio bitrate <192 Kbps; audio sample rate ≠ 48 kHz; audio not 2-channel.

7. WARN RULES (best practice / quality thresholds — never reject on their own)

- **ORGANIC:** duration 10–15 min (S1 states 10 min, S2 states 15 min desktop); bitrate outside 192 Kbps–30 Mbps guideline.
- **VIDEO_ADS:** video codec not H.264; frame rate >30 fps; dimensions outside the recommended per-ratio boxes; bitrate pushed so high it approaches the 500 MB ceiling; audio format not AAC/MPEG4.
- **CTV:** bitrate <15 Mbps (below recommended); chroma not 4:2:2; loudness ≠ –23 LUFS (±tolerance); audio codec not PCM/AAC; audio duration ≠ video duration.

8. INFORMATIONAL PROPERTIES (measured and reported, never gating)

Codec profile/level, GOP/keyframe structure, SAR/DAR breakdown, color space / primaries / transfer characteristics, HDR metadata, interlacing flag, rotation / display-matrix metadata, container-level vs stream-level bitrate, per-stream audio channel layout, presence/absence of a thumbnail or attached image, and (organic) audio codec/sample rate/channels where LinkedIn is silent.

9. CONFLICTS AND UNKNOWNNS

- **Ad file size 500 MB vs 200 MB (RESOLVED → 500 MB).** LinkedIn's own Video Ads spec page (S3) states "Video File Size: 75 KB (min) - 500 MB (max)," and the Microsoft Learn Videos API (S7) states "File size: Between 75kb and 500MB." [Microsoft Learn](#) The 200 MB figure appears only in third-party blogs: Sendspark's "LinkedIn Video Specs 2026" (blog.sendspark.com) states verbatim "LinkedIn Video Ads require MP4 format with a 200 MB maximum file size — stricter than native posts," [Sendspark](#) and Linkboost's "LinkedIn Video Specs & Requirements (2026 Complete Guide)" (linkboost.co) urges advertisers to "aggressively compress your paid video ads to stay under the strict 200MB threshold." [Linkboost blog](#) These are **NON-AUTHORITATIVE and likely stale**; PreflightQC must use **500 MB** as the ad FAIL threshold.
- **Organic max duration 10 vs 15 minutes.** S1 (a1311816) states verbatim "Max video duration - 10 minutes," while S2 (video sharing troubleshooting) states 15 minutes from desktop / 10 minutes from mobile. [LinkedIn](#) Report both; do not hard-FAIL below 15 minutes for organic.
- **Ad video codec.** H.264 is universally recommended, but LinkedIn's ad spec page enumerates only the container (MP4) and "Video Sound Format: AAC or MPEG4" — it does not publish a hard video-codec whitelist. "VP8" for ads appears only in third-party sources (e.g., TotalMedia's guide listing "Video codec: H.264 or VP8") [TotalMedia](#) and is **NON-AUTHORITATIVE**. Treat non-H.264 as WARN, not FAIL.
- **Ad loop wording (informational).** The current LMS article (S4) says "Videos under 30 seconds will loop until there are at least 30 seconds of playback," [LinkedIn](#) whereas older LinkedIn mirror pages say "Videos 20 seconds and under will loop and replay when completed." [LinkedIn](#) Playback behavior only — not a QA gate.
- **Audio mandatory?** UNDOCUMENTED for both organic and ads. Do not require an audio track.
- **Color space, HDR, interlacing, rotation metadata, and VFR for organic and ads:** UNDOCUMENTED BY LINKEDIN. Only CTV explicitly requires a constant frame rate and specifies chroma subsampling; all other placements are silent, so these must be INFO, not gating.
- **Captions are NOT locally inspectable.** LinkedIn captions are supplied either as a separate SRT sidecar at upload time or burned into the pixels; LinkedIn does not document an embedded timed-text track (e.g., mov_text/CEA-608) requirement. Therefore caption presence cannot be reliably determined from the delivered media file and must not gate. (Burned-in captions are indistinguishable from other pixels; an SRT sidecar is a separate file outside the media asset.)
- **MB vs MiB.** LinkedIn does not state whether "500 MB"/"5 GB"/"75 KB" are binary (MiB/GiB/KiB) or decimal. Undetermined — see §10 for the conservative convention.

10. MEDIAINFO / FFPROBE METADATA REQUIREMENTS

Rule dimension	ffprobe field	MediaInfo equivalent	Reliability note
Duration	<code>format.duration</code> (fallback <code>stream.duration</code>)	General → Duration	Container value preferred; stream value can differ from container
File size	<code>format.size</code>	General → FileSize	MB ambiguity — see convention below
Container	<code>format.format_name</code>	General → Format	May list multiple names (e.g., <code>mov,mp4,m4a</code>); match by membership
Video codec	<code>stream.codec_name</code> / <code>codec_tag_string</code>	Video → Format / CodecID	Use tag for MP4 fourcc (e.g., <code>avc1</code>)
Width / height	<code>stream.width</code> / <code>stream.height</code>	Video → Width/Height	Coded dimensions; verify against display if SAR≠1
Aspect ratio	compute (width/height)×SAR; cross-check <code>display_aspect_ratio</code> /	Video → DisplayAspectRatio /	Must compute — a non-square SAR changes displayed AR; apply LinkedIn's 5% tolerance for ads

	<code>sample_aspect_ratio</code>	PixelAspectRatio	
Frame rate	<code>avg_frame_rate</code> and <code>r_frame_rate</code>	Video → FrameRate / FrameRate_Mode	For CTV, VFR detection needs per-frame PTS analysis; a single field is insufficient — compare <code>avg</code> vs <code>r</code> , and inspect <code>FrameRate_Mode = VFR/CFR</code>
Bitrate	<code>format.bit_rate</code> (container) vs <code>stream.bit_rate</code> (stream)	General → OverallBitRate / Video → BitRate	Prefer container-level for size-related checks; <code>stream.bit_rate</code> is frequently absent in MP4 and may need computation from size/duration
Audio codec	<code>stream.codec_name</code> (audio)	Audio → Format	Distinguish AAC vs MPEG4/PCM
Audio sample rate	<code>stream.sample_rate</code>	Audio → SamplingRate	Direct
Audio channels	<code>stream.channels</code> / <code>channel_layout</code>	Audio → Channel(s)	CTV requires 2-channel
Audio bitrate	<code>stream.bit_rate</code> (audio)	Audio → BitRate	CTV ≥192 Kbps
Loudness (CTV –23 LUFS)	not a static field — run <code>ffmpeg -af ebur128</code> (or <code>loudnorm</code> analysis pass)	not a static field	Requires a decode/measure pass; treat as WARN if infeasible offline in a single probe
Rotation / orientation	<code>stream.side_data_list</code> (Display Matrix) / <code>tags.rotate</code>	Video → Rotation	Needed to interpret true display W×H for AR
Chroma subsampling (CTV)	<code>stream.pix_fmt</code> (e.g., <code>yuv420p</code> , <code>yuv422p</code>)	Video → ChromaSubsampling	Map <code>pix_fmt</code> → 4:2:0 / 4:2:2

Byte convention (undocumented by LinkedIn): because LinkedIn does not state MiB vs decimal MB, adopt the conservative decimal interpretation for FAIL thresholds so PreflightQC never passes a file LinkedIn would reject — 75 KB = 76,800 bytes floor is safe as a minimum; 500 MB = 500,000,000 bytes; 5 GB = 5,000,000,000 bytes. Optionally emit a WARN band within ~2% of the ceiling to absorb MiB/MB ambiguity.

11. MACHINE-READABLE REPRESENTATION RECOMMENDATION

Encode each placement as an independent JSON preset document. Top level: `preset` `id`, `source` `provenance` array (`id/title/url/access_date`), and a `rules` array. Each rule carries: `property`, `operator` (`in` | `range` | `eq` | `lte` | `gte` | `constant_only`), `value` (`scalar`, `{min,max}`, or `array enum`), optional `tolerance` (`float`, e.g. 0.05 for AR), `severity` (`FAIL` | `WARN` | `INFO` | `IGNORE`), `measurable` (`bool`), `probe` (the `ffprobe/MedialInfo` field or a `computed: expression`), and `source_ref`. Express ranges as `{min,max}`; enumerations as arrays; tolerances as floats; provenance per rule so every gate is traceable to a named LinkedIn source and access date. Keep organic, ads, and CTV as separate documents (never merged) so the different file-size/duration/AR envelopes cannot collide.

```
{
  "preset": "linkedin_video_ads",
  "source": [
    {
      "id": "S3", "title": "Video Ads Specifications",
      "url": "https://business.linkedin.com/advertise/ads/sponsored-content/video-ads/specs",
      "access_date": "2026-08-09"},
    {
      "id": "S7", "title": "Videos API (Microsoft Learn)",
      "url": "https://learn.microsoft.com/en-us/linkedin/marketing/community-management/shares/videos-api",
      "access_date": "2026-08-09"}
  ],
  "rules": [
```

```

{"property": "container", "operator": "in", "value": ["mp4"],
 "severity": "FAIL", "measurable": true,
 "probe": "format.format_name", "source_ref": "S3"},
{"property": "file_size_bytes", "operator": "range", "value": {"min": 76800, "max": 500000000},
 "severity": "FAIL", "measurable": true,
 "probe": "format.size", "source_ref": "S3"},
{"property": "duration_s", "operator": "range", "value": {"min": 3, "max": 1800},
 "severity": "FAIL", "measurable": true,
 "probe": "format.duration", "source_ref": "S3"},
{"property": "width_px", "operator": "range", "value": {"min": 360, "max": 1920},
 "severity": "FAIL", "measurable": true, "probe": "stream.width", "source_ref": "S3"},
{"property": "height_px", "operator": "range", "value": {"min": 360, "max": 1920},
 "severity": "FAIL", "measurable": true, "probe": "stream.height", "source_ref": "S3"},
{"property": "aspect_ratio", "operator": "range", "value": {"min": 0.563, "max": 1.778},
 "tolerance": 0.05, "severity": "FAIL", "measurable": true,
 "probe": "computed:(width/height)*sar", "source_ref": "S3"},
{"property": "audio_sample_rate_hz", "operator": "lte", "value": 63999,
 "severity": "FAIL", "measurable": true, "probe": "stream.sample_rate", "source_ref": "S3"},
{"property": "video_codec", "operator": "in", "value": ["h264"],
 "severity": "WARN", "measurable": true, "probe": "stream.codec_name", "source_ref": "S3"},
{"property": "frame_rate_fps", "operator": "lte", "value": 30,
 "severity": "WARN", "measurable": true, "probe": "avg_frame_rate", "source_ref": "S3"},
{"property": "captions_present", "operator": "eq", "value": null,
 "severity": "IGNORE", "measurable": false,
 "probe": "n/a:srt_sidecar_or_burned_in", "source_ref": "S3"}
]
}

```

This is an illustrative schema only. Do not implement the application.