

Week 3 - Day 5

Overview

Completed organizing and testing the API endpoints using Postman. Prepared a complete Postman collection with successful and error scenarios, added automated tests, and configured a Postman environment using variables.

Tasks Completed

1. Organize Postman Collection

- Created a properly named Postman collection for the Week 3 API.
 - Organized API requests by resource (**Books**).
 - Added separate requests for each CRUD operation:
 - Get All Books
 - Get Book By Id
 - Create Book
 - Update Book
 - Delete Book
-

2. Add Error-Path Requests

Added error scenarios alongside the successful requests to test API behavior:

- **404 Not Found**
 - Get Book with invalid ID
 - Update Book with non-existing ID
 - Delete Book with non-existing ID
- **400 Bad Request**
 - Create Book with invalid input

- Update Book with invalid data

This helped verify that the API handles invalid cases correctly.

3. Add Postman Test Scripts

Added automated tests to validate API responses.

Examples:

- Verify successful requests return the expected status codes:
 - `200 OK`
 - `201 Created`
 - `204 No Content`
- Verify error responses:
 - `400 Bad Request`
 - `404 Not Found`

Also added response validation, such as checking that:

- The response is an array for Get All Books.
 - The returned book contains required properties like `title` and `id`.
-

4. Create Postman Environment

Created a Postman Environment with a variable:

```
baseUrl
```

Used the variable inside API requests instead of writing the full URL manually.

Example:

```
{{baseUrl}}/day4/books
```

Environment allows changing the API URL from one place without editing every request.

5. Export Postman Collection

- Exported the completed Postman collection.
 - Prepared the collection to be shared with the mentor for review.
-

Tools Used

- Postman
 - ASP.NET Core Web API
 - REST API
 - HTTP Status Codes
-

Week 3 Outcome

By the end of Day 5, the API endpoints were fully tested, documented through Postman, and prepared for mentor check-in with both successful and failure scenarios