

Pinout & Configuration

Clock Configuration

Project Manager

Tools

▼ Software Packs

▼ Pinout



Categories A->Z

System Core >

Analog >

Timers >


Connectivity >

Computing >

Middleware and Software Packs >

Pinout view

System view



Pinout & Configuration

Clock Configuration

Project Manager

Tools

Software Packs

Pinout

TIM3 Mode and Configuration

Mode

Slave Mode Trigger Source ☒ Internal ClockChannel1 Channel2

Configuration

Reset Configuration

☒ NVIC Set ☐ Restore default values for all peripheral parameters☒ Parameter Settings ☒ User Constants

Configure the below parameters :

Counter Settings

Prescaler (PSC - 16 bit... 7199

Counter Mode Up

Counter Period (AutoR... 4999


Internal Clock Division (... No Division

auto-reload preload Disable

Trigger Output (TRGO) Para...

Pinout view

System view




Pinout & Configuration

Clock Configuration

Project Manager

Tools



Pinout & Configuration

Clock Configuration

Project Manager

Tools

Project

Project Settings

Project Name cubemxhomework

Project Location C:\Users\Leen\OneDrive\Documents

Browse

Application Structure

Advanced

☐ Do not generate the main()

Toolchain Folder Location

C:\Users\Leen\OneDrive\Documents\cubemxhomework\

Toolchain / IDE

STM32CubeIDE

☒ Generate Under Root

Code Generator

Advanced Settings

Linker Settings

Minimum Heap Size 0x200

Minimum Stack Size 0x400

Thread-safe Settings

Cortex-M3NS

☐ Enable multi-threaded support

Thread-safe Locking Strategy

Default - Mapping suitable strategy depending on RTOS selection.

Mcu and Firmware Package

Mcu Reference STM32F103C8Tx

Firmware Package Name and Version STM32Cube FW_F1 V1.8.7

☒ Use latest available version☒ Use Default Firmware Location