## Staining intensity for recurrent missense loci

	)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
(	)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	1	0	0	1+
3	3	0	2	2	0	0	0	0	0	0	0	0	2	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	2	0	0	2+
C	)	3	1	1	3	3	3	3	3	3	3	3	1	3	3	3	0	3	3	3	3	3	3	1	3	3	3	3	0	3	3	3+
رح	V	.က <sub>်</sub>	c.D.	ξ <sup>χ</sup> ,	Ś	%	<u>a</u>	જ	જ	0,		2	12	η <sup>r</sup> D.	10	ري	ري	<b>1</b> 0	0	1	<b>λ</b> 8	0	~	ก	ഹ	م۵	رک ک	g	1	იზ	ψ,	
		Se X	· 0.	, ХХ						*	*	~ ×	۶ <b>۱</b> ۲	(\ \ \ \ !\	χ <b>΄</b> Χ		, * \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	*	(V )	۶ <b>۱</b> ۷	× ×	$\mathcal{A}^{*}$	$\mathcal{A}^{*}$	X	X	×	X	X	X	·χ,	,,	
2 S	-,8	S		& ` C &	0	& ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	& ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	8	0 0 0 0	ه` د ه	8 6 6		َ می در				ૄૢૢ૽૽ૺ ઌ૽ૺૺૺઌ	s Ci	ر می		& `ç	8	000	0 0	& `¢	8 6	& ` C.&	0 0	ૄૢૢ૽૽ૺ ઌ૽ૺ	8		

## Staining intensity for recurrent missense loci

