

Guess365DataAPI

提供[Guess365](#)進行賽事盤口查詢、預測盤口服務。

預測盤口-單筆 範例

```
import requests
from requests.auth import HTTPBasicAuth

url = 'http://192.168.0.223:5000/PredictMatchEntry/'
data = {'account': 'ccc',
        'password': '123123',
        'GroupOptionCode': '10',
        'OptionCode': 'X',
        'EventCode': '113172483',
        'PredictType': 'Forecast'}

response = requests.post(url, data = data, auth=HTTPBasicAuth('guess365', 'er3p5eak97')).text
```

JSON參數

| 參數 | 用途 |
|-----------------|-------------------------------|
| account | 帳戶 |
| password | 密碼 |
| GroupOptionCode | 盤口編號 |
| OptionCode | 選擇方 |
| EventCode | 賽事編號 |
| PredictType | 預測類型('Forecast' or 'Selling') |

其他參數

| 參數 | 用途 |
|---------------|--|
| HTTPBasicAuth | user='guess365', password='er3p5eak97' |
| URL | http://192.168.0.223:5000/PredictMatchEntry/ |

預測盤口-多筆 範例

```
import requests
from requests.auth import HTTPBasicAuth

url = 'http://ecocoapidev1.southeastasia.cloudapp.azure.com/UserMemberSellingPushMessage'
data = {"predlist":[
    {
        "account":"koer3743",
        "password":"er3p5eak97",
        "GroupOptionCode":20,
        "OptionCode":2,
        "EventCode":"119890397",
        "predict_type":"Selling",
        "HomeOdds":4.5,
        "AwayOdds":1.1,
        "HomeConfidence":"30%",
        "AwayConfidence":"70%"}
    ]}

response = requests.post(url, data = data, auth=HTTPBasicAuth('guess365', 'er3p5eak97'),
    verify=False).text
```

JSON參數

| 參數 | 用途 |
|--------------------------|-------------------------------|
| predlist | 每一筆預測 |
| predlist-account | 帳戶 |
| predlist-password | 密碼 |
| predlist-GroupOptionCode | 盤口編號 |
| predlist-OptionCode | 選擇方 |
| predlist-EventCode | 賽事編號 |
| predlist-PredictType | 預測類型('Forecast' or 'Selling') |
| predlist-HomeOdds | 自訂主場賠率 |
| predlist-AwayOdds | 自訂客場賠率 |
| predlist-HomeConfidence | 自訂主場預測信心度 |
| predlist-AwayConfidence | 自訂客場預測信心度 |

查詢盤口範例

```
import requests
from requests.auth import HTTPBasicAuth

url = 'http://192.168.0.223:5000/MatchEntryInfo/DateBetween/NBA/now~2022-4-29'

response = requests.get(url, auth=HTTPBasicAuth('guess365', 'er3p5eak97')).text
```

URL參數

| 參數 | 用途 |
|------------------------|---|
| HTTPBasicAuth | user='guess365', password='er3p5eak97' |
| URL 1 | http://192.168.0.223:5000/MatchEntryInfo/DateBetween/All/[Input:DateBetween] |
| URL 2 | http://192.168.0.223:5000/MatchEntryInfo/DateBetween/[Input:TournamentText]/[Input:DateBetween] |
| URL 3 | http://192.168.0.223:5000/MatchEntryInfo/[EventCode] |
| [Input:TournamentText] | 聯盟名稱，例如：NBA、EPL、NFL、MLB等等。 |
| [Input:DateBetween] | 提供兩種輸入方式，'now~2022-3-29' 或 'any'。 |

查詢預測結果範例

```
import requests
from requests.auth import HTTPBasicAuth

url = 'http://192.168.0.223:5000/PredictResults/adsads2323'

response = requests.get(url, auth=HTTPBasicAuth('guess365', 'er3p5eak97')).text
```

URL參數

| 參數 | 用途 |
|---------------------|---|
| HTTPBasicAuth | user='guess365', password='er3p5eak97' |
| URL 1 | http://192.168.0.223:5000/PredictResults/[Input:accounts] |
| URL 2 | http://192.168.0.223:5000/PredictResults/[Input:accounts]/[Input:DateBetween] |
| [Input:accounts] | 帳號 · "MA890101,winwin666,adsads2323" 。 |
| [Input:DateBetween] | 提供兩種輸入方式 · 'now~2022-3-29' 或 'any' 。 |