```
import java.awt.*;
import java.awt.event.*;
import java.util.*;
import java . sql.*;
import javax.swing.*;
public class Addteacher extends JFrame implements ActionListener {
       JTextField tfname,tfname1,tfrollno, tfdob,tfadd, tfph,tfid ,tfadno ;
       JComboBox cbug, cbpg ,c ,b;
      Addteacher(){
             setSize(900,700);
             setLocation(350,50);
             setTitle("REGISTER NEW FACULTY DETAILS : ");
             setLayout(null);
             JLabel heading = new JLabel ("NEW FACULTY DETAILS");
             heading.setBounds(200,30,500,50);
             heading.setFont(new Font ("serif", Font.BOLD, 40));
             add(heading);
             JLabel lblname = new JLabel("Name");
             lblname.setBounds(50,150,100,30);
             lblname.setFont(new Font ("serif" , Font.BOLD , 20));
             add(lblname);
              tfname = new JTextField();
             tfname.setBounds(200,150,150,30);
             add(tfname);
             JLabel fname = new JLabel("Fathers Name");
             fname.setBounds(400,150,200,30);
             fname.setFont(new Font ("serif" , Font.BOLD , 20));
             add(fname);
              tfname1 = new JTextField();
             tfname1.setBounds(600,150,150,30);
             add(tfname1);
             JLabel rollno = new JLabel("EMP ID");
             rollno.setBounds(50,200,200,30);
          rollno.setFont(new Font ("serif" , Font.BOLD , 20));
             add(rollno);
              tfrollno = new JTextField();
             tfrollno.setBounds(200,200,150,30);
             add(tfrollno);
             JLabel dob = new JLabel("D.O.B(DD/MM/YY)");
             dob.setBounds(400,200,200,30);
```

```
dob.setFont(new Font ("serif", Font.BOLD, 20));
             add(dob);
              tfdob = new JTextField();
             tfdob.setBounds(600,200,150,30);
             add(tfdob);
             JLabel add = new JLabel("Address");
             add.setBounds(50,250,200,30);
          add.setFont(new Font ("serif " , Font.BOLD , 20));
             add(add);
              tfadd = new JTextField();
             tfadd.setBounds(200,250,150,30);
             add(tfadd);
             JLabel ph = new JLabel("Phone");
             ph.setBounds(400,250,200,30);
          ph.setFont(new Font ("serif", Font.BOLD, 20));
             add(ph);
              tfph = new JTextField();
             tfph.setBounds(600,250,150,30);
             add(tfph);
             JLabel email = new JLabel("Email Id");
             email.setBounds(50,300,200,30);
          email.setFont(new Font ("serif" , Font.BOLD , 20));
             add(email);
              tfid = new JTextField();
             tfid.setBounds(200,300,150,30);
             add(tfid);
             JLabel c10 = new JLabel("UG");
             c10.setBounds(400,300,200,30);
          c10.setFont(new Font ("serif" , Font.BOLD , 20));
             add(c10);
             String ug[] = {"BCA" , "BSC IT" , "BSC CS", "B.TECH ECE" , "B.TECH CSE"
, "BBA " , "BCOM"};
              cbug = new JComboBox(ug);
                                         //dropdown box
             cbug.setBounds(600,300,150,30);
             add(cbug);
             JLabel c12 = new JLabel("PG");
             c12.setBounds(50,350,200,30);
          c12.setFont(new Font ("serif" , Font.BOLD , 20));
             add(c12);
```

```
String pg[] = {"MCA" ,"MSC IT" , "MSC CS", "M.TECH ECE" , "M.TECH CSE" ,
"MBA " , "MCOM" };
              cbpg = new JComboBox(pg);
                                        //dropdown box
             cbpg.setBounds(200,350 ,150,30);
             add(cbpg);
             JLabel adno = new JLabel("Adhar No");
             adno.setBounds(400,350,200,30);
          adno.setFont(new Font ("serif", Font.BOLD, 20));
             add(adno);
              tfadno = new JTextField();
             tfadno.setBounds(600,350,150,30);
             add(tfadno);
             JLabel course = new JLabel("qualification");
             course.setBounds(50,400,200,30);
          course.setFont(new Font ("serif" , Font.BOLD , 20));
             add(course);
             String cr[] = {"Masters" , "Double masters" , "Net qualified", "PHD" ,
"Pursuing PHD"};
              c = new \ JComboBox(cr); \ //dropdown box
             c.setBounds(200,400 ,150,30);
             add(c);
             JLabel branch = new JLabel("Department");
             branch.setBounds(400,400,200,30);
          branch.setFont(new Font ("serif" , Font.BOLD , 20));
             add(branch);
             String br[] = {"Computer Science" , "Management" , "IT" , "Computer
Application"};
              b = new JComboBox(br); //dropdown box
             b.setBounds(600,400,150,30);
             add(b);
             //button
              JButton submit = new JButton("SUBMIT");
              add(submit);
              submit.setBounds(200,500,150,30);
              submit.setBackground (Color.orange);
              submit.setForeground(Color.black);
              submit.addActionListener(this);
              submit.setFont(new Font ("Arial", Font.BOLD,15));
```

```
JButton bck = new JButton("BACK");
                add(bck);
                bck.setBounds(400,500,150,30);
                bck.setBackground (Color.orange);
                bck.setForeground(Color.black);
                bck.addActionListener(new Bck1());
           bck.setFont(new Font ("Arial", Font.BOLD,15));
              setVisible(true);
       }
       public void actionPerformed(ActionEvent ae ) {
                     String name = tfname.getText();
                     String fname= tfname1.getText();
                     String d_id = tfrollno.getText();
                     String dob = tfdob.getText();
                     String address = tfadd.getText();
                     String phone = tfph.getText();
                     String email = tfid.getText();
                     String ug = (String) cbug.getSelectedItem();
                     String pg = (String) cbpg.getSelectedItem();
                     String aadhar = tfadno.getText();
                     String h_q =(String) c.getSelectedItem();
                     String t_d =(String) c.getSelectedItem();
                try {
String query =( "insert into teacher values( '"+name+"' ,
'"+fname+"' , '"+d_id+"' ,'"+dob+"' , '"+address+"' , '"+phone+"' , '"+email+"' ,
'"+ug+"' , '"+pg+"' , '"+adhar+"' , '"+t_d+"' )");
                         Conn con = new Conn();
                         int ins = con.s.executeUpdate(query);
                         if(ins>0)
                         JOptionPane.showMessageDialog(null , "TEACHERS DETAILS
INSERTED SUCCESSFULLY " );
                         else
                                JOptionPane.showMessageDialog(null , "TEACHERS DETAILS
NOT INSERTED SUCCESSFULLY " );
                      }catch(Exception e) {
                         e.printStackTrace();
```

REGISTER NEW FACULTY DETA	AILS :			_		×
NEW FACULTY DETAILS						
Name		Fathers Name				
EMP ID		D.O.B(DD/MM/YY)				
Address		Phone				
Email Id		UG	BCA ▼			
PG	MCA 🔻	Adhar No				
qualification	Masters ▼	Department	Computer Science ▼			
	SUBMIT	BACK				