


WireMock version **3.6.0** has just been released containing a number of new features, bug fixes and dependency updates.




Version **3.6.0** has a number of new template helpers to make working with arrays much easier when using Response Templating.



array/Add Add an element

The arrayAdd helper can be used to add elements to an array based on a position value or the start or end keywords. If no position is specified, the element will be added to end of the array.



array/Add Add an element


```
{{arrayAdd (array 1 'three') 2 position=1}} // [1, 2, three] {{arrayAdd (array 1 'three') 2 position='start'}} // [2, 1, three] {{arrayAdd (array 1 'three') 2 position='end'}} // [1, three, 2] {{arrayAdd (arrayAdd (array 1 'three') 2}} // [1, three, 2]
```




The arrayRemove helper can be used to remove an element from an array based on a position value or the start or end keywords. If no position is specified, the element will be removed from the end of the array.




```
{{arrayRemove (array 1 2 'three') position=1}} // [1, three] {{arrayRemove (array 1 2 'three') position='start'}} // [2, three] {{arrayRemove (array 1 2 'three') position='end'}} // [1, 2] {{arrayRemove (array 1 2 'three')}} // [1, 2]
```




The arrayJoin helper will concatenate the values passed to it with the separator specified




```
{{arrayJoin ',' (array 'One' 'Two' 'Three')}} // One,Two,Three
{{arrayJoin ' - ' 'a' 'b' 'c'}} // a - b - c
{{arrayJoin ', ' (range 1 5)}} // 1, 2, 3, 4, 5
{{arrayJoin ':' (array 'One' 'Two' 'Three')}} // One:Two:Three
```



arrayJoin will allow you to specify a prefix and suffix to be added to the start and end of the result




{{arrayJoin ',' (array '1' '2' '3') prefix='[' suffix=']'}} // [1,2,3] {{arrayJoin '*' (array 1 2 3) prefix='(' suffix=')'}} // (1 * 2 * 3)



arrayJoin can also be used as a block helper


www.wiremock.org



arrayJoin

Join array elements

```
// first parse some json
{{#parseJson 'myThings'}}
[ { "id": 1, "name": "One" },
      { "id": 2, "name": "Two" },
      { "id": 3, "name": "Three" }]
{{/parseJson}}
```



```
[{{#arrayJoin ',' myThings as |item|}}
{
"name{{item.id}}": "{{item.name}}"
}
{{/arrayJoin}}]
// [{ "name1": "One" }, { "name2": "Two" }, { "name3": "Three" }]
```

Join Us On the WireMock slack

