**Definition 1.** Two piecewise functions are defined below.

$$C(y) = \begin{cases} 8y - 3 & -6 \le y \le -3 \\ -(y - 2)^2 + 1 & -3 < y < 4 \end{cases}$$
$$\frac{y - 5}{y + 1} & 4 \le y < 11$$
$$D(x) = \begin{cases} \frac{x - 5}{x - 3} & [-6, 3) \\ \sqrt{x - 3} + 1 & [3, 7) \\ -3|x - 3| - 2 & [7, 11] \end{cases}$$

$$D(x) = \begin{cases} \frac{x-5}{x-3} & [-6,3) \\ \sqrt{x-3}+1 & [3,7) \\ -3|x-3|-2 & [7,11] \end{cases}$$

**Exercise 1** Are the domains of C and D equal?

Multiple Choice:

- (a) Yes ✓
- (b) No

**Exercise 2** Is F(x) = C(x) + D(x) well-defined?

Multiple Choice:

- (a) Yes ✓
- (b) *No*

**Exercise 3** Evaluate  $F(1) = \boxed{2}$ 

Enter DNE if the value does not exist.

**Exercise 4** Evaluate  $F\left(-\frac{7}{2}\right) =$ 

Enter DNE if the value does not exist.