
a
Tumour epithelium across tumour architecture
one grey line per patient (n = 10); black line, cohort mean
signature score
proCSC
revCSC
proliferation
YAP regeneration
fetal−intestinal axis
normal
adenoma
core
front
b
Front versus core, matched−null calibrated
labels: patients moving up, of 10; fill: passes expression−matched null
proCSC
revCSC
proliferation
YAP regeneration
revival stem
fetal intestine
fetal−intestinal axis
trophoblast axis
EVT
placenta trophoblast
1/10
10/10
1/10
10/10
10/10
10/10
10/10
3/10
3/10
6/10
invasive front − core (patient−level)
down
not significant
up
c
The shift is confined to the epithelium
tumour epithelium
microenvironment
invasive front − core (patient−level)
passes null
no
yes
−log10 P
0.0
0.5
1.0
1.5
2.0
d
No trophoblast programme is enriched at the invasive front
common x scale across panels; labels: patients moving up
revCSC
fetal−intestinal axis
trophoblast axis
placenta trophoblast
EVT
WTA, T1 only (n = 9)
WTA (n = 10)
CTA (n = 10)
6/9
6/10
10/10
6/9
6/10
10/10
1/9
1/10
3/10
3/9
3/10
6/10
5/9
6/10
3/10
invasive front − core (patient−level)
fetal / revival
trophoblast