

### SPRINT 3: Desarrollo del Frontend

Identificación Proyecto	
Nombre Proyecto:	Marcadores Deportivos
Número Equipo:	1
Integrantes del equipo	
Rol (Líder-Desarrollador – Cliente)	Nombre
Líder (Scrum Master)	Leyniker Ferley Celis
Desarrolladores (Scrum Team)	María Camila Esquivel Álvarez
Cliente	Osmer Eduardo Ruíz Mateus

### Evidencia construcción del Frontend

Como evidencia de la construcción del Frontend, se debe presentar capturas de pantalla donde se visualice el proceso de construcción del Frontend.



## 1. Build:

Archivo Editar Selección Ver Ir Ejecutar Terminal Ayuda manifest.json - frontendproyecto - Visual Studio Code [Administrador]

EXPLORADOR Mostrarusuarios.jsx U JS App.js M # App.css M Logos.jsx U NavbarComp.jsx U index.html M manifest.json

```

build > {} manifest.json
1 {
  "short_name": "React App",
  "name": "Create React App Sample",
  "icons": [
    {
      "src": "favicon.ico",
      "sizes": "64x64 32x32 24x24 16x16",
      "type": "image/x-icon"
    },
    {
      "src": "logo192.png",
      "type": "image/png",
      "sizes": "192x192"
    },
    {
      "src": "logo512.png",
      "type": "image/png",
      "sizes": "512x512"
    }
  ],
  "start_url": ".",
  "display": "standalone",
  "theme_color": "#000000",
  "background_color": "#ffffff"
}

```

PROBLEMAS SALIDA TERMINAL JUPITER CONSOLA DE DEPURACIÓN

Note that the development build is not optimized.  
To create a production build, use `npm run build`.

webpack compiled successfully

Lín. 1, col. 1 Espacios: 2 UTF-8 LF JSON Go Live

## 2. node\_modules:

Archivo Editar Selección Ver Ir Ejecutar Terminal Ayuda manifest.json - frontendproyecto - Visual Studio Code [Administrador]

EXPLORADOR Mostrarusuarios.jsx U JS App.js M # App.css M Logos.jsx U NavbarComp.jsx U index.html M manifest.json

```

build > {} manifest.json > ...
1 {
  "short_name": "React App",
  "name": "Create React App Sample",
  "icons": [
    {
      "src": "favicon.ico",
      "sizes": "64x64 32x32 24x24 16x16",
      "type": "image/x-icon"
    },
    {
      "src": "logo192.png",
      "type": "image/png",
      "sizes": "192x192"
    },
    {
      "src": "logo512.png",
      "type": "image/png",
      "sizes": "512x512"
    }
  ],
  "start_url": ".",
  "display": "standalone",
  "theme_color": "#000000",
  "background_color": "#ffffff"
}

```

PROBLEMAS SALIDA TERMINAL JUPITER CONSOLA DE DEPURACIÓN

Note that the development build is not optimized.  
To create a production build, use `npm run build`.

webpack compiled successfully

Lín. 1, col. 1 Espacios: 2 UTF-8 LF JSON Go Live



### 3. public:



```
public > {} manifest.json > [ ]icons > {} 2
  1 {
  2   "short_name": "React App",
  3   "name": "Create React App Sample",
  4   "icons": [
  5     {
  6       "src": "favicon.ico",
  7       "sizes": "64x64 32x32 24x24 16x16",
  8       "type": "image/x-icon"
  9     },
 10     {
 11       "src": "logo192.png",
 12       "type": "image/png",
 13       "sizes": "192x192"
 14     },
 15     {
 16       "src": "logo512.png",
 17       "type": "image/png",
 18       "sizes": "512x512"
 19     }
 20   ],
 21   "start_url": ".",
 22   "display": "standalone",
 23   "theme_color": "#000000",
 24   "background_color": "#ffffff"
 25 }
```

## 4. src: deportes

## 4.1 CrearEventos.jsx

```
const [fecha, setFecha] = useState('')
const [equipo1, setEquipo1] = useState('')
const [equipo2, setEquipo2] = useState('')
const [marcador1, setMarcador1] = useState('')
const [marcador2, setMarcador2] = useState('')
const [tipoevento, setTipoevento] = useState('')

//procedimiento guardar
const store = async (e) => {
  e.preventDefault()
  await axios.post(URI, {fecha: fecha, equipo1: equipo1, equipo2: equipo2, marcador1: marcador1, marcador2: marcador2})
  navigate('/seventeo')
}

return (
  <div>
    <h3>Creación de Eventos Deportivos</h3>
    <Form onSubmit={store}>
      <Form.Group className="mb-3" >
        <div>
          <Form.Control
            value={fecha}
            onChange={(e) => setFecha(e.target.value)}
            type="text"
            placeholder = "Ingrese la fecha año/mes/día"
          </Form.Control>
        </div>
      </Form.Group>
    </Form>
  </div>
)
```



Frontend proyecto - Visual Studio Code [Administrador]

Explorador

FRONTPENDPROYECTO

- src
- deportes
- CrearEventos.jsx

```
src > deportes > CrearEventos.jsx < default
  71   onChange={( e )=> setMarcador2(e.target.value)}
  72     type = "text"
  73     placeholder = "Ingrese Marcador E2 "
  74
  75   />
  76 </div>
  77 <div>
  78   <Form.Control
  79     value={tipoevento}
  80     onChange={( e )=> setTipoevento(e.target.value)}
  81     type = "text"
  82     placeholder = "Evento deportivo "
  83
  84   />
  85 </Form.Group>
  86 </Form>
  87   <Button variant="primary" size="lg" type="submit" >Guardar</Button>
  88
  89 </div>
  90 )
  91
  92 }
  93
  94
  95 export default CompCreateEvento
```

Problemas Salida Terminal Jupyter Consola de Depuración

Note that the development build is not optimized.  
To create a production build, use `npm run build`.

webpack compiled successfully

Lín. 95, col. 32 Espacios: 4 UTF-8 CRLF () JavaScript React Go Live

## 4.2 Crearusuarios.jsx

Frontend proyecto - Visual Studio Code [Administrador]

Explorador

FRONTPENDPROYECTO

- src
- deportes
- CrearEventos.jsx
- Crearusuarios.jsx

```
src > deportes > Crearusuarios.jsx < default
  1 import axios from 'axios'
  2 import { useState } from 'react'
  3 import { useNavigate } from 'react-router-dom'
  4 import Form from 'react-bootstrap/Form'
  5 import Button from 'react-bootstrap/Button';
  6 //import '../../../../../src/style.css';
  7 //import '../style.css';
  8
  9 const URI = 'http://localhost:8000/usuarios/reguser'
 10
 11 export const CompCreateUser = () => {
 12
 13   const [correo, setContent] = useState('')
 14   const [nomuser, setNomuser] = useState('')
 15   const [password, setPass] = useState('')
 16   const navigate = useNavigate()
 17
 18   //procedimiento guardar
 19   const store = async (e) => {
 20     e.preventDefault()
 21     await axios.post(URI, {correo:correo, nomuser: nomuser, password: password})
 22     navigate('/users')
 23   }
 24   return (
 25     <div>
 26       <h3>Creación de Usuarios</h3>
 27       <Form onSubmit={store}>
```

Problemas Salida Terminal Jupyter Consola de Depuración

Note that the development build is not optimized.  
To create a production build, use `npm run build`.

webpack compiled successfully

Lín. 67, col. 30 Espacios: 4 UTF-8 CRLF () JavaScript React Go Live



## 4.3 EditarEvento.jsx

Archivo Editar Selección Ver Ir Ejecutar Terminal Ayuda EditarEvento.jsx - frontendproyecto - Visual Studio Code [Administrador]

EXPLORADOR ...

FRONTEENDPROYECTO

- log512.png
- manifest.json
- robots.txt
- src
  - deportes
    - CrearEventos.jsx
    - Crearusuarios.jsx
    - EditarEvento.jsx
    - Editarusuario.jsx
    - Logo.jsx
    - MostrarEventos.jsx
    - Mostrarusuarios.jsx
    - NavbarComp.jsx
  - # App.css
  - JS App.js
  - JS App.test.js
  - # index.css
  - JS index.js
  - logo.svg
  - JS reportWebVitals.js
  - JS setupTests.js
  - mittnre
- ESQUEMA
- LÍNEA DE TIEMPO
- DOCKER CONTAINERS
- DOCKER IMAGES
- AZURE CONTAINER REGISTRY
- DOCKER HUB
- SUGGESTED DOCKER HUB IMAGES
- MYSQL

src > deportes > EditarEvento.jsx > CompEditEvento > useEffect() callback

```
1 import axios from "axios";
2 import { useEffect, useState } from "react";
3 import { useNavigate, useParams } from "react-router-dom";
4 //Ruta para modificar "Actualizar" el evento
5 const URI = 'http://localhost:8000/usuarios/upevento/';
6 //Ruta para mostrar la información del evento deportivo antes de modificarlo
7 const URI2 = 'http://localhost:8000/usuarios/shevento/';

8
9 export const CompEditEvento = () => {
10   const [fecha, setFecha] = useState('');
11   const [equipo1, setEquipo1] = useState('');
12   const [equipo2, setEquipo2] = useState('');
13   const [marcador1, setMarcador1] = useState('');
14   const [marcador2, setMarcador2] = useState('');
15   const [tipoevento, setTipoevento] = useState('');

16   const navigate = useNavigate();
17   const {_id} = useParams();
18   console.log('el valor del id es : ', _id)
19   //procedimiento para actualizar
20   const onSubmit = async (e) => {
21     e.preventDefault()
22     await axios.put(URI+_id, {
23       fecha: fecha,
24       equipo1: equipo1,
25       equipo2: equipo2,
26       marcador1: marcador1,
27     })
28   }
29 }

30 
```

PROBLEMAS SALIDA TERMINAL JUPYTER CONSOLA DE DEPURACIÓN

Note that the development build is not optimized.  
To create a production build, use `npm run build`.

webpack compiled successfully

Lin. 47, col. 9 Espacios: 4 UTF-8 CRLF {} JavaScript React Go Live

Archivo Editar Selección Ver Ir Ejecutar Terminal Ayuda EditarEvento.jsx - frontendproyecto - Visual Studio Code [Administrador]

EXPLORADOR ...

FRONTEENDPROYECTO

- log512.png
- manifest.json
- robots.txt
- src
  - deportes
    - CrearEventos.jsx
    - Crearusuarios.jsx
    - EditarEvento.jsx
    - Editarusuario.jsx
    - Logo.jsx
    - MostrarEventos.jsx
    - Mostrarusuarios.jsx
    - NavbarComp.jsx
  - # App.css
  - JS App.js
  - JS App.test.js
  - # index.css
  - JS index.js
  - logo.svg
  - JS reportWebVitals.js
  - JS setupTests.js
  - mittnre
- ESQUEMA
- LÍNEA DE TIEMPO
- DOCKER CONTAINERS
- DOCKER IMAGES
- AZURE CONTAINER REGISTRY
- DOCKER HUB
- SUGGESTED DOCKER HUB IMAGES
- MYSQL

src > deportes > EditarEvento.jsx > CompEditEvento > useEffect() callback

```
91   <label>Marcador E2</label>
92   <input
93     value={marcador2}
94     onChange={(e)=> setMarcador2(e.target.value)}
95     type="text"
96   />
97   </div>
98   <div>
99     <label>Tipo Evento</label>
100    <input
101      value={tipoevento}
102      onChange={(e)=> setTipoevento(e.target.value)}
103      type="text"
104    />
105    </div>
106    <button type="submit" onClick={onSubmit}>Actualizar</button>
107  </div>
108  )
109 }
110 </form>
111 )
112 >
113 >
114 >
115 > export default CompEditEvento
```

PROBLEMAS SALIDA TERMINAL JUPYTER CONSOLA DE DEPURACIÓN

Note that the development build is not optimized.  
To create a production build, use `npm run build`.

webpack compiled successfully

Lin. 47, col. 9 Espacios: 4 UTF-8 CRLF {} JavaScript React Go Live



## 4.4 Editarusuario.jsx

The image displays two screenshots of the Visual Studio Code interface, showing the code for the `Editarusuario.jsx` file in two different stages of development.

**Screenshot 1 (Top):** Shows the initial state of the code. The code defines a function `CompEditUser` that takes an `id` parameter. It uses `useState` to manage state for `nomuser`, `correo`, and `password`. It then performs an `axios.put` request to update the user in the database. The code ends with a `getBlogById` function.

```
src > deportes > Editarusuario.jsx > default
1  import axios from "axios";
2  import { useEffect, useState } from "react";
3  import { useNavigate, useParams } from "react-router-dom";
4
5  const URL = 'http://localhost:8000 usuarios/shuser';
6  const URL2 = 'http://localhost:8000 usuarios/upuser/';
7  export const CompEditUser = ( ) => {
8    const [nomuser, setNomuser] = useState('');
9    const [correo, setCorreo] = useState('');
10   const [password, setPassword] = useState('');
11   const navigate = useNavigate();
12   const {id} = useParams();
13   console.log('el valor del id es : ', id);
14   //procedimiento para actualizar
15   const onSubmit = async (e) => {
16     e.preventDefault();
17     await axios.put(URL2+id, {
18       nomuser: nomuser,
19       correo: correo,
20       password: password
21     })
22     navigate('/users')
23   }
24
25
26
27  const getBlogById = async () => {
Note that the development build is not optimized.
To create a production build, use npm run build.
webpack compiled successfully
```


**Screenshot 2 (Bottom):** Shows the code after some modifications. The `CompEditUser` function now includes a `value` prop for the `correo` input field and a `type` prop set to `text`. The `password` input field also has a `type` prop set to `text`.

```
src > deportes > Editarusuario.jsx > default
54  value={correo}
55  onChange={ (e)=> setCorreo(e.target.value)}
56  type="text"
57
58  </div>
59
60  <div>
61    <label>Password</label>
62    <input
63      value={password}
64      onChange={ (e)=> setPassword(e.target.value)}
65      type="text"
66    >
67  </div>
68  <button type="submit" onClick={onSubmit}>Actualizar</button>
69
70 </form>
71 </div>
72
73  }
74
75  }
76
77  export default CompEditUser
```

Note that the development build is not optimized.  
To create a production build, use `npm run build`.  
webpack compiled successfully



## 4.5 Logo.jsx



The screenshot shows the Visual Studio Code interface with the following details:

- Title Bar:** Logo.jsx - frontendproyecto - Visual Studio Code [Administrador]
- Left Sidebar (Explorador):** Shows the project structure:
  - FRONTENDPROYECTO (selected)
  - src > deportes > Logo.jsx
  - logo512.png
  - manifest.json
  - robots.txt
  - src
    - deportes
      - CrearEventos.jsx
      - Crearusuarios.jsx
      - EditarEvento.jsx
      - Editarusuario.jsx
      - Logo.jsx (selected)
  - # App.css
  - JS App.js
  - JS App.test.js
  - # index.css
  - JS index.jsx
  - logo.svg
  - JS reportWebVitals.js
  - JS setupTests.jsx
  - nitirnore
  - ESQUEMA
  - LÍNEA DE TIEMPO
  - DOCKER CONTAINERS
  - DOCKER IMAGES
  - AZURE CONTAINER REGISTRY
  - DOCKER HUB
  - SUGGESTED DOCKER HUB IMAGES
  - MYSQL
- Central Area:** Content of logo.jsx file.

```
71 6.35-15.04Zm-7.01 20.08q-.07-07-1.02 1.17-.95 1.09-2.23 2.37-1.27 1.28-2.95 2.66-3.87 3.07-7.59 3.
07-3.73 0-5.59-2.26-1.86-2.27-1.86-6.72 0-4.45 3.65-11.17 3.65-6.71 9.27-11.68 5.62-4.96 10.51-4.96 2.
19 0 4.13 1.09 1.93 1.1 2.81 2.56 4.6-7.23 7.59-7.23 1.46 0 2.48 1.57t1.02 3.65q0 2.98-3.28 7.59-3.29
5.51-8.1 11.35-.59 2.41-1.59 6.21 0 5.11 2.78 5.11 1.82 0 4.46-1.751.95-.59q.22 0 .76.88.55.87.55 1.35
0-.47-1.46 1.64t4.2 2.3q-2.73 1.13-5.51 1.13-6.79 0-6.79-9.34Zm45.48 4.38q-2.19 2.26-5.8 3.72-3.62 1.
46-7.08 1.46-3.47 0-5.7-1.82-2.22-1.83-2.22-5.37t2.33-9.78q2.34-6.24 5.84-12.96-1.6-.36-2.99-.36-2.77
0-4.82 1.68-1.6-1.6-1.6-3.51 0-1.82 1.97-3.06 1.97-1.25 4.74-1.25 2.78 0 4.6-.37 1.9-3.94 2.27-8.98 2.
55-2.48 7.52-2.48 1.31 0 2.08.77.76.76.76 2.08 0 3.57-5.03 9.85 2.11.51 4.85.51 2.74 0 5.51-1.02.22 1.
1.22 2.12 0 6.13-7.74 6.13-3.21 0-6.13-1.17-5.18 13.8-5.18 1.19 2.72 0 2.92 2.8 1.68 0 3.54-.69t2.
67-1.5q1.46.51 1.46 2.05 0 .43-.15 1.02Zm35.04-24.46q-.73-1.16-1.97-1.89t-2.04-.88l-.88-.15q-5.26 3.
22-9.67 10.19-4.42 6.97-4.42 12.74 0 1.24.62 1.93t1.43.69q2.11 0 4.74-1.89 2.63-1.9 4.23-3.81.61-1.
9q1.83-6.71 6.35-15.04Zm-7.01 20.08q-.07-07-1.02 1.17-.95 1.09-2.23 2.37-1.27 1.28-2.95 2.66-3.87 3.
07-7.59 3.07-3.73 0-5.59-2.26-1.86-2.27-1.86-6.72 0-4.45 3.65-11.17 3.65-6.71 9.27-11.68 5.62-4.96 10.
51-4.96 2.19 0 4.13 1.09 1.93 1.1 2.81 2.56 4.6-7.23 7.59-7.23 1.46 0 2.48 1.57t1.02 3.65q0 2.98-3.28
7.59-3.29 5.51-8.1 11.35-.59 2.41-1.59 6.21 0 5.11 2.78 5.11 1.82 0 4.46-1.751.95-.59q.22 0 .76.88.55.
87.55 1.35 0 .47-1.46 1.64t4.2 2.3q-2.73 1.13-5.51 1.13-6.79 0-6.79-9.34Zm46.72-20.73q-1.02.51-4.16 4.
85-3.14 4.35-4.82 7.48-1.67 7.3-4.63 12.41t-4.82 5.11q-1.86 0-3.87-.69t-2.01-2.08q-2.48 1.94-6.28 1.
93-3.79 3.9-6.3511.9-2.55q1.46-4.97 1.46-10.88 0-2.63-1.09-2.68-.81 0-1.97.62-1.17.62-1.54.62-.36 0.
8-.87-.44-.88-.44 1.35 0-.48 1.64-1.61 1.65-1.13 4.42-2.23 2.78-1.09 5.18-1.09 1.1 0 1.87 2.04.76 2.05.
76 4.35t-.07 3.43q-.07 1.13-.07 1.57 2.7-4.75 6.16-8.03 3.47-3.29 6.61-3.29t4.71 1.68q1.57 1.68 1.57 4.
67 0 4.09-4.09 8.03-4.09 3.94-7.08 3.94-1.46 0-1.46-.94 0-.22 1.13-2.56t1.13-4.85q0-2.52-1.46-2.52" data-bbox="250 116 890 570"/>
```
- Bottom Status Bar:** node + - ×



## 4.6 MostrarEventos.jsx

The screenshot shows the Visual Studio Code interface with the file `MostrarEventos.jsx` open. The code is a React component named `CompMostrarEvento` that imports axios and useState from react. It uses useEffect to fetch data from a backend API and displays it in a table. The code includes comments explaining the importation of libraries, the import of the Table component, and the use of icons from react-icons/fa.

```
//importamos las librerias
import {useState, useEffect} from 'react'
import {Link} from 'react-router-dom'
import Table from 'react-bootstrap/Table';
import {FaTrashAlt,FaPencilAlt,FaRegEdit} from 'react-icons/fa';

//importar nuestras rutas del backend
//importar los eventos deportivos
const URI = 'http://localhost:8000/usuarios/shevento/'
//eliminar un evento deportivo
const URI2 = 'http://localhost:8000/usuarios/delevento/'

//procedimientos para mostrar los eventos deportivos
export const CompMostrarEvento = () => {

  const [ceventos, setBlog] = useState([])
  useEffect(()=>{
    getBlogs()
  },[ ])


  //procedimiento para mostrar todos los registros
  const getBlogs = async () => {
    const res = await axios.get(URI)
    setBlog(res.data)
  }
}
```

This screenshot shows the same Visual Studio Code session with the code for `MostrarEventos.jsx`. The code is identical to the previous one, but the entire body of the `getBlogs` function is collapsed, represented by three dots (...). The rest of the component structure, including the table rendering logic, is visible.

```
<Table>
  <thead>
    <tr>
      <td> { blog.fecha } </td>
      <td> { blog.equipo1 } </td>
      <td> { blog.equipo2 } </td>
      <td> { blog.marcador1 } </td>
      <td> { blog.marcador2 } </td>
      <td> { blog.tipoevento } </td>
      <td>
        <Link to={`/editevento/${blog._id}`} className='fas fa-edit' />
        <button onClick={()=> deleteBlog(blog._id)} className='btn btn-danger'> Eliminar </button>
      </td>
    </tr>
  </thead>
  <tbody>
    <tr>{...}</tr>
  </tbody>
</Table>
```




## 4.7 Mostrarusuarios.jsx



This screenshot shows the Visual Studio Code interface with the file 'Mostrarusuarios.jsx' open. The code is a React component named 'CompShowUsers' that uses axios to fetch user data from two URLs: 'http://localhost:8000/usuarios/shuser/' and 'http://localhost:8000/usuarios/deluser/'. It uses useState and useEffect hooks to manage the state of users and blogs, and includes logic for deleting a blog by ID.

```
src > deportes > Mostrarusuarios.jsx > default
1 import axios from 'axios'
2 import {useState, useEffect} from 'react'
3 import {Link} from 'react-router-dom'
4 //import styles from "./styles.module.css";
5
6 const URI = 'http://localhost:8000/usuarios/shuser/'
7 const URI2 = 'http://localhost:8000/usuarios/deluser/'
8
9 export const CompShowUsers = () => {
10
11   const [users, setBlog] = useState([])
12   useEffect( ()=>{
13     getBlogs()
14   },[])
15
16   //procedimiento para mostrar todos los registros
17   const getBlogs = async () => {
18     const res = await axios.get(URI)
19     setBlog(res.data)
20   }
21
22   //procedimiento para eliminar un registro
23   const deleteBlog = async (id) => {
24     await axios.delete(`${URI2}${id}`)
25     getBlogs()
26   }
27
```



This screenshot shows the Visual Studio Code interface with the file 'Mostrarusuarios.jsx' open. The code is identical to the one in the previous screenshot, but it includes a portion of the JSX template for rendering the user data. The template uses a table with columns for 'Nombre', 'Correo', and 'Password', and includes links for editing and deleting each user entry.

```
src > deportes > Mostrarusuarios.jsx > default
37   <th>Nombre</th>
38   <th>Correo</th>
39   <th>Password</th>
40 </thead>
41 <tbody>
42   { users.map ( (blog) => (
43     <tr key={ blog._id}>
44       <td> { blog.nomuser } </td>
45       <td> { blog.correo } </td>
46       <td> { blog.password } </td>
47       <td>
48         <Link to={`/edit/${blog._id}`}><i className="fas fa-edit"></i></Link>
49         <button onClick={ () => deleteBlog(blog._id) } className='btn btn-danger'>Delete</button>
50       </td>
51     </tr>
52   ) )
53   </tbody>
54 </table>
55 </div>
56 </div>
57 )
58 </div>
59 </div>
60 }
61
62 export default CompShowUsers
```



## 4.8 NavbarComp.jsx

A screenshot of the Visual Studio Code interface. The title bar reads "NavbarComp.jsx - frontendproyecto - Visual Studio Code [Administrador]". The left sidebar shows a project structure under "FRONTENDPROYECTO" with files like "src", "deportes", and "Logo.jsx". The main editor area contains the code for "NavbarComp.jsx". The code defines a functional component "NavBarComp" that returns a "Nav" component from "react-bootstrap/Nav". It includes a "Collapse" component with a "Brand" link to "/". A "Dropdown" component is used with "title='EVENTOS DEPORTIVOS'". Inside the dropdown, there are links for "CREAR" and "MOSTRAR EVENTOS". The "Outlet" component is used to render content. The status bar at the bottom shows "Lín. 9, col. 12" and "webpack compiled successfully".

```
1 import Container from 'react-bootstrap/Container';
2 import Nav from 'react-bootstrap/Nav';
3 import Navbar from 'react-bootstrap/Navbar';
4 import NavDropdown from 'react-bootstrap/NavDropdown';
5 import {Link, Outlet} from 'react-router-dom';
6
7 export const NavBarComp = () => {
8
9     return(
10        <Navbar collapseOnSelect expand="lg" bg="light" variant="light">
11            <Container>
12                <Navbar.Brand as={Link} to="/"> MARCADEROS DEPORTIVOS - MUNDIAL DE QATAR </Navbar.Brand>
13                <Navbar.Toggle aria-controls="responsive-navbar-nav" />
14                <Navbar.Collapse id="responsive-navbar-nav">
15                    <Nav className="me-auto">
16                        <Nav.Link as={Link} to="/login"> LOGIN </Nav.Link>
17                        <Nav.Link as={Link} to="/create"> LOGIN UP </Nav.Link>
18                        <NavDropdown title="EVENTOS DEPORTIVOS" id="collapsible-nav-dropdown">
19                            <NavDropdown.Item as={Link} to="/regevento"> CREAR </NavDropdown.Item>
20                            <NavDropdown.Item as={Link} to="/shevento"> MOSTRAR EVENTOS </NavDropdown.Item>
21                        </NavDropdown>
22                    <NavDropdown.Item href="#action/3.3"> Something </NavDropdown.Item>
23                    <NavDropdown.Divider />
24                    <NavDropdown.Item href="#action/3.4"> Separated link </NavDropdown.Item>
25                </Nav>
26            </Container>
27        </Navbar>
28    <Outlet/>
29    <section>
30        <Outlet/>
31    </section>
32</Navbar.Collapse>
33</Nav>
34<Nav>
35    <Nav.Link href="#deets"> USUARIOS </Nav.Link>
36    <Nav.Link eventKey={2} href="#memes"> HELP </Nav.Link>
37</Nav>
38</Container>
39</Navbar>
40<section>
41    <Outlet>
42        <Outlet/>
43    </Outlet>
44</section>
45</>
46</>
47</>
48</>
49</>
50</>
51</>
52</>
53 export default NavBarComp;
```

A second screenshot of the Visual Studio Code interface, showing the same project and file structure as the first. The code in the editor has been scrolled down to show more of the component's structure, including the "Collapse" component and its children. The status bar at the bottom shows "Lín. 9, col. 12" and "webpack compiled successfully".

```
28    <NavDropdown.Item>
29        </NavDropdown.Item>
30    </NavDropdown>
31    </Nav>
32    <Nav>
33        <Nav.Link href="#deets"> USUARIOS </Nav.Link>
34        <Nav.Link eventKey={2} href="#memes"> HELP </Nav.Link>
35    </Nav>
36    <NavDropdown.Collapse>
37        <Container>
38            <Navbar>
39                <Outlet>
40                    <Outlet/>
41                </Outlet>
42            </Navbar>
43        <section>
44            <Outlet>
45                <Outlet/>
46            </Outlet>
47        </section>
48    </NavDropdown.Collapse>
49    </Nav>
50    <Nav>
51        <Nav.Link href="#deets"> USUARIOS </Nav.Link>
52        <Nav.Link eventKey={2} href="#memes"> HELP </Nav.Link>
53    </Nav>
54</>
55</>
56</>
57</>
58</>
59</>
60</>
61</>
62</>
63</>
64</>
65</>
66</>
67</>
68</>
69</>
70</>
71</>
72</>
73</>
74</>
75</>
76</>
77</>
78</>
79</>
80</>
81</>
82</>
83</>
84</>
85</>
86</>
87</>
88</>
89</>
90</>
91</>
92</>
93</>
94</>
95</>
96</>
97</>
98</>
99</>
100</>
101</>
102</>
103</>
104</>
105</>
106</>
107</>
108</>
109</>
110</>
111</>
112</>
113</>
114</>
115</>
116</>
117</>
118</>
119</>
120</>
121</>
122</>
123</>
124</>
125</>
126</>
127</>
128</>
129</>
130</>
131</>
132</>
133</>
134</>
135</>
136</>
137</>
138</>
139</>
140</>
141</>
142</>
143</>
144</>
145</>
146</>
147</>
148</>
149</>
150</>
151</>
152</>
153</>
154</>
155</>
156</>
157</>
158</>
159</>
160</>
161</>
162</>
163</>
164</>
165</>
166</>
167</>
168</>
169</>
170</>
171</>
172</>
173</>
174</>
175</>
176</>
177</>
178</>
179</>
180</>
181</>
182</>
183</>
184</>
185</>
186</>
187</>
188</>
189</>
190</>
191</>
192</>
193</>
194</>
195</>
196</>
197</>
198</>
199</>
200</>
201</>
202</>
203</>
204</>
205</>
206</>
207</>
208</>
209</>
210</>
211</>
212</>
213</>
214</>
215</>
216</>
217</>
218</>
219</>
220</>
221</>
222</>
223</>
224</>
225</>
226</>
227</>
228</>
229</>
230</>
231</>
232</>
233</>
234</>
235</>
236</>
237</>
238</>
239</>
240</>
241</>
242</>
243</>
244</>
245</>
246</>
247</>
248</>
249</>
250</>
251</>
252</>
253</>
254</>
255</>
256</>
257</>
258</>
259</>
260</>
261</>
262</>
263</>
264</>
265</>
266</>
267</>
268</>
269</>
270</>
271</>
272</>
273</>
274</>
275</>
276</>
277</>
278</>
279</>
280</>
281</>
282</>
283</>
284</>
285</>
286</>
287</>
288</>
289</>
290</>
291</>
292</>
293</>
294</>
295</>
296</>
297</>
298</>
299</>
300</>
301</>
302</>
303</>
304</>
305</>
306</>
307</>
308</>
309</>
310</>
311</>
312</>
313</>
314</>
315</>
316</>
317</>
318</>
319</>
320</>
321</>
322</>
323</>
324</>
325</>
326</>
327</>
328</>
329</>
330</>
331</>
332</>
333</>
334</>
335</>
336</>
337</>
338</>
339</>
340</>
341</>
342</>
343</>
344</>
345</>
346</>
347</>
348</>
349</>
350</>
351</>
352</>
353</>
354</>
355</>
356</>
357</>
358</>
359</>
360</>
361</>
362</>
363</>
364</>
365</>
366</>
367</>
368</>
369</>
370</>
371</>
372</>
373</>
374</>
375</>
376</>
377</>
378</>
379</>
380</>
381</>
382</>
383</>
384</>
385</>
386</>
387</>
388</>
389</>
390</>
391</>
392</>
393</>
394</>
395</>
396</>
397</>
398</>
399</>
400</>
401</>
402</>
403</>
404</>
405</>
406</>
407</>
408</>
409</>
410</>
411</>
412</>
413</>
414</>
415</>
416</>
417</>
418</>
419</>
420</>
421</>
422</>
423</>
424</>
425</>
426</>
427</>
428</>
429</>
430</>
431</>
432</>
433</>
434</>
435</>
436</>
437</>
438</>
439</>
440</>
441</>
442</>
443</>
444</>
445</>
446</>
447</>
448</>
449</>
450</>
451</>
452</>
453</>
454</>
455</>
456</>
457</>
458</>
459</>
460</>
461</>
462</>
463</>
464</>
465</>
466</>
467</>
468</>
469</>
470</>
471</>
472</>
473</>
474</>
475</>
476</>
477</>
478</>
479</>
480</>
481</>
482</>
483</>
484</>
485</>
486</>
487</>
488</>
489</>
490</>
491</>
492</>
493</>
494</>
495</>
496</>
497</>
498</>
499</>
500</>
501</>
502</>
503</>
504</>
505</>
506</>
507</>
508</>
509</>
510</>
511</>
512</>
513</>
514</>
515</>
516</>
517</>
518</>
519</>
520</>
521</>
522</>
523</>
524</>
525</>
526</>
527</>
528</>
529</>
530</>
531</>
532</>
533</>
534</>
535</>
536</>
537</>
538</>
539</>
540</>
541</>
542</>
543</>
544</>
545</>
546</>
547</>
548</>
549</>
550</>
551</>
552</>
553</>
554</>
555</>
556</>
557</>
558</>
559</>
560</>
561</>
562</>
563</>
564</>
565</>
566</>
567</>
568</>
569</>
570</>
571</>
572</>
573</>
574</>
575</>
576</>
577</>
578</>
579</>
580</>
581</>
582</>
583</>
584</>
585</>
586</>
587</>
588</>
589</>
590</>
591</>
592</>
593</>
594</>
595</>
596</>
597</>
598</>
599</>
600</>
601</>
602</>
603</>
604</>
605</>
606</>
607</>
608</>
609</>
610</>
611</>
612</>
613</>
614</>
615</>
616</>
617</>
618</>
619</>
620</>
621</>
622</>
623</>
624</>
625</>
626</>
627</>
628</>
629</>
630</>
631</>
632</>
633</>
634</>
635</>
636</>
637</>
638</>
639</>
640</>
641</>
642</>
643</>
644</>
645</>
646</>
647</>
648</>
649</>
650</>
651</>
652</>
653</>
654</>
655</>
656</>
657</>
658</>
659</>
660</>
661</>
662</>
663</>
664</>
665</>
666</>
667</>
668</>
669</>
670</>
671</>
672</>
673</>
674</>
675</>
676</>
677</>
678</>
679</>
680</>
681</>
682</>
683</>
684</>
685</>
686</>
687</>
688</>
689</>
690</>
691</>
692</>
693</>
694</>
695</>
696</>
697</>
698</>
699</>
700</>
701</>
702</>
703</>
704</>
705</>
706</>
707</>
708</>
709</>
710</>
711</>
712</>
713</>
714</>
715</>
716</>
717</>
718</>
719</>
720</>
721</>
722</>
723</>
724</>
725</>
726</>
727</>
728</>
729</>
730</>
731</>
732</>
733</>
734</>
735</>
736</>
737</>
738</>
739</>
740</>
741</>
742</>
743</>
744</>
745</>
746</>
747</>
748</>
749</>
750</>
751</>
752</>
753</>
754</>
755</>
756</>
757</>
758</>
759</>
760</>
761</>
762</>
763</>
764</>
765</>
766</>
767</>
768</>
769</>
770</>
771</>
772</>
773</>
774</>
775</>
776</>
777</>
778</>
779</>
780</>
781</>
782</>
783</>
784</>
785</>
786</>
787</>
788</>
789</>
790</>
791</>
792</>
793</>
794</>
795</>
796</>
797</>
798</>
799</>
800</>
801</>
802</>
803</>
804</>
805</>
806</>
807</>
808</>
809</>
810</>
811</>
812</>
813</>
814</>
815</>
816</>
817</>
818</>
819</>
820</>
821</>
822</>
823</>
824</>
825</>
826</>
827</>
828</>
829</>
830</>
831</>
832</>
833</>
834</>
835</>
836</>
837</>
838</>
839</>
840</>
841</>
842</>
843</>
844</>
845</>
846</>
847</>
848</>
849</>
850</>
851</>
852</>
853</>
854</>
855</>
856</>
857</>
858</>
859</>
860</>
861</>
862</>
863</>
864</>
865</>
866</>
867</>
868</>
869</>
870</>
871</>
872</>
873</>
874</>
875</>
876</>
877</>
878</>
879</>
880</>
881</>
882</>
883</>
884</>
885</>
886</>
887</>
888</>
889</>
890</>
891</>
892</>
893</>
894</>
895</>
896</>
897</>
898</>
899</>
900</>
901</>
902</>
903</>
904</>
905</>
906</>
907</>
908</>
909</>
910</>
911</>
912</>
913</>
914</>
915</>
916</>
917</>
918</>
919</>
920</>
921</>
922</>
923</>
924</>
925</>
926</>
927</>
928</>
929</>
930</>
931</>
932</>
933</>
934</>
935</>
936</>
937</>
938</>
939</>
940</>
941</>
942</>
943</>
944</>
945</>
946</>
947</>
948</>
949</>
950</>
951</>
952</>
953</>
954</>
955</>
956</>
957</>
958</>
959</>
960</>
961</>
962</>
963</>
964</>
965</>
966</>
967</>
968</>
969</>
970</>
971</>
972</>
973</>
974</>
975</>
976</>
977</>
978</>
979</>
980</>
981</>
982</>
983</>
984</>
985</>
986</>
987</>
988</>
989</>
990</>
991</>
992</>
993</>
994</>
995</>
996</>
997</>
998</>
999</>
1000</>
1001</>
1002</>
1003</>
1004</>
1005</>
1006</>
1007</>
1008</>
1009</>
1010</>
1011</>
1012</>
1013</>
1014</>
1015</>
1016</>
1017</>
1018</>
1019</>
1020</>
1021</>
1022</>
1023</>
1024</>
1025</>
1026</>
1027</>
1028</>
1029</>
1030</>
1031</>
1032</>
1033</>
1034</>
1035</>
1036</>
1037</>
1038</>
1039</>
1040</>
1041</>
1042</>
1043</>
1044</>
1045</>
1046</>
1047</>
1048</>
1049</>
1050</>
1051</>
1052</>
1053</>
1054</>
1055</>
1056</>
1057</>
1058</>
1059</>
1060</>
1061</>
1062</>
1063</>
1064</>
1065</>
1066</>
1067</>
1068</>
1069</>
1070</>
1071</>
1072</>
1073</>
1074</>
1075</>
1076</>
1077</>
1078</>
1079</>
1080</>
1081</>
1082</>
1083</>
1084</>
1085</>
1086</>
1087</>
1088</>
1089</>
1090</>
1091</>
1092</>
1093</>
1094</>
1095</>
1096</>
1097</>
1098</>
1099</>
1100</>
1101</>
1102</>
1103</>
1104</>
1105</>
1106</>
1107</>
1108</>
1109</>
1110</>
1111</>
1112</>
1113</>
1114</>
1115</>
1116</>
1117</>
1118</>
1119</>
1120</>
1121</>
1122</>
1123</>
1124</>
1125</>
1126</>
1127</>
1128</>
1129</>
1130</>
1131</>
1132</>
1133</>
1134</>
1135</>
1136</>
1137</>
1138</>
1139</>
1140</>
1141</>
1142</>
1143</>
1144</>
1145</>
1146</>
1147</>
1148</>
1149</>
1150</>
1151</>
1152</>
1153</>
1154</>
1155</>
1156</>
1157</>
1158</>
1159</>
1160</>
1161</>
1162</>
1163</>
1164</>
1165</>
1166</>
1167</>
1168</>
1169</>
1170</>
1171</>
1172</>
1173</>
1174</>
1175</>
1176</>
1177</>
1178</>
1179</>
1180</>
1181</>
1182</>
1183</>
1184</>
1185</>
1186</>
1187</>
1188</>
1189</>
1190</>
1191</>
1192</>
1193</>
1194</>
1195</>
1196</>
1197</>
1198</>
1199</>
1200</>
1201</>
1202</>
1203</>
1204</>
1205</>
1206</>
1207</>
1208</>
1209</>
1210</>
1211</>
1212</>
1213</>
1214</>
1215</>
1216</>
1217</>
1218</>
1219</>
1220</>
1221</>
1222</>
1223</>
1224</>
1225</>
1226</>
1227</>
1228</>
1229</>
1230</>
1231</>
1232</>
1233</>
1234</>
1235</>
1236</>
1237</>
1238</>
1239</>
1240</>
1241</>
1242</>
1243</>
1244</>
1245</>
1246</>
1247</>
1248</>
1249</>
1250</>
1251</>
1252</>
1253</>
1254</>
12
```



## 5. App.css

The screenshot shows the Visual Studio Code interface with the 'App.css' file open. The code defines styles for the 'App' component, including a central text alignment, a logo with a spin animation, and a header with a light background color and white text. The terminal below shows a successful webpack compilation.

```
.App {
    text-align: center;
}

.App-logo {
    height: 40vmin;
    pointer-events: none;
}

@media (prefers-reduced-motion: no-preference) {
    .App-logo {
        animation: App-logo-spin infinite 20s linear;
    }
}

.App-header {
    background-color: #feffff;
    min-height: 10vh;
    display: flex;
    flex-direction: column;
    align-items: center;
    justify-content: center;
    font-size: calc(10px + 2vmin);
    color: white;
}

.App-link {
```

webpack compiled successfully

## 6. App.js

The screenshot shows the Visual Studio Code interface with the 'App.js' file open. The code imports components from 'react-router-dom' and defines an 'App' function that returns a div containing a header with a logo and a 'BrowserRouter' component with a 'Routes' block. The 'Routes' block contains several 'Route' components mapping different URLs to specific components like 'NavBarComp', 'CompCreateUser', etc. The terminal below shows a successful webpack compilation.

```
import './App.css';
import { BrowserRouter, Routes, Route, Navigate } from 'react-router-dom'
import { CompCreateUser } from './deportes/Crearusuarios.jsx'
import { CompShowUsers } from './deportes/Mostrarusuarios.jsx'
import { CompEditUser } from './deportes/Editarusuario.jsx'
import { CompMostrarEvento } from './deportes/Mostrareventos.jsx'
import { CompEditEvento } from './deportes/EditarEvento.jsx'
import { Logo } from './deportes/Logo.jsx'
import 'bootstrap/dist/css/bootstrap.min.css';
import { NavBarComp } from './deportes/NavbarComp'

function App() {
    return (
        <div className="App">
            <header className="App-header">
                <Logo />
            </header>
            <BrowserRouter>
                <Routes>
                    <Route path="/" element={ <NavBarComp />} />
                    <Route path='/create' element={ <CompCreateUser />} />
                    <Route path='/users' element={ <CompShowUsers />} />
                    <Route path='/edit/:id' element={ <CompEditUser />} />
                    <Route path='/regevento' element={ <CompCreateEvento />} />
                    <Route path='/shevento' element={ <CompMostrarEvento />} />
                </Routes>
            </BrowserRouter>
        </div>
    );
}

export default App;
```

webpack compiled successfully



## 7. App.test.js

```
src > JS App.test.js > ...
1 import { render, screen } from '@testing-library/react';
2 import App from './App';
3
4 test('renders learn react link', () => {
5   render();
6   const linkElement = screen.getByText(/learn react/i);
7   expect(linkElement).toBeInTheDocument();
8 });
9
```

The screenshot shows the Visual Studio Code interface with the 'App.test.js' file open. The Explorer sidebar on the left shows the project structure under 'FRONTENDPROYECTO'. The 'TERMINAL' tab at the bottom has the message: 'webpack compiled successfully'.

## 8. index.css

```
src > # index.css > & body
1 body {
2   margin: 0;
3   font-family: -apple-system, BlinkMacSystemFont, 'Segoe UI', 'Roboto', 'Oxygen',
4   'Ubuntu', 'Cantarell', 'Fira Sans', 'Droid Sans', 'Helvetica Neue',
5   sans-serif;
6   -webkit-font-smoothing: antialiased;
7   -moz-osx-font-smoothing: grayscale;
8 }
9
10 code {
11   font-family: source-code-pro, Menlo, Monaco, Consolas, 'Courier New',
12   monospace;
13 }
```

The screenshot shows the Visual Studio Code interface with the '#index.css' file open. The Explorer sidebar on the left shows the project structure under 'FRONTENDPROYECTO'. The 'TERMINAL' tab at the bottom has the message: 'webpack compiled successfully'.



## 9. index.js

index.js - frontendproyecto - Visual Studio Code [Administrador]

```

src > JS index.js > ...
1 import React from 'react';
2 import ReactDOM from 'react-dom/client';
3 import './index.css';
4 import App from './App';

5
6
7 const root = ReactDOM.createRoot(document.getElementById('root'));
8 root.render(
9   <React.StrictMode>
10   | <App />
11   </React.StrictMode>
12 );
13

```

PROBLEMAS SALIDA TERMINAL JUPITER CONSOLA DE DEPURACIÓN

Note that the development build is not optimized.  
To create a production build, use `npm run build`.

webpack compiled successfully

Lín. 12, col. 3 Espacios: 2 UTF-8 LF () JavaScript ⌂ Go Live ⌂

## 10. logo.svg

logo.svg - frontendproyecto - Visual Studio Code [Administrador]

```

src > logo.svg
1 7-23 35.6-58.4 50.6zM20.8 78.4z"/><circle cx="420.9" cy="296.5" r="45.7"/><path d="M520.5 78.1z"/></g></svg>

```

PROBLEMAS SALIDA TERMINAL JUPITER CONSOLA DE DEPURACIÓN

Note that the development build is not optimized.  
To create a production build, use `npm run build`.

webpack compiled successfully

Lín. 1, col. 2633 Espacios: 4 UTF-8 CRLF XML ⌂ Go Live ⌂



## 11. reportWebVitals

Frontend Project Explorer:

```

src > JS reportWebVitals.js > ...
  1 const reportWebVitals = onPerfEntry => {
  2   if (onPerfEntry && onPerfEntry instanceof Function) {
  3     import('web-vitals').then(({ getCLS, getFID, getFCP, getLCP, getTTFB }) => {
  4       getCLS(onPerfEntry);
  5       getFID(onPerfEntry);
  6       getFCP(onPerfEntry);
  7       getLCP(onPerfEntry);
  8       getTTFB(onPerfEntry);
  9     });
 10   }
 11 };
 12
 13 export default reportWebVitals;
 14

```

Terminal:

```

Note that the development build is not optimized.
To create a production build, use npm run build.

webpack compiled successfully

```

## 12. setupTest.js

Frontend Project Explorer:

```

src > JS setupTests.js > ...
  1 // jest-dom adds custom jest matchers for asserting on DOM nodes.
  2 // allows you to do things like:
  3 // expect(element).toHaveTextContent(/react/i)
  4 // learn more: https://github.com/testing-library/jest-dom
  5 import '@testing-library/jest-dom';
  6

```

Terminal:

```

Note that the development build is not optimized.
To create a production build, use npm run build.

webpack compiled successfully

```



## 14. package-lock.json (Se agregaron las librerías correspondientes)

package-lock.json - frontendproyecto - Visual Studio Code [Administrador]

```

1  {
2    "name": "frontendproyecto",
3    "version": "0.1.0",
4    "lockfileVersion": 2,
5    "requires": true,
6    "packages": {
7      "@react-icons/all-files": "4.1.0",
8      "@testing-library/jest-dom": "5.16.5",
9      "@testing-library/react": "13.4.0",
10     "@testing-library/user-event": "13.5.0",
11     "axios": "1.1.3",
12     "bootstrap": "5.2.3",
13     "react": "18.2.0",
14     "react-bootstrap": "2.6.0",
15     "react-dom": "18.2.0",
16     "react-icons": "4.6.0",
17     "react-router-dom": "6.4.3",
18     "react-scripts": "5.0.1",
19     "web-vitals": "2.1.4"
20   },
21   "node_modules/@adobe/css-tools": {
22     "version": "4.0.1",
23   }
24 },
25 "private": true,
26 "dependencies": {
27   "@react-icons/all-files": "4.1.0",
28   "@testing-library/jest-dom": "5.16.5",
29   "@testing-library/react": "13.4.0",
30   "@testing-library/user-event": "13.5.0",
31   "axios": "1.1.3",
32   "bootstrap": "5.2.3",
33   "react": "18.2.0",
34   "react-bootstrap": "2.6.0",
35   "react-dom": "18.2.0",
36   "react-icons": "4.6.0",
37   "react-router-dom": "6.4.3",
38   "react-scripts": "5.0.1",
39   "web-vitals": "2.1.4"
40 },
41 "scripts": {
42   "start": "react-scripts start",
43   "build": "react-scripts build",
44   "test": "react-scripts test",
45   "eject": "react-scripts eject"
46 },
47 "eslintConfig": {}
48 }
49 
```

Note that the development build is not optimized.  
To create a production build, use `npm run build`.

webpack compiled successfully

Lin. 19, col. 32 Espacios: 2 UTF-8 LF JSON Go Live

## 15. package.json (se agregaron las librerías correspondientes)

package.json - frontendproyecto - Visual Studio Code [Administrador]

```

1  {
2    "name": "frontendproyecto",
3    "version": "0.1.0",
4    "private": true,
5    "dependencies": {
6      "@react-icons/all-files": "4.1.0",
7      "@testing-library/jest-dom": "5.16.5",
8      "@testing-library/react": "13.4.0",
9      "@testing-library/user-event": "13.5.0",
10     "axios": "1.1.3",
11     "bootstrap": "5.2.3",
12     "react": "18.2.0",
13     "react-bootstrap": "2.6.0",
14     "react-dom": "18.2.0",
15     "react-icons": "4.6.0",
16     "react-router-dom": "6.4.3",
17     "react-scripts": "5.0.1",
18     "web-vitals": "2.1.4"
19   },
20   "scripts": {
21     "start": "react-scripts start",
22     "build": "react-scripts build",
23     "test": "react-scripts test",
24     "eject": "react-scripts eject"
25   },
26   "eslintConfig": {}
27 }
28 
```

Note that the development build is not optimized.  
To create a production build, use `npm run build`.

webpack compiled successfully

Lin. 19, col. 5 Espacios: 2 UTF-8 LF JSON Go Live



## Funcionamiento: Marcadores Deportivos

The screenshot shows a web browser window titled "Marcadores Deportivos". The address bar displays "localhost:3000". The main header features the text "Marcadores Deportivos Qatar" in a large, stylized font. Below the header, a navigation bar includes links for "MARCADORES DEPORTIVOS - MUNDIAL DE QATAR", "LOGIN", "LOGIN UP", "EVENTOS DEPORTIVOS", "USUARIOS", and "HELP".

The screenshot shows a web browser window titled "Marcadores Deportivos" with the URL "localhost:3000/create". The main header features the text "Marcadores Deportivos Qatar". Below the header, a navigation bar includes links for "MARCADORES DEPORTIVOS - MUNDIAL DE QATAR", "LOGIN", "LOGIN UP", "EVENTOS DEPORTIVOS", "USUARIOS", and "HELP". The main content area is titled "Creación de Usuarios". It contains three input fields: "Nombre" (Maria Camila Esquivel), "Email" (mariacamila33@gmail.com), and "Contraseña" (\*\*\*\*\*). A blue "Guardar" button is located at the bottom right of the form.



Marcadores Deportivos x +

localhost:3000/create

# Marcadores Deportivos Qatar

MARCADORES DEPORTIVOS - MUNDIAL DE QATAR LOGIN LOGIN UP EVENTOS DEPORTIVOS ▾

USUARIOS HELP

### Creación de Us

Maria Camila Esquivel	CREAR
mariacamila33@gmail.com	MOSTRAR EVENTOS
*****	Something
	Separated link

Guardar

localhost:3000/create#

Marcadores Deportivos x +

localhost:3000/regevento

# Marcadores Deportivos Qatar

MARCADORES DEPORTIVOS - MUNDIAL DE QATAR LOGIN LOGIN UP EVENTOS DEPORTIVOS ▾

USUARIOS HELP

### Creación de Eventos Deportivos

2022/22/28
Argentina
Mexico
2
1
Futbol

Guardar



Marcadores Deportivos x +

localhost:3000/shevento No sincronizando ...

# Marcadores Deportivos Qatar

MARCADORES DEPORTIVOS - MUNDIAL DE QATAR LOGIN LOGIN UP EVENTOS DEPORTIVOS USUARIOS HELP

Fecha	Equipo 1	Equipo 2	Marcador E1	Marcador E2	Tipo Evento
-------	----------	----------	-------------	-------------	-------------

localhost:3000/shevento#

### Cambio de logo.jsx:

Marcadores Deportivos x +

localhost:3000/create No sincronizando ...

MARCADORES DEPORTIVOS - MUNDIAL DE QATAR LOGIN LOGIN UP EVENTOS DEPORTIVOS USUARIOS HELP

### Creación de Usuarios

Ingrese su nombre  
email  
Password



MARCADORES DEPORTIVOS - MUNDIAL DE QATAR

LOGIN

LOGIN UP

EVENTOS DEPORTIVOS ▾

USUARIOS HELP



Fecha	Equipo 1	Equipo 2	Marcador E1	Marcador E2	Tipo Evento
-------	----------	----------	-------------	-------------	-------------

localhost:3000/shevento#



MARCADORES DEPORTIVOS - MUNDIAL DE QATAR

LOGIN

LOGIN UP

EVENTOS DEPORTIVOS ▾

USUARIOS HELP

### Creación de Eventos Deportivos

Ingrese la fecha año/mes/dia

Ingrese Equipo 1

Ingrese Equipo 2



Marcadores Deportivos   localhost:3000/regevento   No sincronizando

## Creación de Eventos Deportivos

Ingrese la fecha año/mes/dia  
Ingrese Equipo 1  
Ingrese Equipo 2  
Ingrese Marcador E1  
Ingrese Marcador E2  
Evento deportivo

Guardar

### Evidencias del Frontend en funcionamiento

Como evidencia del funcionamiento del Frontend, se debe presentar capturas de pantalla donde se visualice el consumo de recursos del API REST, desde el Frontend.

**Link de Github (Backend): <https://github.com/lefcelis/Backend-Marcadores-Deportivos>**



Screenshot of Visual Studio Code showing a POST request to `http://localhost:8000/usuarios/reguser`. The response status is 200 OK, size is 14 Bytes, and time is 136 ms. The response body is:

```
1 {
2   "message": {}
3 }
```

The terminal below shows the command to start the application:

```
PS C:\Users\Luz Stella Alvarez\Documents\ciclo4\backend> npm run start
> dockerg5181.0.0 start
> nodemon index.js

[nodemon] 2.0.20
[nodemon] to restart at any time, enter `rs`
[nodemon] watching path(s): *.*
[nodemon] watching extensions: js,mjs,json
[nodemon] starting 'node index.js'
Servidor Corriendo en http://localhost:8000/
La conexión fue realizada & con éxito a la bd:&
```

```
MINGW64/c/Users/Luz Stella Alvarez/Documents/ciclo4/backend
Luz Stella Alvarez@Luzstella MINGW64 ~/Documents/ciclo4/backend (main)
$ npm run start
> dockerg5181.0.0 start
> nodemon index.js

[nodemon] 2.0.20
[nodemon] to restart at any time, enter `rs`
[nodemon] watching path(s): *.*
[nodemon] watching extensions: js,mjs,json
[nodemon] starting 'node index.js'
Servidor Corriendo en http://localhost:8000/
La conexión fue realizada & con éxito a la bd:&
```



Screenshot of Visual Studio Code showing a POST request to `http://localhost:8000/usuarios/reguser`. The response status is 200 OK, size 14 Bytes, and time 12 ms. The JSON content of the response is:

```

1 {
2   "message": {}
3 }

```

The code editor shows a file named `jwtfunciones.js` with the following content:

```

1 import jwt from 'jsonwebtoken';
2
3 export const generateToken = (uid) => {
4   const expiresIn = 60 * 30;
5
6   try {
7     const token = jwt.sign({ uid }, process.env.JWTPRIVATEKEY, { expiresIn });
8     console.log('Mi token es:',token);
9     return { token };
10    } catch (error) {
11      console.log(error);
12    }
13  };
14
15
16 export const generateRefreshToken = (uid, res) => {
17  const expiresIn = 60 * 60 * 24 * 30;
18  try {
19    const refreshToken = jwt.sign({ uid }, process.env.JWT_REFRESH, {
20      expiresIn,
21    });
22
23    res.cookie("refreshToken", refreshToken, {
24      httpOnly: true,
25      secure: !(process.env.MODE === "developer"),
26      expires: new Date(Date.now() + expiresIn * 1000),
27      sameSite: "none"
28    });
29  }
30}

```

## Modificaciones:

Screenshot of Visual Studio Code showing the same `jwtfunciones.js` file with modifications. The code has been updated to include a try-catch block for generating the refresh token and setting it as a cookie.

```

1 import jwt from 'jsonwebtoken';
2
3 export const generateToken = (uid) => {
4   const expiresIn = 60 * 30;
5
6   try {
7     const token = jwt.sign({ uid }, process.env.JWTPRIVATEKEY, { expiresIn });
8     console.log('Mi token es:',token);
9     return { token };
10    } catch (error) {
11      console.log(error);
12    }
13  };
14
15
16 export const generateRefreshToken = (uid, res) => {
17  const expiresIn = 60 * 60 * 24 * 30;
18  try {
19    const refreshToken = jwt.sign({ uid }, process.env.JWT_REFRESH, {
20      expiresIn,
21    });
22
23    res.cookie("refreshToken", refreshToken, {
24      httpOnly: true,
25      secure: !(process.env.MODE === "developer"),
26      expires: new Date(Date.now() + expiresIn * 1000),
27      sameSite: "none"
28    });
29  }
30}

```

The terminal shows the command `webpack compiled successfully`.



## Eventos Deportivos

Atlas Maria Camil... Access Manager Billing All Clusters Get Help Maria Camila

Project 0 Data Services App Services Charts

DEPLOYMENT Database DATA SERVICES

Database Data Lake PREVIEW Triggers Data API Data Federation SECURITY

Quickstart Database Access Network Access Advanced

dbeventos oeventos users mongodbVSCodePlaygrou...

STORAGE SIZE: 36KB LOGICAL DATA SIZE: 1.75KB TOTAL DOCUMENTS: 10 INDEXES TOTAL SIZE: 7KB

Find Indexes Schema Anti-Patterns Aggregation Search Indexes

INSERT DOCUMENT

FILTER { field: 'value' } OPTIONS Apply Reset

createdAt: 2022-12-03T22:39:41.899+00:00  
updatedAt: 2022-12-03T22:39:42.368+00:00

\_id: ObjectId('638bc11a80627ad543e25d')  
nomuser: "Lucero Gambo"  
password: "\$2b\$12\$cuMkeTpAZ3FTQmbDqjqsR.QSSKVFBsSDaxZM6hF2igSzweTyr0xW"  
correo: "lucerog@hotmail.com"  
emailVerified: false  
createdAt: 2022-12-03T22:39:41.899+00:00  
updatedAt: 2022-12-03T22:39:41.899+00:00

System Status: All Good  
©2022 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales

Eventos Deportivos localhost:3000/create

Qatar 2022 Mostrar Eventos Registrar Evento Usuarios ▾ Editar Evento About

### Creación de Usuarios

Lucero Gambo

lucerog@hotmail.com

.....

Guardar



Eventos Deportivos

localhost:3000/users

Marcadores Deportivos - Qatar 2022

Qatar 2022 Mostrar Eventos Registrar Evento Usuarios ▾

Editar Evento About

Nombre Correo

create

Nombre Correo

localhost:3000/users#

Home Workspaces API Network Explore

My Workspace New Import Overview POST http://localhost:8000/

New Collection Tiendabarrío

POST http://localhost:8000/usuarios/login

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

Body (8) none form-data x-www-form-urlencoded raw binary GraphQL JSON

1 "correo": "lucerog@hotmail.com",  
2 "password": "12345"

Send

Body Cookies Headers (8) Test Results Status: 200 OK Time: 1142 ms Size: 418 B Save Response

Pretty Raw Preview Visualize JSON

1 {  
2 "token": {  
3 "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJpYXQiOjE2NzAxMDY3MTAsIiV4cC16MTY3MDExNzYxMH0.  
4 zn6JpQEjvzf2h1IGA9LaRIqWHRPj2a07wAXTJt6cs9k"  
5 }

Online Find and Replace Console Cookies Capture requests Runner Trash





Eventos Deportivos

localhost:3000/regevento

### Marcadores Deportivos- Futbol

Fecha Año/Mes/Dia
Digite Equipo 1
Digite Equipo 2
Digite Marcador E1
Digite Marcador E2
Digite el Evento D.

**Guardar**

Eventos Deportivos

localhost:3000/sheventos

**Deportivos - Qatar 2022**

Qatar 2022 Mostrar Eventos Registrar Evento Usuarios ▾

Editar Evento About

**Crear Evento Deportivo**

Fecha	Equipo 1	Equipo 2	Marcador E1	Marcador E2	Tipo evento
-------	----------	----------	-------------	-------------	-------------



Qatar 2022 Mostrar Eventos Registrar Evento Usuarios ▾

Editor Evento About

## Marcadores Deportivos- Futbol

cloud.mongodb.com/v2/6366ca89b0ad221f63bbba06#metrics/replicaSet/6366cc26bf74915aab9e671/explorer/dbeventos/users/find

All Clusters Get Help ▾ Maria Camila ▾

**Project 0** Data Services App Services Charts

DEPLOYMENT Database DATA SERVICES SECURITY

Database PREVIEW

Data Lake

DATA SERVICES

Triggers

Data API

Data Federation

SECURITY

Quickstart

Database Access

Network Access

Advanced

Atlas Maria Camil... Access Manager Billing

Find Indexes Schema Anti-Patterns Aggregation Search Indexes

SEARCH FILTER { field: 'value' } OPTIONS Apply Reset

**INSERT DOCUMENT**

**users**

mongodBVSCodePlaygroup...

**Find**

STORAGE SIZE: 36KB LOGICAL DATA SIZE: 1.76KB TOTAL DOCUMENTS: 10 INDEXES TOTAL SIZE: 72KB

**user**

nomuser: "maria\_camil" password: "\$2b\$12\$atv54g.dP8TOCPtisMftzu3VlTckaT1nhfl/TwX7M48hLnzSLpx6" correo: "mariacamilles12333@hotmail.com" emailVerified: false createdAt: 2022-11-29T23:21:29.325+00:00 updatedAt: 2022-11-29T23:21:29.325+00:00

**\_id**: ObjectId('638ba9d79fab69abb65c364c')

nomuser: "Maria Camila" password: "\$2b\$12\$KIV13r1VTQeq5r9FvUxQ00K2r9ERRAoJHbyOh1xuqRKYfmmYiwq" correo: "mariacamilles12@gmail.com" emailVerified: false createdAt: 2022-12-03T19:56:07.494+00:00 updatedAt: 2022-12-03T19:56:07.494+00:00

System Status: All Good

©2022 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales



Compiled successfully!

You can now view `frontendproyecto` in the browser.

Local: `http://localhost:3000`  
On Your Network: `http://172.26.128.1:3000`

Note that the development build is not optimized.  
To create a production build, use `npm run build`.

webpack compiled successfully

File Explorer:

- FRONTENDMARCADORES
  - node\_modules
  - public
    - favicon.ico
    - index.html
    - logo192.png
    - logo512.png
    - manifest.json
    - robots.txt
  - src
    - deportes
      - CreateEventos.jsx
      - CrearUsuarios.jsx
      - EditarEventos.jsx
      - EditarUsuarios.jsx
      - Login.jsx
      - Logo.jsx
      - MostrarEventos.jsx
      - MostrarUsuarios.jsx
      - NavBarComp.jsx
    - App.css
    - App.js
    - App.test.js
- ESQUEMA
- LÍNEA DE TIEMPO
- DOCKER CONTAINERS
- DOCKER IMAGES
- AZURE CONTAINER REGISTRY
- DOCKER HUB
- SUGGESTED DOCKER HUB IMAGES
- MYSQL

Atlas Maria Camila... Access Manager Billing All Clusters Get Help Maria Camila

Data Services App Services Charts

Project 0 Data Services App Services Charts

DEPLOYMENT Database PREVIEW

DATA SERVICES Data Lake mongoDB VSCODE Playgrou...

Triggers Data API Data Federation

SECURITY Quickstart Database Access Network Access Advanced

Search Namespaces

Find Indexes Schema Anti-Patterns Aggregation Search Indexes

STORAGE SIZE: 34KB LOGICAL DATA SIZE: 3.94KB TOTAL DOCUMENTS: 26 INDEXES TOTAL SIZE: 34KB

FILTER { field: 'value' } OPTIONS Apply Reset

`_id: ObjectId('638bc9261a80627ad543a24e')`  
`fecha: 2022-12-03T05:00:00.000+00:00`  
`equipo1: "Alemania"`  
`equipo2: "Mexico"`  
`marcador1: 4`  
`marcador2: 3`  
`tipoevento: "Futbol"`  
`createdat: 2022-12-03T22:09:42.458+00:00`  
`updatedat: 2022-12-03T22:09:42.458+00:00`

PREVIOUS 21-26 of 26 results NEXT

System Status: All Good  
©2022 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales



Screenshot of a development environment showing a POST request to `http://localhost:8000/usuarios/login` failing with a 403 Forbidden error.

**Request Body:**

```
1 {
2   "correo": "mariacamilae1@hotmail.com",
3   "password": "12345"
4 }
```

**Response:**

```
1 {
2   "error": "No existe este correo"
3 }
```

**MongoDB Atlas Data Services:**

- Project: Project 0
- Database: Database
- Data Services: Data Services
- Collection: dbeventos (ceventos, users)
- Document Preview:

```
_id: ObjectId('638bc9811a80627ad543a250')
fecha: 2022-12-04T05:00:00.000+00:00
equipo1: "Corea"
equipo2: "Brasil"
marcador1: 4
marcador2: 3
tipoevento: "Futbol"
createdAt: 2022-12-03T22:11:13.247+00:00
updatedAt: 2022-12-03T22:11:13.247+00:00
```



Eventos Deportivos    +

localhost:3000/sheventos

No sincronizando

# Deportivos - Qatar 2022

Qatar 2022    Mostrar Eventos    Registrar Evento    Usuarios ▾

Crear Evento Deportivo

Fecha	Equipo 1	Equipo 2	Marcador E1	Marcador E2	Tipo evento
-------	----------	----------	-------------	-------------	-------------

Eventos Deportivos    +

localhost:3000/regevento

No sincronizando

## Marcadores Deportivos- Futbol

2022/12/04
Corea
Brasil
4
3
Futbol

Guardar



A screenshot of a web browser window titled "Marcadores Deportivos - Qatar". The address bar shows "localhost:3000/shevento". The main content features a cartoon illustration of a soccer player kicking a ball, a soccer ball, a trophy, and a girl waving with a speech bubble saying "Bienvenida". A large speech bubble in the center contains the text "Marcadores Deportivos - Qatar 2022". The background shows a coastal scene with hills and water.

MUNDIAL DE FUTBOL (QATAR) LOGIN CREAR (LOGIN UP) MARCADORES DEPORTIVOS ▾ USUARIOS HELP

Fecha	Equipo 1	Equipo 2	Marcador E1	Marcador E2	Tipo Evento	
						
						

Marcadores Deportivos - Qatar x +

localhost:3000/shevento

No sincronizando

MUNDIAL DE FUTBOL (QATAR)		LOGIN	CREAR (LOGIN UP)	MARCADORES DEPORTIVOS ▾	USUARIOS	HELP																																																									
 <table border="1"> <thead> <tr> <th>Fecha</th><th>Equipo 1</th><th>Equipo 2</th><th>Marcador E1</th><th>Marcador E2</th><th>Tipo Evento</th><th></th></tr> </thead> <tbody> <tr><td>2022-11-20T05:00:00.000Z</td><td>Brasil</td><td>Ecuador</td><td>2</td><td>1</td><td>Futbol</td><td> </td></tr> <tr><td>2022-11-20T05:00:00.000Z</td><td>Argentina</td><td>Colombia</td><td>4</td><td>5</td><td>Futbol</td><td> </td></tr> <tr><td>2022-11-20T05:00:00.000Z</td><td>Argentina</td><td>Brasil</td><td>4</td><td>2</td><td>Futbol</td><td> </td></tr> <tr><td>2022-12-02T05:00:00.000Z</td><td>Argentina</td><td>Mexico</td><td>2</td><td>1</td><td>Futbol</td><td> </td></tr> <tr><td>2022-12-02T05:00:00.000Z</td><td>Argentina</td><td>Mexico</td><td>2</td><td>1</td><td>Futbol</td><td> </td></tr> <tr><td>2022-12-02T05:00:00.000Z</td><td>Argentina</td><td>Mexico</td><td>2</td><td>1</td><td>Futbol</td><td> </td></tr> <tr><td>2022-12-02T05:00:00.000Z</td><td>Argentina</td><td>Mexico</td><td>2</td><td>1</td><td>Futbol</td><td> </td></tr> <tr><td>2022-12-02T05:00:00.000Z</td><td>Argentina</td><td>Mexico</td><td>2</td><td>1</td><td>Futbol</td><td> </td></tr> </tbody> </table>	Fecha	Equipo 1	Equipo 2	Marcador E1	Marcador E2	Tipo Evento		2022-11-20T05:00:00.000Z	Brasil	Ecuador	2	1	Futbol	 	2022-11-20T05:00:00.000Z	Argentina	Colombia	4	5	Futbol	 	2022-11-20T05:00:00.000Z	Argentina	Brasil	4	2	Futbol	 	2022-12-02T05:00:00.000Z	Argentina	Mexico	2	1	Futbol	 	2022-12-02T05:00:00.000Z	Argentina	Mexico	2	1	Futbol	 	2022-12-02T05:00:00.000Z	Argentina	Mexico	2	1	Futbol	 	2022-12-02T05:00:00.000Z	Argentina	Mexico	2	1	Futbol	 	2022-12-02T05:00:00.000Z	Argentina	Mexico	2	1	Futbol	 
Fecha	Equipo 1	Equipo 2	Marcador E1	Marcador E2	Tipo Evento																																																										
2022-11-20T05:00:00.000Z	Brasil	Ecuador	2	1	Futbol	 																																																									
2022-11-20T05:00:00.000Z	Argentina	Colombia	4	5	Futbol	 																																																									
2022-11-20T05:00:00.000Z	Argentina	Brasil	4	2	Futbol	 																																																									
2022-12-02T05:00:00.000Z	Argentina	Mexico	2	1	Futbol	 																																																									
2022-12-02T05:00:00.000Z	Argentina	Mexico	2	1	Futbol	 																																																									
2022-12-02T05:00:00.000Z	Argentina	Mexico	2	1	Futbol	 																																																									
2022-12-02T05:00:00.000Z	Argentina	Mexico	2	1	Futbol	 																																																									
2022-12-02T05:00:00.000Z	Argentina	Mexico	2	1	Futbol	 																																																									
2022-11-20T05:00:00.000Z	Brasil	Ecuador	2	1	Futbol	 																																																									
2022-11-20T05:00:00.000Z	Argentina	Colombia	4	5	Futbol	 																																																									
2022-11-20T05:00:00.000Z	Argentina	Brasil	4	2	Futbol	 																																																									
2022-12-02T05:00:00.000Z	Argentina	Mexico	2	1	Futbol	 																																																									
2022-12-02T05:00:00.000Z	Argentina	Mexico	2	1	Futbol	 																																																									
2022-12-02T05:00:00.000Z	Argentina	Mexico	2	1	Futbol	 																																																									
2022-12-02T05:00:00.000Z	Argentina	Mexico	2	1	Futbol	 																																																									
2022-12-02T05:00:00.000Z	Argentina	Mexico	2	1	Futbol	 																																																									





2022-12-03T05:00:00.000Z	Paises Bajos	Estados Unidos	3	1	Futbol			
2022-12-03T05:00:00.000Z	Paises Bajos	Estados Unidos	3	1	Futbol			
2022-12-03T05:00:00.000Z	Paises Bajos	Estados Unidos	3	1	Futbol			
2022-12-03T05:00:00.000Z	Paises Bajos	Estados Unidos	3	1	Futbol			
2022-12-03T05:00:00.000Z	Paises Bajos	Estados Unidos	3	1	Futbol			
2022-12-03T05:00:00.000Z	Paises Bajos	Estados Unidos	3	1	Futbol			
2022-12-03T05:00:00.000Z	Paises Bajos	Estados Unidos	3	1	Futbol			
2022-12-03T05:00:00.000Z	Paises Bajos	Estados Unidos	3	1	Futbol			
2022-12-03T05:00:00.000Z	Paises Bajos	Estados Unidos	3	1	Futbol			
2022-12-03T05:00:00.000Z	Corea del Sur	Brasil	0	4	Futbol			
2022-12-05T05:00:00.000Z	Corea del Sur	Brasil	0	4	Futbol			
2022-12-05T05:00:00.000Z	Marruecos	España	1	2	Futbol			
2022-12-05T05:00:00.000Z	Senegal	Francia	2	3	Futbol			
2022-12-05T05:00:00.000Z	Senegal	Francia	2	3	Futbol			



Home Workspaces API Network Explore

My Workspace New Import Overview POST http://localhost:8000/usuarios/login

POST http://localhost:8000/usuarios/login

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

Type Bearer To... Token Token

The authorization header will be automatically generated when you send the request. Learn more about [authorization](#)

Status: 200 OK Time: 984 ms Size: 418 B Save Response

Body Cookies Headers (8) Test Results

Pretty Raw Preview Visualize JSON

```
1 "token": {  
2     "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJpYXQiOjE2NzAyOTM3MjMsImV4cCI6MTY3MDI5NTUyM30.  
3         9hmR3WiaidFsymIQRxGBRQL6vo5HUx46jEYzhSwGL1U"  
4 }  
5 }
```

Online Find and Replace Console Cookies Capture requests Runner Trash

Marcadores Deportivos - Qatar

localhost:3000/users

No sincronizando

MUNDIAL DE FUTBOL (QATAR) LOGIN CREAR (LOGIN UP) MARCADORES DEPORTIVOS USUARIOS HELP

Nombre Correo Password

create



MUNDIAL DE FUTBOL (QATAR)				LOGIN	CREAR (LOGIN UP)	MARCADORES DEPORTIVOS	USUARIOS	HELP
				<a href="#">crear</a>				
Nombre	Correo	Contraseña						
Juan	juandv@gmail.com	123calodl		<a href="#">editar</a>	<a href="#">Eliminar</a>			
Gabriela	gabypdhggv@gmail.com	gabbcshfhdll		<a href="#">editar</a>	<a href="#">Eliminar</a>			
Cris Mateous	crismateous4@gmail.com	mateoush1		<a href="#">editar</a>	<a href="#">Eliminar</a>			
Maria Camila Esquivel	mariacamilaes2@gmail.com	\$2b\$12\$vckRRCTBxCXjJCxuRr3xuRusQ8aA1ZnCdcGaQTF1SoplBLXo0I2		<a href="#">editar</a>	<a href="#">Eliminar</a>			
Maria Camila Esquivel	mariacamila233@gmail.com	\$2b\$12\$9jYxUBix6L8JmiQVO37/eeSB2T74aNlwloPl2twDthHNKoG5bsQDHa		<a href="#">editar</a>	<a href="#">Eliminar</a>			
Maria Camila Esquivel	mariacamilaea@hotmail.com	\$2b\$12\$OuqAfBi959AsRPkBCuyP9uXzNWy4AMVC9cBxWMfuXbR2olbeOXNum		<a href="#">editar</a>	<a href="#">Eliminar</a>			
Maria Camila	mariacc@gmail.com	\$2b\$12\$Wd/F7K5PJM4Q6b5/gjqzMuFspQ3noUM0U2QK9xs2ppHHvS84e8dPq		<a href="#">editar</a>	<a href="#">Eliminar</a>			
maria camila	mariacamila123333@hotmail.com	\$2b\$12\$Avt54g.dP8TOCPtsMftzu3VItckaT1nhfn/TwX7M48hLnzSLpx6		<a href="#">editar</a>	<a href="#">Eliminar</a>			
Maria Camila Esquivel	mariacamilaes2@gmail.com	\$2b\$12\$.vckRRCTBxCXjJCxuRr3xuRusQ8aA1ZnCdcGaQTF1SoplBLXo0I2		<a href="#">editar</a>	<a href="#">Eliminar</a>			
Maria Camila Esquivel	mariacamila233@gmail.com	\$2b\$12\$9jYxUBix6L8JmiQVO37/eeSB2T74aNlwloPl2twDthHNKoG5bsQDHa		<a href="#">editar</a>	<a href="#">Eliminar</a>			
Maria Camila Esquivel	mariacamilaea@hotmail.com	\$2b\$12\$OuqAfBi959AsRPkBCuyP9uXzNWy4AMVC9cBxWMfuXbR2olbeOXNum		<a href="#">editar</a>	<a href="#">Eliminar</a>			
Maria Camila	mariacc@gmail.com	\$2b\$12\$Wd/F7K5PJM4Q6b5/gjqzMuFspQ3noUM0U2QK9xs2ppHHvS84e8dPq		<a href="#">editar</a>	<a href="#">Eliminar</a>			
maria camila	mariacamila123333@hotmail.com	\$2b\$12\$Avt54g.dP8TOCPtsMftzu3VItckaT1nhfn/TwX7M48hLnzSLpx6		<a href="#">editar</a>	<a href="#">Eliminar</a>			
Maria Camila	mariacamilaes12@gmail.com	\$2b\$12\$KVi3F1VTQoqSr9FvUx:QOOK2r9ERRAorJHbyOhlxuqRKYfmmiYiwq		<a href="#">editar</a>	<a href="#">Eliminar</a>			
camilo alvarez	alvarezc@hotmail.com	\$2b\$12\$PtvS6P2sLEnw8a6QBgZkm./hMsGq4SKHhKp5tmtFYqkoCE55Fe0C6		<a href="#">editar</a>	<a href="#">Eliminar</a>			
gabriela alba	gabrielaalba@hotmail.com	\$2b\$12\$MrqtkwSkvpVksVl5AZEMC.2.q7s7l69DHISmUB0KIH3G6yKL96K56		<a href="#">editar</a>	<a href="#">Eliminar</a>			
Rocha Monte	rocha123@hotmail.com	\$2b\$12\$NYRe8lc8Uz5AEqh0weBReeKCNa4cejh10PzkrmGjOxKyb87zWys05e		<a href="#">editar</a>	<a href="#">Eliminar</a>			
Luz Stella Alvarez	lucero@hotmail.com	\$2b\$12\$RPaxPb4ljWLc.uYMI2SJ4.F2hVflHysb4xDNoRH3ImpDW3mWqnC7u		<a href="#">editar</a>	<a href="#">Eliminar</a>			
Lucero Gambo	lucerog@hotmail.com	\$2b\$12\$cuMkelpAZIfTQxbDq/q5R.QS3KVFBUs8DAxZMGhF3igSzwe7yrOxW		<a href="#">editar</a>	<a href="#">Eliminar</a>			
Vanesa Cortes	cvana@gmail.com	\$2b\$12\$hcq7qV76leoCB60Rd4RgudeeDsMwbKpZpz2zi/qE4zSgKnldMV6QK		<a href="#">editar</a>	<a href="#">Eliminar</a>			



Marcadores Deportivos - Qatar x +

localhost:3000/create

No sincronizando ...

MUNDIAL DE FUTBOL (QATAR) LOGIN CREAR (LOGIN UP) MARCADORES DEPORTIVOS ▾

USUARIOS HELP

**Creación de Usuarios**

Cher Adams

cheradams@hotmail.com

.....|

Guardar



Marcadores Deportivos - Qatar x +

localhost:3000/create

No sincronizando ...

MUNDIAL DE FUTBOL (QATAR) LOGIN CREAR (LOGIN UP) MARCADORES DEPORTIVOS ▾

USUARIOS HELP

Guardar Usuario

Esta seguro de guardar su información?


SI NO

cheradams@hotmail.com

.....

Guardar





MUNDIAL DE FUTBOL (QATAR)			LOGIN	CREAR (LOGIN UP)	MARCADORES DEPORTIVOS	USUARIOS	HELP
			create				
Nombre	Correo	Password					
Maria Camila	mariacc@gmail.com	\$2b\$12\$Wd/F7K5PJM4Q6b5/gjgzMuFspQ3noUM0U2QK9xs2ppHHvS84o8dPq	<a href="#">edit</a>	<a href="#">Eliminar</a>			
maria camila	mariacamila123333@hotmail.com	\$2b\$12\$Avt54g.dP8TOCPtsMftzu3VItckaT1nHfN/TwX7M48hLnzSLpx6	<a href="#">edit</a>	<a href="#">Eliminar</a>			
Maria Camila	mariacamilaes12@gmail.com	\$2b\$12\$KiVi3F1VTQoqSr9FvUxQOOK2r9ERRAorJHbyOhIxuqRKYfrmmiYiwq	<a href="#">edit</a>	<a href="#">Eliminar</a>			
camilo.alvarez	alvarezc@hotmail.com	\$2b\$12\$Ptv\$6P2sLEnw8a6QBgZkm./hMsGq4SKHhKp5tmtFYqkoCE55Fe0C6	<a href="#">edit</a>	<a href="#">Eliminar</a>			
gabriela alba	gabrielaalba@hotmail.com	\$2b\$12\$MrqtkwSkvpVksV5lAZEMC.2.q7s7l69DHISmUB0KH3G6yKL96K56	<a href="#">edit</a>	<a href="#">Eliminar</a>			
Rocha Monte	rocha123@hotmail.com	\$2b\$12\$NyRe8lct8Jz5AEqh0weBReeKCNa4cejhIOPzKmGjOXYb87zWys05e	<a href="#">edit</a>	<a href="#">Eliminar</a>			
Luz Stella Alvarez	lucero@hotmail.com	\$2b\$12\$RPaxPb4ljWlc.uYMI2J4.F2hVflHysb4xDn0RH3IMpDW3mWqnC7u	<a href="#">edit</a>	<a href="#">Eliminar</a>			
Lucero Gambo	lucerog@hotmail.com	\$2b\$12\$cuMkelpAZJfTQXbDq/q5R.QS3KVFBUs8DAxZMGhF3igSzwe7yrOxW	<a href="#">edit</a>	<a href="#">Eliminar</a>			
Vanesa Cortes	cvana@gmail.com	\$2b\$12\$hcq7qv76hleoCB60Rd4RgudeeDsMwbKpZpz2zi/qE4zSgKNdMV6QK	<a href="#">edit</a>	<a href="#">Eliminar</a>			
Natasha Valencia	natashavalen@hotmail.com	\$2b\$12\$kZIBSRh1155XRRGfrD5rB.NgjEh2Ug05CpLlRr.ilom7pwkruRW3q	<a href="#">edit</a>	<a href="#">Eliminar</a>			
Thomas Val	thomasvalen@hotmail.com	\$2b\$12\$i/Nshrvrs877uLUAPAUhUEk2NcegHjdGD0U.v9PdLmQhC02MUy8S	<a href="#">edit</a>	<a href="#">Eliminar</a>			
Cher Adams	cheradams@hotmail.com	\$2b\$12\$6R/HFgfVYQ54J5vonYNUPoS8Ujm5WmfEE2FQOR9bHIk6BB05kw1C	<a href="#">edit</a>	<a href="#">Eliminar</a>			



Marcadores Deportivos - Qatar			
localhost:3000/users			
Maria Camila	mariacamilaeas12@gmail.com	\$2b\$12\$Kiv3F1VTQoqSr9FvUxQOOK2r9ERRAorJHbyOhlxuqRKYfmmiYiwq	<a href="#">editar</a> <a href="#">Eliminar</a>
camilo.alvarez	alvarezc@hotmail.com	\$2b\$12\$PtvS6P2sLEnw8a6QBgZkm./hMsGq4SKHHkp5tmtFYqkoCE55Fe0C6	<a href="#">editar</a> <a href="#">Eliminar</a>
gabriela alba	gabrielaalba@hotmail.com	\$2b\$12\$MrqtkwSkvpVksVl5AZEMC.2.q7s7l69DHISmUB0KLH3G6yKL96K56	<a href="#">editar</a> <a href="#">Eliminar</a>
Rocha Monte	rocha123@hotmail.com	\$2b\$12\$NYRe8lc8Uz5AEqh0weBReeKCNa4cejh10PzkrmGjOxKyb87zWys05e	<a href="#">editar</a> <a href="#">Eliminar</a>
Luz Stella Alvarez	lucero@hotmail.com	\$2b\$12\$RPaxPb4ljWLc.uYMI2SJ4F2hVflHysb4xDNoRH3IMpDW3mWqnC7u	<a href="#">editar</a> <a href="#">Eliminar</a>
Lucero Gambo	lucerog@hotmail.com	\$2b\$12\$cuMkelpAZJftQxbD/qS.R.QS3KVFBUs8DAxZMGhF3igSzwe7yrOxW	<a href="#">editar</a> <a href="#">Eliminar</a>
Vanesa Cortes	cvanesa@gmail.com	\$2b\$12\$hcq7qV76hleoCB60Rd4RgudeeDsMwbKpZpz2zi/qE4zSgKnldMV6QK	<a href="#">editar</a> <a href="#">Eliminar</a>
Natasha Valencia	natashavalen@hotmail.com	\$2b\$12\$kZIBSRh1155XRRGfrD5rB.NgjEh2Ug05CpLiRr.ilom7pwkrRUW3q	<a href="#">editar</a> <a href="#">Eliminar</a>
Thomas Val	thomasvalen@hotmail.com	\$2b\$12\$i/Nshrvrs877uLUAPAUhUEk2NcegHjdGD0U.v9PdLmQhC02MUy8S	<a href="#">editar</a> <a href="#">Eliminar</a>
Cher Adams	cheradams@hotmail.com	\$2b\$12\$6R/HFgfVYQ54J5vonYNUPoS8Ujm5WmfEE2FQOR9bHIK6BBo5kw1C	<a href="#">editar</a> <a href="#">Eliminar</a>
Rafael Velez	rafaelvelez@hotmail.com	\$2b\$12\$ull8kSYbbF4mv06LN.8QSusl4dqj.v9nl20NvvHAGXM8nCe/9J6S6	<a href="#">editar</a> <a href="#">Eliminar</a>
Maria Camila	mariacamila@gmail.com	\$2b\$12\$T1UhYSfD3/AbiPf5JDQpD.7MljNECKfJHM1i/Bp4muEOaWuzHrY6	<a href="#">editar</a> <a href="#">Eliminar</a>

## Marcadores Deportivos - Qatar

MUNDIAL DE FUTBOL (QATAR) [LOGIN](#) [CREAR \(LOGIN UP\)](#) [MARCADORES DEPORTIVOS](#) [USUARIOS](#) [HELP](#)

### Usuarios Registrados

Ingrese su correo

Ingrese su password

[Sign In](#) [Sign Up](#)



MUNDIAL DE FUTBOL (QATAR) LOGIN CREAR (LOGIN UP) MARCADORES DEPORTIVOS ▾

USUARIOS HELP



Fecha	Equipo 1	Equipo 2	Marcador E1	Marcador E2	Tipo Evento	
2022-11-20T05:00:00.000Z	Brasil	Ecuador	2	1	Futbol	
2022-11-20T05:00:00.000Z	Argentina	Colombia	4	5	Futbol	

```

MINGW64:/d/nuevo.proyecto/backendmarcadores
HTML like Gecko) AppleWebKit/108.0.0.0 Safari/537.36 Edg/108.0.1462.42",
  'sec-ch-ua-platform': "Windows",
  'origin': 'http://localhost:3000',
  'sec-fetch-site': 'same-site',
  'sec-fetch-mode': 'cors',
  'sec-fetch-dest': 'empty',
  'sec-fetch-dst': 'empty',
  'referer': 'http://localhost:3000/',
  'accept-encoding': 'gzip, deflate, br',
  'accept-language': 'es,es-ES;q=0.9,en;q=0.8,en-GB;q=0.7,en-US;q=0.6'
}

host: 'localhost:8000',
connection: 'keep-alive',
'sec-ch-ua': '"Not A Brand";v="8", "Chromium";v="108", "Microsoft Edge";v="108",
',
'accept': 'application/json, text/plain, */*, application/json',
'sec-ch-ua-mobile': '1',
'authorization': 'Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkxvCj9.eYJpYXQjOzE2NzA1Mj
k2NzIsIm44cTlMTj3MDUzMTE3D0X.k9hnB6sdzCpwed0mPN-4rMkAa_zdtT3o7z2WMA',
'user-agent': 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML,
like Gecko) Chrome/108.0.0.0 Safari/537.36 Edg/108.0.1462.42',
'sec-ch-ua-platform': "Windows",
'origin': 'http://localhost:3000',
'sec-fetch-site': 'same-site',
'sec-fetch-mode': 'cors',
'sec-fetch-dest': 'empty',
'referer': 'http://localhost:3000/',
'accept-encoding': 'gzip, deflate, br',
'accept-language': 'es,es-ES;q=0.9,en;q=0.8,en-GB;q=0.7,en-US;q=0.6',
'if-none-match': 'W/"830c-FpULbgnE9CsgkzCvy3zkP0dVR24"'

host: 'localhost:8000',
connection: 'keep-alive',
'sec-ch-ua': '"Not A Brand";v="8", "Chromium";v="108", "Microsoft Edge";v="108",
',
'accept': 'application/json, text/plain, */*, application/json',
'sec-ch-ua-mobile': '1',
'authorization': 'Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkxvCj9.eYJpYXQjOzE2NzA1Mj
k2NzIsIm44cTlMTj3MDUzMTE3D0X.k9hnB6sdzCpwed0mPN-4rMkAa_zdtT3o7z2WMA',
'user-agent': 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML,
like Gecko) Chrome/108.0.0.0 Safari/537.36 Edg/108.0.1462.42',
'sec-ch-ua-platform': "Windows",
'origin': 'http://localhost:3000',
'sec-fetch-site': 'same-site',
'sec-fetch-mode': 'cors',
'sec-fetch-dest': 'empty',
'referer': 'http://localhost:3000/',
'accept-encoding': 'gzip, deflate, br',
'accept-language': 'es,es-ES;q=0.9,en;q=0.8,en-GB;q=0.7,en-US;q=0.6',
'if-none-match': 'W/"830c-FpULbgnE9CsgkzCvy3zkP0dVR24"'

host: 'localhost:8000',
connection: 'keep-alive',
'sec-ch-ua': '"Not A Brand";v="8", "Chromium";v="108", "Microsoft Edge";v="108",
',
'accept': 'application/json, text/plain, */*, application/json',
'sec-ch-ua-mobile': '1',
'authorization': 'Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkxvCj9.eYJpYXQjOzE2NzA1Mj
k2NzIsIm44cTlMTj3MDUzMTE3D0X.k9hnB6sdzCpwed0mPN-4rMkAa_zdtT3o7z2WMA',
'user-agent': 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML,
like Gecko) Chrome/108.0.0.0 Safari/537.36 Edg/108.0.1462.42',
'sec-ch-ua-platform': "Windows",
'origin': 'http://localhost:3000',
'sec-fetch-site': 'same-site',
'sec-fetch-mode': 'cors',
'sec-fetch-dest': 'empty',
'referer': 'http://localhost:3000/',
'accept-encoding': 'gzip, deflate, br',
'accept-language': 'es,es-ES;q=0.9,en;q=0.8,en-GB;q=0.7,en-US;q=0.6',
'if-none-match': 'W/"830c-FpULbgnE9CsgkzCvy3zkP0dVR24"'
}

```



http://localhost:8000/usuarios/shuser

GET http://localhost:8000/usuarios/shuser

Send

Params Authorization Headers (9) Body \* Pre-request Script Tests Settings

Cookies

• none • form-data • x-www-form-urlencoded • raw • binary • GraphQL JSON

Beautify

```
1 {
2     "correo": "vale@gmail.com",
3     "nomuser": "Valentina Ruiz",
4     "password": "123456"
5 }
```

Body Cookies Headers (8) Test Results

200 OK 131 ms 5.67 KB

Save Response

Pretty

Raw

Preview

Visualize

JSON

```
1 {
2     "_id": "63717f571bee093f30dc79b4",
3     "nomuser": "efrain",
4     "password": "$2b$12$goSzu8D/vell6/l2B6i6CefbUpoVaUVDjTnxDSTLi4VgoU5uvver",
5     "correo": "efrain@gmail.com",
6     "emailVerified": false,
7     "createdAt": "2022-11-13T23:35:51.552Z",
8     "updatedAt": "2022-11-13T23:35:51.552Z"
9 }
```

usuarios / http://localhost:8000/usuarios/reguser

POST http://localhost:8000/usuarios/reguser

Send

Params Authorization \* Headers (10) Body \* Pre-request Script Tests Settings

Cookies

• none • form-data • x-www-form-urlencoded • raw • binary • GraphQL JSON

Beautify

```
1 {
2     "nomuser": "Maria Camila",
3     "correo": "mariacamila@gmail.com",
4     "password": "123456"
5 }
```

Body Cookies Headers (8) Test Results

Status: 200 OK Time: 521 ms Size: 535 B Save Response

Pretty

Raw

Preview

Visualize

JSON

```
1 {
2     "nomuser": "Maria Camila",
3     "password": "$2b$12$/Ph.N6XILnPpxfQl.BC3R.4FGYDfo9oPBalnszyaOKR10xwRg...g",
4     "correo": "mariacamila@gmail.com",
5     "emailVerified": false,
6     "_id": "638fec7a02aaeb31bf3e81",
7     "createdAt": "2022-12-07T01:29:30.468Z",
8     "updatedAt": "2022-12-07T01:29:30.468Z"
9 }
```



http://localhost:8000/usuarios/shuser

GET http://localhost:8000/usuarios/shuser

Params Authorization Headers (10) Body Pre-request Script Tests Settings

Type Bearer Token Heads up! These parameters hold sensitive data. To keep this data secure while working in a collaborative environment, we recommend using variables.

The authorization header will be automatically generated when you send the request. Learn more about [authorization](#).

Token

Set as variable

```
ey.JhbG0tQ1JUZmNmR5cC16kpXVCjB...eyJz...  
YXQ0LDE2MjMyNTM2NDQ3amV4cCHMTY20T1  
INTQOwHCJXaWlPVyrsRRdorRGPPB0dRCKp  
bHx3N-WA-268gjy...
```

Body Cookies Headers (8) Test Results

Status

Pretty Raw Preview Visualize JSON

```
1
2
3
4
5
6
7
8
9
10
11
```

```
{
  "emailVerified": false,
  "createdAt": "2022-11-13T23:44:21.314Z",
  "updatedAt": "2022-11-13T23:44:21.314Z"
},
```

http://localhost:8000/usuarios/shevento

Save

GET http://localhost:8000/usuarios/shevento

Params Authorization Headers (10) Body Pre-request Script Tests Settings

Type Bearer Token Heads up! These parameters hold sensitive data. To keep this data secure while working in a collaborative environment, we recommend using variables. Learn more about [variables](#).

The authorization header will be automatically generated when you send the request. Learn more about [authorization](#).

Token

ey.JhbG0tQ1JUZmNmR5cC16kpXVCjB...ey...

Body Cookies Headers (8) Test Results

Status: 200 OK Time: 104 ms Size: 0.5 KB

Pretty Raw Preview Visualize JSON

```
1
2
3
4
5
6
7
8
9
10
```

```
[
  {
    "emailVerified": false,
    "_id": "63781de0475ec19bbdd4bc",
    "name": "Carolina",
    "createdAt": "2022-11-13T23:44:21.314Z",
    "updatedAt": "2022-11-13T23:44:21.314Z"
}
```



## Evidencia GitLab o GitHub

Evidencia de la realización de alguna actualización (commit), donde se visualice la actualización y el historial de actualizaciones (Versión)

**Link de Github (Frontend):** <https://github.com/lefcelis/Frontend-Marcadores-Deportivos>

The screenshot shows the GitHub repository page for 'Frontend-Marcadores-Deportivos'. The repository is public and has 2 branches and 0 tags. The master branch has recent pushes 29 minutes ago. The repository description is 'Frontend del proyecto: Marcadores Deportivos de la Copa Mundial de la FIFA Catar 2022'. The commit history shows a single commit from 'mariacamilaea' titled 'first commit' at 0b8fc6 30 minutes ago. The commit details show files like 'public', 'src', '.gitignore', 'Marcadores Deportivos Qatar.svg', 'README.md', 'hs\_err\_pid10056.log', and 'hs\_err\_pid10076.log' all having their first commit at the same time.

File	Commit	Time
public	first commit	30 minutes ago
src	first commit	30 minutes ago
.gitignore	first commit	30 minutes ago
Marcadores Deportivos Qatar.svg	first commit	30 minutes ago
README.md	first commit	30 minutes ago
hs_err_pid10056.log	first commit	30 minutes ago
hs_err_pid10076.log	first commit	30 minutes ago



Searched: lefcelis / Frontend-Marcadores-Deportivos

Pull requests Issues Codespaces Marketplace Explore

Watch 1 Fork 0 Star 0

Code Issues Pull requests Actions Projects Wiki Security Insights

master

Commits on Nov 27, 2022

first commit

mariacamilaea committed 37 minutes ago

Ob8Fc6

↪

Newer Older

© 2022 GitHub, Inc.

Terms

Privacy

Security

Status

Docs

Contact GitHub

Pricing

API

Training

Blog

About

Delete App.test.js

mariacamilaea committed 1 hour ago

Verified



b67f591

↪

Delete App.js

mariacamilaea committed 1 hour ago

Verified



91e45c3

↪

Delete App.css

mariacamilaea committed 1 hour ago

Verified



e5c4be0

↪

Delete .gitignore

mariacamilaea committed 1 hour ago

Verified



5ae8077

↪

Delete setupTests.js

mariacamilaea committed 1 hour ago

Verified



19743b2

↪

src

mariacamilaea committed 1 hour ago

Verified



92136a1

↪

build

mariacamilaea committed 1 hour ago

Verified



d113679

↪

frontend

mariacamilaea committed 1 hour ago

Verified



f1498b3

↪

Commits on Nov 21, 2022

Update README.md

lefcelis committed 7 days ago

Verified



2566039

↪

Initial commit

lefcelis committed 7 days ago

Verified



b4fe1ee

↪



**Link Github (Backend):** <https://github.com/lefcelis/Backend-Marcadores-Deportivos>

Screenshot of the GitHub repository page for `Backend-Marcadores-Deportivos`.

The repository was created by `mariacamilaea` and has 19 commits. The last commit was made 1 hour ago.

The repository contains the following files:

- Acta. Sprint2: Delete Acta\_Reunión Sprint 2.docx.pdf (13 days ago)
- Midlewares: Backend modificado (1 hour ago)
- Sprint1: Sprint (14 days ago)
- configs: Backend modificado (1 hour ago)
- controllers: Backend modificado (1 hour ago)
- middleware: backend.marcadores (21 hours ago)
- models: Backend modificado (1 hour ago)
- node\_modules: Se agrega Backend del proyecto (15 days ago)
- routes: Backend modificado (1 hour ago)
- vcorreo: Backend modificado (1 hour ago)
- .dockerignore: Se agrega el contenido de la carpeta DockerG51 (21 days ago)

The repository has 0 stars, 1 watching, and 0 forks.

**About**: Backend del proyecto: Marcadores Deportivos de la Copa Mundial de la FIFA Catar 2022.

**Code**: Go to file Add file

**Releases**: No releases published Create a new release

**Packages**: No packages published Publish your first package

**Contributors**: 2

**Environments**: 1

**Production**: Active



github.com/lefcelis/Backend-Marcadores-Deportivos/commits/main

- Sprint
  - marlacamilaea committed 14 days ago ✓  
Update README.md  
lefcelis committed 15 days ago ✓  
Excluded .env  
lefcelis committed 15 days ago ✓
- Commits on Nov 20, 2022
  - Update README.md  
lefcelis committed 15 days ago  
Actualización database  
lefcelis committed 15 days ago  
Se agrega Backend del proyecto UNAB Ciclo 4  
lefcelis committed 15 days ago  
Se agrega Backend del proyecto  
lefcelis committed 15 days ago
- Commits on Nov 19, 2022
  - Se modifica Controllers para Eventos y Usuarios  
lefcelis committed 16 days ago  
Controllers  
lefcelis committed 16 days ago
- Commits on Nov 18, 2022

github.com/lefcelis/Backend-Marcadores-Deportivos Public

- Code Issues Pull requests Actions Projects Wiki Security Insights
- main
- Commits on Dec 5, 2022
  - Backend modificado  
marlacamilaea committed 1 hour ago ✓
- Commits on Dec 4, 2022
  - backend.marcadores ...  
marlacamilaea committed 21 hours ago ✓
- Commits on Nov 22, 2022
  - Delete Acta\_Reunión Sprint 2.docx.pdf  
marlacamilaea committed 13 days ago ✓  
Add files via upload  
marlacamilaea committed 13 days ago ✓  
Delete Sprint\_2.pdf  
marlacamilaea committed 13 days ago ✓
- Commits on Nov 21, 2022



## Evidencia JIRA (Seguimiento del proyecto)

Como evidencia del seguimiento del proyecto con la metodología ágil SCRUM, utilizando el software JIRA, se debe presentar capturas de pantalla donde se visualice la ejecución de los Sprint con las historias de usuario relacionadas con el desarrollo del Frontend.

### Link de Jira:

<https://g52c3.atlassian.net/jira/software/projects/GRUPO51/boards/3/backlog>

This screenshot shows the JIRA Backlog page for the project 'MarcadoresDeportivos'. The sidebar on the left has 'Backlog' selected. The main area displays the 'Backlog' for 'Sprint 3' (27 nov - 12 dic) with 7 incidents. All listed items are marked as 'FINALIZADA' (Completed). The stories relate to Frontend and Backend development, evidence collection, and team meeting documentation.

Incident ID	Título	Estado
GRUPO51-35	URL del Frontend	FINALIZADA
GRUPO51-36	Evidencias de la construcción del Frontend	FINALIZADA
GRUPO51-37	Evidencias del Frontend en funcionamiento	FINALIZADA
GRUPO51-38	Consumo de recursos del Backend	FINALIZADA
GRUPO51-39	Evidencias en Github y Jira (Repositorio y Seguimiento del proyecto)	FINALIZADA
GRUPO51-40	Subir evidencia del Sprint 3	FINALIZADA
GRUPO51-41	Evidencias de las reuniones de equipo	FINALIZADA

This screenshot shows the JIRA Backlog page for the project 'MarcadoresDeportivos'. The sidebar on the left has 'Backlog' selected. The main area displays the 'Backlog' for 'Sprint 3' (27 nov - 12 dic) with 7 incidents, all completed. A side panel on the right provides details for a specific incident related to team meeting evidence, including a description, status (Finalizada/Completed), and a comment section.

**Añadir epic / GRUPO51-41**

**Evidencias de las reuniones de equipo**

**Finalizada** ✓ **Listo**

**Descripción**  
Añadir una descripción...

**Archivos adjuntos ((1))**

**Añadir un comentario...**

Jira Software Tu trabajo Proyectos Filtros Paneles Personas Aplicaciones Crear Buscar

Proyectos / MarcadoresDeportivos

## Backlog

PLANIFICACIÓN Hoja de ruta

DESARROLLO Código

Tablero

Páginas de proyectos

Añadir acceso rápido

Configuración del pro...

Estás en un proyecto gestionado por el equipo

Más información

Backlog

Insights

Añadir épica / GRUPO51-36

Evidencias de la construcción del Frontend

Finalizada ✓ Listo

Descripción

Archivos adjuntos (0)

Añadir un comentario...

Consejo de expertos: pulsa M para comentar

### Evidencias de las Reuniones de Equipo

Como evidencia de las reuniones que efectúa el equipo del proyecto, presentar capturas de pantalla de las reuniones efectuadas y si lo consideran pertinente algunas actas de las reuniones.

#### Reunión SCRUM. Ciclo 4 Misión TIC

27 de noviembre de 2022, 05:00pm

Información para unirse a Google Meet

Enlace a la videollamada: <https://meet.google.com/suz-dwxx-qxg>

