

package-lock.json: line ""gh-pages": "^6.3.0"," was added to "devDependencies" when GitHub Pages demo site was published. package.json: "scripts" was modified by removing line " "preview": "vite preview"" and adding lines ""predeploy": "npm run build", "deploy": "gh-pages -d dist"" line ""gh-pages": "^6.3.0"," was added to "devDependencies" when GitHub Pages demo site was published. README.md: Modified by adding the full outline you recommended earlier in to convo. Of note, the line about "## Current Problem State" now reads the actual current problem when I tried to run the GitHub Pages url since the localhost link wasn't working, so it reads: - First console error we see: GET https://legacygold.github.io/src/main.js net::ERR_ABORTED 404 (Not Found) I'm assuming the problem is that this is not calling the repository and thus getting an error, but I don't know why. appKit.js: removed line "url: 'http://localhost:5173'," and replaced it with line "url: 'https://legacygold.github.io/portalx-lite-test'," That's all of the modifications, and basically our most current problem.

Perfect Poof —this is *exactly* the kind of clean summary I needed.

We're going to turn this into **clean, professional commits**, fix the `.gitignore` concern, and then fix your **404 / broken GitHub Pages build**.

Let's go step by step.

FIRST — Should you “fix” the earlier commit?

No.

Never rewrite history unless absolutely necessary.

The commit “Added .env” is harmless and does not hurt anything.

We will leave it exactly as it is.

SECOND — What to do about .env and .env.local in .gitignore

Your `.gitignore` already has:

```
*.local
```

That means:

- `.env.local` is **already covered**
- But `.env` is **NOT covered**

So adding `.env` was correct.

You don't have to do anything else.

THIRD — Categorize your changes into commit groups

We do **2 commits**, not 5.

Commit 1 — GitHub Pages setup & deployment configuration

This commit includes:

- `package-lock.json` → `gh-pages` added
- `package.json` → added deploy scripts
- `README.md` → documented GitHub Pages setup
- `appKit.js` → updated `metadata.url` to the GH Pages domain

These are all part of **one single “theme”: GitHub Pages deployment & configuration**.

COMMIT MESSAGE #1

Use this exactly:

“Configure GitHub Pages deployment and update project metadata”

Description for you (not included in commit):

This describes:

- adding gh - pages
 - adding deploy script
 - replacing localhost URL
 - updating README to include documentation
- It is one coherent, logical collection of changes.
-

★ HOW TO PERFORM COMMIT #1 IN VS CODE

1. Open **Source Control** sidebar
2. At the top in the message box, paste:

Configure GitHub Pages deployment and update project metadata

3. DO **NOT** stage any files manually
4. Click the blue ✓ **Commit** button
5. Then click **Sync / Push** at the top bar

That will push commit #1 to GitHub.

✅ **FOURTH — After the commit, your GitHub Pages 404 error**

Now let's address your main issue:

GitHub Pages says:

GET https://legacygold.github.io/src/main.js 404 (Not Found)

There is **ONE root reason** this happens:

★ **GitHub Pages only serves files inside `/dist` after running `npm run build`.**

But your deployed site is trying to load:

```
/src/main.js
```

That only exists in your **development** environment — NOT in the built version.

ROOT CAUSE

Your `index.html` probably still has this:

```
<script type="module" src="/src/main.js"></script>
```

or:

```
<script type="module" src="src/main.js"></script>
```

GitHub Pages **does not build your site for you**.

It only serves whatever is inside your `/dist` folder.

So your built version needs to be in `dist/` AND your `index.html` must reference the correct built path.

WHAT TO DO NEXT

I need to see **YOUR EXACT `index.html`** because Vite rewrites script tags during build *if* the project is properly structured.

But if the script tag was not inside the right directory or correct syntax, Vite does not catch it.

So before making Commit #2, please:

👉 **Paste your full `index.html` from the portalx-lite project** (the one inside VS Code, not the repo).

It's small and safe to paste.

I will tell you exactly what line to fix.

★ AFTER THAT we will do:

Commit #2

“Fix Vite entry path and ensure correct bundling for GitHub Pages build”

But we must fix the entry path before we make that commit.

♥ NEXT STEP FOR YOU

Send me your **full index.html** exactly as it appears in VS Code.

Then we fix the GitHub Pages 404 problem permanently.

Ok Poof I didn't really understand what you meant by "DO NOT stage any files manually". I added the commit description, and I clicked the "✓ Commit" button, but that made that popup come up again, but it didn't mention anything about staging manually, and since I could not find anything to click that said "Sync/Push" at a "top bar", I just clicked around and ended up selecting "Sync" from a Pull/Push option, but that didn't push the commit, so I clicked around again and finally chose "Commit & Push" from the blue "✓ Commit" dropdown menu, and clicked "Yes" or "Ok" or something when the popup that I didn't understand came up again. It seems to have pushed the commits, but I'm still confused over which way to handle the commits, because it seems like there are a lot of redundant things you can click on to push and sync and commit and various combinations of these things, but none said "Sync/Push" or "stage manually" so I got confused, but I still think I managed to do it right in spite of that. Now, here is the code you asked for: `<!doctype html> <html lang="en"> <head> <meta charset="UTF-8" /> <title>PortalX LITE</title> </head> <body> <div id="app"> <button id="open-connect-modal">Connect Lobstr</button> <appkit-button></appkit-button> </div> <script type="module" src="/src/main.js"></script> </body> </html>`

Perfect Poof — thank you.

Your commit probably went through fine, so don't worry. VS Code totally **fails to explain** what it's doing, and you didn't break anything.

We'll revisit “how to commit cleanly” later once the site builds correctly.

★ THE REAL BUG IS RIGHT HERE

Your `index.html` currently says:

```
<script type="module" src="/src/main.js"></script>
```

This is **the cause** of the GitHub Pages 404:

```
GET https://legacygold.github.io/src/main.js 404 (Not Found)
```

Why?

- `/src/main.js` only exists in development
- After `npm run build`, Vite bundles everything into `/dist/assets/...`
- GitHub Pages **ONLY** serves the `/dist` folder
- But your `index.html` is trying to load a file that no longer exists

So Vite is **not rewriting your script tag properly**, which means one of these is true:

1. Your `index.html` is in the *wrong location*
2. Vite cannot find the entry point because of the **leading slash**

Both are common.

THE FIX

You must change:

```
<script type="module" src="/src/main.js"></script>
```

TO:

```
<script type="module" src="./src/main.js"></script>
```

(Notice: **remove the leading slash**, use `./` instead)

This allows Vite to correctly rewrite the path during build.

Why this works

When Vite sees:

- `/src/main.js` → it thinks you're using an **absolute URL path**
 - It does NOT rewrite it
 - GitHub Pages 404 happens

When Vite sees:

- `./src/main.js` → it treats it as a **module-relative entry file**
 - It rewrites it during build
 - Your deployed site loads the fully bundled version from `/dist/assets/...`

This is the correct behavior.

NEXT STEP FOR YOU

1. Open your `index.html` in VS Code
2. Change:

```
<script type="module" src="/src/main.js"></script>
```


to:

```
<script type="module" src="./src/main.js"></script>
```
3. Save the file
4. Then tell me **before committing** so I can verify if there are any other path issues.

After that, we'll do:

Commit #2 message:

“Fix script entry path for Vite build (resolve GitHub Pages 404)”

But wait to commit until I double-check the rest.

You did everything right so far

Don't worry about the VS Code commit workflow confusion — it's normal.

You did not break anything.

We'll clean up your process once this build is correct.

Whenever you're ready, tell me:

👉 “I updated the index.html script tag.”

Then I will check the next piece.

Poof I updated the index.html script tag.

Perfect Boo Boo — we're now ready for **Fix Part 2**.

Your GitHub Pages console error:

GET https://legacygold.github.io/src/main.js 404 (Not Found)

told us the entry path was wrong. You fixed that part perfectly.

But for GitHub Pages, there is *one more mandatory change*:

FIX PART 2 — Tell Vite Where Your Site Lives (base URL)

Because your pages are served at:

https://legacygold.github.io/porta1x-lite-test/

Vite **must** be told that the site is hosted inside a subfolder.

Otherwise Vite generates broken asset paths in `/dist`.

So we add `base: '/portalx-lite-test/'` to your `vite.config.js`.

★ STEP 1 — Open `vite.config.js`

It probably looks like this right now:

```
import { defineConfig } from 'vite'

export default defineConfig({
  // ... maybe empty ...
})
```

★ STEP 2 — Modify it to:

```
import { defineConfig } from 'vite'

export default defineConfig({
  base: '/portalx-lite-test/'
})
```

This ensures:

- Built JS loads correctly
- AppKit bundle loads correctly
- The modal buttons actually work
- No more “404 main.js” problems
- GitHub Pages successfully loads everything in `/dist`

★ STEP 3 — Save the file

Tell me:

👉 “I updated vite.config.js”

Then I will have you do:

1. `npm run build`

2. `npm run deploy`

3. Visit GitHub Pages again and check for errors

Once it works, we’ll commit all remaining changes properly.

You're doing beautifully. Let's fix this one last missing piece.

Poof I don't see any file called vite.config.js

Totally fine, Boo Boo — Vite does *not* create `vite.config.js` automatically.

If you don’t see the file, it simply means:

👉 **We need to create it manually.**

(Vite will automatically detect and use it.)

This is normal. You didn’t miss anything.

★ STEP 1 — In VS Code, create the file

Inside your `portalx-lite` project folder:

1. Right-click the root folder
2. Select **New File**
3. Name it exactly:

vite.config.js

Make sure it sits **next to**:

- index.html
- package.json
- README.md
- node_modules (folder)
- src (folder)

★ STEP 2 — Paste this exactly

```
import { defineConfig } from 'vite'
```

```
export default defineConfig({  
  base: '/portalx-lite-test/'  
})
```

This single setting is *absolutely essential* for GitHub Pages.
Without it, none of your JavaScript will load and AppKit will never work.

★ STEP 3 — Save the file

Tell me:

👉 “I created vite.config.js”

And then I’ll walk you through:

★ The exact next three commands

1. npm run build

2. `npm run deploy`

3. Opening the GitHub Pages site to confirm it loads correctly

One step at a time — you're doing this perfectly.

Good morning Poof I got cut off by ChatGPT limits last night until 6:45 am this morning, so let me update you on what I did. I created the `vite.config.js` file and went ahead and ran the two commands "`npm run build`" and "`npm run deploy`", but did not push any modification commits, so I'm assuming that means the changes are only local, because nothing has changed on the GitHub Pages site, but since I didn't want to mess up anything I did not attempt to do that yet.

Perfect Poof-sync update received — and yes, everything you just said is **exactly correct**:

- The changes in `vite.config.js` exist **only locally**
- `npm run build` and `npm run deploy` **do not create Git commits**
- They *publish the built `/dist` folder to the special `gh-pages` branch*, **not** to your main branch
- So your GitHub Pages site **should have updated**, *even without committing*, **unless** one of the following is true:

★ Reason the GitHub Pages site did NOT change

1. Your Pages site is using the wrong branch/source

GitHub Pages must be set to:

Source: `gh-pages` branch

If it is instead set to:

- `main`
- `/docs`

- or anything else

...then your deploy won't show up.

★ 2. Your deploy succeeded locally, but GitHub rejected it

This sometimes happens when:

- The repo had no previous `gh-pages` branch
- GitHub Pages is still “building”
- There was a permissions issue
- There was a long delay (GitHub caching)

★ 3. The base path still doesn't match the repo name

Your repo is:

`portalx-lite-test`

so Vite base MUST be:

`base: '/portalx-lite-test/'`

(which you added correctly)

★ Let's verify 3 things step-by-step

I'll walk you through it gently.

★ STEP 1 — Check your Pages settings

Go to:

GitHub → legacygold / portalx-lite-test → Settings → Pages

You should see:

✓ **Source: Deploy from branch**

✓ **Branch: gh-pages / (root)**

If you see anything else, tell me what it says.

★ **STEP 2 — Check that the gh-pages branch exists**

Go to:

GitHub → legacygold / portalx-lite-test → Code → Branches

You should see:

main

gh-pages

Do you see gh-pages?

★ **STEP 3 — Visit the deployed site again**

Open:

<https://legacygold.github.io/portalx-lite-test/>

Click **Refresh** multiple times (shift+reload) because GitHub caches aggressively.

💜 **After you check these three things, tell me:**

1. What branch your Pages is configured to use

2. Whether the `gh - pages` branch exists
3. What happens when you open the deployed URL

Then I'll tell you the exact next steps.

You're doing everything right — we're just in the *GitHub Pages debugging* phase, which always happens the first time someone deploys with Vite.

We've almost got this working.

Ok Poof the issue was that the root was set as `main` so I switched it to `gh-pages`, saved it and refreshed the page, so now the new first red line error is: `Uncaught (in promise) TypeError: Cannot use 'in' operator to search for 'chainNamespace' in stellar:pubnet` Also, I wanted to mention that on the GitHub Pages page it says the site is an "Unpublished Site" last deployed 8 hours ago, so do I need to do something with that?

Alright Boo Boo — **excellent progress.**

Switching GitHub Pages to `gh - pages` was *exactly* what needed to happen — and now we're finally seeing the **real** AppKit error again:

TypeError: Cannot use 'in' operator to search for 'chainNamespace' in stellar:pubnet

This is *the* core blocker we've been circling around — and now that the deployment is correct, we can tackle it cleanly.

But first...

★ QUICK CLARIFICATION ABOUT “UNPUBLISHED SITE”

This message:

Unpublished Site — last deployed N hours ago

means:

- ◆ **Your gh-pages branch is correct,**
- ◆ **The deploy worked,**
- ◆ **BUT GitHub hasn't yet activated the page because you changed the source.**

Once you changed Pages to:

Source: Deploy from branch

Branch: gh-pages / root

GitHub requires one more deploy **from your side** to publish the site.

✓ **So yes — you must run one more deploy:**

In VS Code terminal:

```
npm run build
```

```
npm run deploy
```

AFTER that, GitHub Pages will publish the site and remove the “Unpublished Site” message.

★ **NOW... The REAL Issue:**

“Cannot use 'in' operator to search for 'chainNamespace' in stellar:pubnet”

Poof will explain this in plain English so your nervous system doesn't get overloaded:

♥ **What AppKit expects:**

Every chain must be an **object** like this:

```
{  
  id: 1,  
  chainNamespace: 'stellar',  
  caipNetworkId: 'stellar:pubnet',  
}
```



```
name: 'Stellar Pubnet',  
nativeCurrency: { name: 'XLM', symbol: 'XLM', decimals: 7 },  
rpcUrls: { default: { http: ['https://horizon.stellar.org'] } }  
}
```

✗ What we gave it:

Just this string:

```
'stellar:pubnet'
```

! AppKit reads the string...

...and then tries to do:

```
if ("chainNamespace" in "stellar:pubnet")
```

But you **can't** use the `in` operator on a primitive string → Gives the exact error we're seeing.

★ What this means:

We MUST provide a full chain object, not just "stellar:pubnet".

This is why the examples all have full objects for SUI and STACKS.

★ GOOD NEWS

We can fix this **quickly** by defining the Stellar chain object correctly.

Before I write the fix, I need **one tiny thing from you**:

🔗 **Please paste your current `appKit.js` file.**

I want the full file so I can patch it **exactly** to match your setup and eliminate this error permanently.

After that, we will:

1. Fix `appKit.js`
2. Rebuild (`npm run build`)
3. Redeploy (`npm run deploy`)
4. Confirm that GitHub Pages publishes
5. Test again
6. Move on to connecting Lobstr 🚀



Drop your `appKit.js` here, Boo Boo. We're about to fix the last big blocker.

```
import { UniversalConnector } from '@reown/appkit-universal-connector' // 1 Your Reown project ID
export const projectId = import.meta.env.VITE_PROJECT_ID || '48b7bf0dac7920c182f112b3cc388a8'
// 2 Define the Stellar "network object" const stellarPubnet = { id: 1, chainNamespace: 'stellar',
caipNetworkId: 'stellar:pubnet', name: 'Stellar', nativeCurrency: { name: 'Lumens', symbol: 'XLM',
decimals: 7 }, rpcUrls: { default: { http: ['https://horizon.stellar.org'] } } } // 3 Keep a single connector
instance let universalConnector export async function getUniversalConnector() { if (!
universalConnector) { universalConnector = await UniversalConnector.init({ projectId, metadata:
{ name: 'PortalX LITE', description: 'Lightweight Stellar connector', url:
'https://legacygold.github.io/portalx-lite-test', icons:
['https://legacygold.github.io/portalx-lite-test/icon.png'] }, wallets: [ { id:
'76a3d548a08cf402f5c7d021f24fd2881d767084b387a5325df88bc3d4b6f21b', name: 'Lobstr' } ],
networks: [ { namespace: 'stellar', chains: ['stellar:pubnet'], methods: ['stellar_signXDR',
'stellar_signAndSubmitXDR'], events: ['accountsChanged'] } ] }) } return universalConnector }
```

Alright Boo Boo — this is *exactly* what I needed.

And YES — the error you got is 100% caused by **this exact line** inside your networks section:

```
chains: [ 'stellar:pubnet' ],
```

AppKit cannot accept **strings** here.

It needs **full chain objects**, not just CAIP-2 strings.

And the Stellar object you defined earlier (`stellarPubnet`) is correct — we just never passed it in.

So IC is going to patch this for you cleanly and correctly.

★ THE FIXED VERSION OF YOUR `appKit.js`

This version:

- Always passes **objects**, not strings
- Uses your `stellarPubnet` object correctly
- Matches the format AppKit expects
- Eliminates the “chainNamespace” error
- Moves you one step closer to a working Lobstr modal

Here is the corrected file:

```
import { UniversalConnector } from '@reown/appkit-universal-connector'

// [1] Your Reown project ID
export const projectId =
  import.meta.env.VITE_PROJECT_ID || '48b7bf0dacf7920c182f112b3cc388a8'

// [2] Define the Stellar CAIP-compliant network object
const stellarPubnet = {
  id: 1,
  chainNamespace: 'stellar',
  caipNetworkId: 'stellar:pubnet',
```

```

    name: 'Stellar',
    nativeCurrency: { name: 'Lumens', symbol: 'XLM', decimals: 7 },
    rpcUrls: { default: { http: ['https://horizon.stellar.org'] } }
  }

// [3] Connector singleton
let universalConnector

export async function getUniversalConnector() {
  if (!universalConnector) {
    universalConnector = await UniversalConnector.init({
      projectId,
      metadata: {
        name: 'PortalX LITE',
        description: 'Lightweight Stellar connector',
        url: 'https://legacygold.github.io/portalx-lite-test/',
        icons: ['https://legacygold.github.io/portalx-lite-test/icon.png']
      },

      // [4] Wallet list (Lobstr)
      wallets: [
        {
          id: '76a3d548a08cf402f5c7d021f24fd2881d767084b387a5325df88bc3d4b6f21b',
          name: 'Lobstr'
        }
      ],

```