CSE471 : System Analysis and Design
Project Report
Project Title : Real Estate Management System

Group No : 05 CSE471 Lab Section: 01 Fall 2023	
Name	**ID**
SADAF M. ANIS	20101537
Israt Jahan Ayshi	20101618
Ms Rodsy Tahmid	20101021
Tasnuva	

Table of Contents

Section No	Content	Page No
1	Introduction	3
2	Functional Requirements	4
3	User Manual	5
4	Frontend Development	31
5	Backend Development	52
6	Technology (Framework, Languages)	79
7	Github Repo Link	79
8	Individual Contribution	80

Introduction

Project Summary

“ABASHON” is a comprehensive real estate management website designed to streamline property buying, selling, and rental processes. Developed using the Laravel framework, Abashon offers a user-friendly interface, robust features, and efficient management tools for real estate professionals and clients alike. Abashon, a cutting-edge real estate management website built on the Laravel framework, offers a suite of key features to streamline and optimize property-related processes. The platform boasts a user-friendly interface that simplifies property searches, detailed listings, and Google Maps integration for precise location visualization. Robust user management capabilities ensure secure authentication and personalized dashboards for property owners, admins, buyers, agents and users as well. It also has verification through email. Property management tools empower users with intuitive listing creation and editing, and advanced analytics, enhancing overall quality control. Abashon prioritizes search engine optimization (SEO) with friendly URLs, and metadata to maximize property exposure. Furthermore, the Ui is designed mobile-friendly and responsive to enhance the user experience. An admin dashboard provides centralized control, analytics, and user moderation features, while robust security measures, including Laravel's built-in features, safeguard user data and transactions. The website's responsive design ensures a seamless experience across devices, fostering efficient property management and transaction processes. Abashon represents a forward-thinking real estate platform, leveraging innovative technologies to provide a comprehensive and secure digital ecosystem for buyers, sellers, and real estate professionals alike.

Functional Requirements

Module 1

1. Admin can Login, Agent can Log in, User can Login and Register
2. Admin can add Agents
3. Verification email for first-time login or registration
4. Forgot password
5. Different dashboards for different user (admin/agent/user)

Module 2

6. Property Types, Facilities, and States initialization/setup
7. Admin can add and view - Property Types, Facilities, and States
8. Multiple Login Page
9. Admin and Agent both can add Property (with Type, Multiple Facilities, State, Thumbnail Image)
10. Admin and Agent can edit Property details
11. Multiple Images Table & support for Properties
12. Admin and Agent both can View All Property details

Module 3

13. Property details page
14. Map location in every property by Google map with the help of latitude and longitude
15. Multiple Nearby benefits (by distance km)
16. Update profile (User has different dashboard frontend)
17. Homepage Dynamic Frontend CSS design
18. User View Wishlist, Add to/ Remove from Wishlist

Module 4

19. All For Rent, For Buy Property list
20. Homepage Property search option with Property name, State location, and Type
21. Homepage Featured and Exclusive View and Property List page
22. Compare properties (add to/remove)
23. Send Message section for User from Property details page and Agent can view all inbox messages
24. Blog Category for Admin where Admin can add, change and delete a certain blog-type section

User Manual

❖ Home Page view:







❖ Login Page:



❖ Register Page:



❖ Forgot Password Page:



❖ Forget Password Mail:





❖ Verification email for first-time login or registration:







❖ Update Profile (User has different dashboard frontend):





❖ Homepage Featured View and All Featured Property List page:





❖ All For Buy, For Rent Properties list:





❖ Compare multiple properties:


127.0.0.1:8000/dashboard
ABASHON
Main Home
Property
Agency
About Us
0
Approved properties
0
Pending approve properties
0
Rejected properties
Dashboard
Settings
Compare Listings
WishList
Security
Logout
Activity Logs


Main Home
Successfully Added To Your Compare List
FEATURED
FOR RENT
tomas home
Start From
2000
garesgaergaew
4
2
1500
See Details

Main Home | Property | Agency | About Us

Compare Properties

Home > Compare Properties

Property Info	 /tomas home /2000
City	/dhaka
Area	1500 Sq Ft
Rooms	4
Bathrooms	2
Garage	1
Action	
Property Info	 /Bond Suite /2000000
City	/Dhaka
Area	1600 Sq Ft

*user can also delete any particular property from the compare listings, it adds one property multiple times a notification will pop up showing this info -



- ❖ User View Wishlist, Successfully Add to/ Remove from Wishlist









❖ Send Message section for User from Property details page:



❖ Map integration in every property through latitude and longitude:



❖ Separate Admin Login Page:



❖ Interactive Admin HomePage:



❖ Admin Profile:



❖ Admin View All Agent, Add Agent:





❖ Admin View, Add, Edit, Remove property Type :





❖ Admin Panel All States areas list and Add State areas:





❖ Admin View, Add, Edit, Remove Facilities:



❖ Admin View, Add, Edit, Remove Property:



❖ Add Property Form in Admin Panel:



❖ Agent can view properties added by them only:



❖ Agent can view all inbox messages:





❖ Blog


127.0.0.1:8000/all/blog/category
Paused
ABASHON
Search here...
MAIN
Dashboard
All Agent
Add Agent
ABASHON:REAL ESTATE
Categories
Blog Category
All Blog Category
State Areas
Facilities
Property
Calendar
COMPONENTS
UI Kit
Advanced UI
DOCS
Add Category
BLOG CATEGORY ALL
Show 10 entries
Search
SERIAL
BLOG CATEGORY NAME
BLOG CATEGORY SLUG
ACTION
1 Real Estate real-estate Edit Delete
2 Interior interior Edit Delete
3 Architecture architecture Edit Delete
4 Home Improvement home-improvement Edit Delete
5 Tips and advice tips-and-advice Edit Delete
Activate Windows
Go to Settings to activate Windows.


127.0.0.1:8000/all/blog/category
Paused
ABASHON
Search here...
MAIN
Dashboard
All Agent
Add Agent
ABASHON:REAL ESTATE
Categories
Blog Category
All Blog Category
State Areas
Facilities
Property
Calendar
COMPONENTS
UI Kit
Advanced UI
DOCS
Add Category
BLOG CATEGORY ALL
Show 10 entries
Search
SERIAL
BLOG CATEGORY NAME
BLOG CATEGORY SLUG
ACTION
1 Real Estate real-estate Edit Delete
2 Interior interior Edit Delete
3 Architecture architecture Edit Delete
4 Home Improvement home-improvement Edit Delete
5 Tips and advice tips-and-advice Edit Delete
Activate Windows
Go to Settings to activate Windows.


127.0.0.1:8000/all/blog/category
Paused
ABASHON
Search here...
MAIN
Dashboard
All Agent
Add Agent
ABASHON:REAL ESTATE
Categories
Blog Category
All Blog Category
State Areas
Facilities
Property
Calendar
COMPONENTS
UI Kit
Advanced UI
DOCS
Add Category
BLOG CATEGORY ALL
Show 10 entries
Search
SERIAL
BLOG CATEGORY NAME
BLOG CATEGORY SLUG
ACTION
1 Real Estate real-estate Edit Delete
2 Interior interior Edit Delete
3 Architecture architecture Edit Delete
4 Home Improvement home-improvement Edit Delete
5 Tips and advice tips-and-advice Edit Delete
Activate Windows
Go to Settings to activate Windows.


127.0.0.1:8000/all/blog/category
Paused
ABASHON
Search here...
Add Category
Blog Category Name
Test
Save changes
MAIN
Dashboard
All Agent
Add Agent
ABASHON:REAL ESTATE
Categories
Blog Category
All Blog Category
State Areas
Facilities
Property
Calendar
COMPONENTS
UI Kit
Advanced UI
DOCS
BLOG CATEGOR
Show 10
Search
SERIAL
ACTION
1 Real Estate real-estate Edit Delete
2 Interior interior Edit Delete
3 Architecture architecture Edit Delete
4 Home Improvement home-improvement Edit Delete
5 Tips and advice tips-and-advice Edit Delete
Activate Windows
Go to Settings to activate Windows.


127.0.0.1:8000/all/blog/category
Paused
ABASHON
Search here...
BlogCategory Created Successfully
MAIN
Dashboard
All Agent
Add Agent
ABASHON:REAL ESTATE
Categories
Blog Category
All Blog Category
State Areas
Facilities
Property
Calendar
COMPONENTS
UI Kit
Advanced UI
DOCS
4 Home Improvement home-improvement Edit Delete
5 Tips and advice tips-and-advice Edit Delete
6 realestate realestate Edit Delete
7 realestate realestate Edit Delete
8 Test3333 test3333 Edit Delete
9 Test test Edit Delete
Showing 1 to 9 of 9 entries
Previous 1 Next
Activate Windows
Go to Settings to activate Windows.

Edit:


127.0.0.1:8000/all/blog/category
Paused
ABASHON
Search here...
MAIN
Dashboard
All Agent
Add Agent
ABASHON:REAL ESTATE
Categories
Blog Category
All Blog Category
State Areas
Facilities
Property
Calendar
COMPONENTS
UI Kit
Advanced UI
DOCS
1 Real Estate real-estate Edit Delete
2 Interior interior Edit Delete
3 Architecture architecture Edit Delete
4 Home Improvement home-improvement Edit Delete
5 Tips and advice tips-and-advice Edit Delete
6 Test test Edit Delete
Showing 1 to 6 of 6 entries
Previous 1 Next
Activate Windows
Go to Settings to activate Windows.
Copyright © BRACU, 2023 Team Venom.
made With


127.0.0.1:8000/all/blog/category
ABASHON
Search here...
Edit Category
Blog Category Name
Test333
Save changes
MAIN
Dashboard
All Agent
Add Agent
ABASHON:REAL ESTATE
Categories
Blog Category
All Blog Category
State Areas
Facilities
Property
Calendar
COMPONENTS
UI Kit
Advanced UI
DOCS
1
2
3
4
5 Tips and advice tips-and-advice
6 Test test
Edit Delete
Showing 1 to 6 of 6 entries
Previous 1 Next
Activate Windows
Go to Settings to activate Windows.
Copyright © BRACU, 2023 Team Venom.
made With


127.0.0.1:8000/all/blog/category
ABASHON
Search here...
BlogCategory Updated Successfully
MAIN
Dashboard
All Agent
Add Agent
ABASHON:REAL ESTATE
Categories
Blog Category
All Blog Category
State Areas
Facilities
Property
Calendar
COMPONENTS
UI Kit
Advanced UI
DOCS
1 Real Estate real-estate
2 Interior interior
3 Architecture architecture
4 Home Improvement home-improvement
5 Tips and advice tips-and-advice
6 Test333 test333
Edit Delete
Showing 1 to 6 of 6 entries
Previous 1 Next
Activate Windows
Go to Settings to activate Windows.
Copyright © BRACU, 2023 Team Venom.
made With

Delete:


127.0.0.1:8000/all/blog/category
Paused
ABASHON
Search here...
MAIN
Dashboard
All Agent
Add Agent
ABASHON:REAL ESTATE
Categories
Blog Category
All Blog Category
State Areas
Facilities
Property
Calendar
COMPONENTS
UI Kit
Advanced UI
DOCS
1 Real Estate real-estate Edit Delete
2 Interior interior Edit Delete
3 Architecture architecture Edit Delete
4 Home Improvement home-improvement Edit Delete
5 Tips and advice tips-and-advice Edit Delete
6 Test test Edit Delete
Showing 1 to 6 of 6 entries
Previous 1 Next
Activate Windows
Go to Settings to activate Windows.
Copyright © BRACU, 2023 Team Venom.
made With


127.0.0.1:8000/all/blog/category
Paused
ABASHON
Search here...
MAIN
Dashboard
All Agent
Add Agent
ABASHON:REAL ESTATE
Categories
Blog Category
All Blog Category
State Areas
Facilities
Property
Calendar
COMPONENTS
UI Kit
Advanced UI
DOCS
1 Real Estate real-estate Edit Delete
2 Interior interior Edit Delete
3 Edit Delete
4 Edit Delete
5 Edit Delete
6 Edit Delete
Are you sure?
Delete This Data?
Yes, delete it!
Cancel
Showing 1 to 6 of 6 entries
Previous 1 Next
Activate Windows
Go to Settings to activate Windows.
Copyright © BRACU, 2023 Team Venom.
made With


127.0.0.1:8000/all/blog/category
Paused
ABASHON
Search here...
MAIN
Dashboard
All Agent
Add Agent
ABASHON:REAL ESTATE
Categories
Blog Category
All Blog Category
State Areas
Facilities
Property
Calendar
COMPONENTS
UI Kit
Advanced UI
DOCS
1 Real Estate real-estate Edit Delete
2 Interior interior Edit Delete
3 Edit Delete
4 Edit Delete
5 Edit Delete
6 Edit Delete
Deleted!
Your file has been deleted.
OK
Showing 1 to 6 of 6 entries
Previous 1 Next
Activate Windows
Go to Settings to activate Windows.
Copyright © BRACU, 2023 Team Venom.
made With


127.0.0.1:8000/all/blog/category
Paused
ABASHON
Search here...
BlogCategory Deleted Successfully
MAIN
Dashboard
All Agent
Add Agent
ABASHON:REAL ESTATE
Categories
Blog Category
All Blog Category
State Areas
Facilities
Property
Calendar
COMPONENTS
UI Kit
Advanced UI
DOCS
SERIAL BLOG CATEGORY NAME BLOG CATEGORY SLUG ACTION
1 Real Estate real-estate Edit Delete
2 Interior interior Edit Delete
3 Architecture architecture Edit Delete
4 Home Improvement home-improvement Edit Delete
5 Tips and advice tips-and-advice Edit Delete
Showing 1 to 5 of 5 entries
Previous 1 Next
Activate Windows
Go to Settings to activate Windows.
Copyright © BRACU, 2023 Team Venom.
made With

Frontend Development

Some of the Frontend development code screenshots are attached below as examples.

- Forget password:



- Verify email:



❖ Register page :



❖ Banner:





```
mpareController.php | header.blade.php | Compare.php | compare-roperties.html | compare.blade.php | login.blade.php | banner.blade.php | User.php | dashboard_sidebar.blade.php
resources > views > frontend > home > banner.blade.php
        </div>
        <div class="col-lg-4 col-md-6 col-sm-12 column">
            <div class="form-group">
                <label>Property Type</label>
                <div class="select-box">
                    <select name="ptype_id" class="wide">
                      <option data-display="All Type">All Type</option>
                      @foreach($ptypes as $type)
                       <option value="{{ $type->type_name }}">{{ $type->type_name }}</option>
                       @endforeach
                    </select>
                </div>
            </div>
        </div>
    </div>
    <div class="search-btn">
        <button type="submit"><i class="fas fa-search"></i>Search</button>
    </div>
</form>
</div>

</div>
</div>

<div class="tab" id="tab-2">      You, 2 weeks ago • Home page + login page with css …
<div class="inner-box">
<div class="top-search">

<form action="{{ route('rent.property.search') }}" method="post" class="search-form">
    @csrf
    <div class="row clearfix">
        <div class="col-lg-4 col-md-12 col-sm-12 column">
            <div class="form-group">
                <label>Search Property</label>
                <div class="field-input">
                    <i class="fas fa-search"></i>
                    <input type="search" name="search" placeholder="Search by Property, Location or Landmark..." required="">
                </div>
            </div>
        </div>
        <div class="col-lg-4 col-md-6 col-sm-12 column">
            <div class="form-group">
                <label>Location</label>
                <div class="select-box">
                    <i class="far fa-compass"></i>
                    <select name="state" class="wide">
                      <option data-display="Input location">Input location</option>
                      @foreach($states as $state)
                       <option value="{{ $state->state_name }}">{{ $state->state_name }}</option>
                       @endforeach
                    </select>
                </div>
            </div>
        </div>
```



```
                      <option data-display="Input location">Input location</option>
                      @foreach($states as $state)
                       <option value="{{ $state->state_name }}">{{ $state->state_name }}</option>
                       @endforeach
                    </select>
                </div>
            </div>
        </div>
        <div class="col-lg-4 col-md-6 col-sm-12 column">
            <div class="form-group">
                <label>Property Type</label>
                <div class="select-box">
                    <select name="ptype_id" class="wide">
                      <option data-display="All Type">All Type</option>
                      @foreach($ptypes as $type)
                       <option value="{{ $type->type_name }}">{{ $type->type_name }}</option>
                       @endforeach
                    </select>
                </div>
            </div>
        </div>
    </div>
    <div class="search-btn">
        <button type="submit"><i class="fas fa-search"></i>Search</button>
    </div>
</form>
</div>

</div>
</div>
</div>
</div>
</div>
</div>
</div>
</section>
```

❖ Feature page :



```
@php

$property = App\Models\Property::where('status','1')->where('featured','1')->limit(3)->get();

@endphp



<section class="feature-section sec-pad bg-color-1">
            <div class="auto-container">
                <div class="sec-title centred">
                    <h5>Featured</h5>
                    <h2>Featured Property</h2>

                </div>
                <div class="row clearfix">



                    @foreach($property as $item )


                    <div class="col-lg-4 col-md-6 col-sm-12 feature-block">
                        <div class="feature-block-one wow fadeInUp animated" data-wow-delay="00ms" data-wow-duration="1500ms">
                            <div class="inner-box">
                                <div class="image-box">
                                    <figure class="image"><img src="{{ asset($item->property_thumbnail) }}" alt=""></figure>
                                    <div class="batch"><i class="icon-11"></i></div>
                                    <span class="category">Featured</span>
                                </div>
                                <div class="lower-content">
                                    <div class="author-info clearfix">

                                        <div class="buy-btn pull-right"><a href="property-details.html">For {{$item ->property_status}}</a></div>
                                    </div>
                                    <div class="title-text"><h4><a href="property-details.html">{{$item ->property_name}}</a></h4></div>
                                    <div class="price-box clearfix">
                                        <div class="price-info pull-left">
                                            <h6>Start From</h6>
                                            <h4>{{$item ->  lowest_price}}</h4>
                                        </div>
                                    <ul class="other-option pull-right clearfix">
                                        <li><a aria-label="Compare" class="action-btn" id="{{ $item->id }}" onclick="addToCompare(this.id)"><i class="icon-12"></i></a></li>
```



```
                                    <div class="title-text"><h4><a href="property-details.html">{{$item ->property_name}}</a></h4></div>
                                    <div class="price-box clearfix">
                                        <div class="price-info pull-left">
                                            <h6>Start From</h6>
                                            <h4>{{$item ->  lowest_price}}</h4>
                                        </div>
                                    <ul class="other-option pull-right clearfix">
                                        <li><a aria-label="Compare" class="action-btn" id="{{ $item->id }}" onclick="addToCompare(this.id)"><i class="icon-12"></i></a></li>

                                        <li><a aria-label="Add To Wishlist" class="action-btn" id="{{ $item->id }}" onclick="addToWishList(this.id)"><i class="icon-13"></i></a></li>
                                    </ul>
                                    </div>
                                    <p>{{$item ->   short_descp}}</p>
                                    <ul class="more-details clearfix">
                                        <li><i class="icon-14"></i>{{$item ->   bedrooms}}</li>
                                        <li><i class="icon-15"></i>{{$item ->   bathrooms}}</li>
                                        <li><i class="icon-16"></i>{{$item ->   property_size}}</li>
                                    </ul>
                <div class="btn-box"><a href="{{ url('property/details/'.$item->id.'/'.$item->property_slug) }}" class="theme-btn btn-two">See Details</a></div>
                                </div>
                            </div>
                        </div>
                    </div>

                @endforeach

                </div>

                <div class="more-btn centred"><a href="property-list.html" class="theme-btn btn-one">View All Listing</a></div>
            </div>
        </section>
```

❖ Header :



```
<header class="main-header">
        <!-- header-top -->
        <div class="header-top">
            <div class="top-inner clearfix">
                <div class="left-column pull-left">
                    <ul class="info clearfix">
                        <li><i class="far fa-map-marker-alt"></i>Based On Bangladesh </li>
                    </ul>
                </div>
                <div class="right-column pull-right">
                    <ul class="social-links clearfix">
                        <li><a href="https://www.facebook.com/sadaf.priyo/"><i class="fab fa-facebook-f"></i></a></li>
                        <li><a href="https://www.facebook.com/israt.ayshi.5"><i class="fab fa-facebook-f"></i></a></li>


                    </ul>
    @auth
        <div class="sign-box">
            <a href="{{ route('dashboard') }}"><i class="fas fa-user"></i>Dashboard</a>
           <a href="{{ route('user.logout') }}"><i class="fas fa-user"></i>Logout</a>
    </div>
    @else
    <div class="sign-box">
    <a href="{{ route('login') }}"><i class="fas fa-user"></i>Sign In</a>
                    </div>
    @endauth
                </div>
            </div>
<!-- header-lower -->
<div class="header-lower">
<div class="outer-box">
<div class="main-box">
<div class="logo-box">
    <figure class="logo"><a href="{{ url('/')}}"><img src="{{ asset('frontend/assets/images/mylogo.jpg') }}" alt=""></a></figure>
</div>
<div class="menu-area clearfix">
    <!--Mobile Navigation Toggler-->
    <div class="mobile-nav-toggler">
        <i class="icon-bar"></i>
        <i class="icon-bar"></i>
        <i class="icon-bar"></i>
    </div>
    <nav class="main-menu navbar-expand-md navbar-light">
        <div class="collapse navbar-collapse show clearfix" id="navbarSupportedContent">
```



```
    <!--Mobile Navigation Toggler-->
    <div class="mobile-nav-toggler">
        <i class="icon-bar"></i>
        <i class="icon-bar"></i>
        <i class="icon-bar"></i>
    </div>
    <nav class="main-menu navbar-expand-md navbar-light">
        <div class="collapse navbar-collapse show clearfix" id="navbarSupportedContent">
            <ul class="navigation clearfix">
                <li ><a href="{{route('home')}}"><span>Main Home</span></a></li>

                <li class="dropdown"><a href="{{route('home')}}"><span>Property</span></a>
                    <ul>
                        <li><a href="{{route('buy.property')}}">Buy Property </a></li>
                        <li><a href="{{route('rent.property')}}">Rent Property </a></li>
                    </ul>
                </li>


                <li class="dropdown"><a href="index.html"><span>Agency</span></a>
                    <ul>
                        <li><a href="agency-list.html">Agent List</a></li>
                    </ul>
                </li>



                <li ><a href="{{route('home')}}"><span>About Us</span></a></li>

                    You, 2 hours ago • full dynamic header everything is clickable
            </ul>
        </div>
    </nav>
</div>
<div class="btn-box">
    <a href="index.html" class="theme-btn btn-one"><span>+</span>Add Listing</a>
</div>
</div>
</div>
</div>
</div>

            <!--sticky Header-->
            <div class="sticky-header">
                <div class="outer-box">
                    <div class="main-box">
```

```
                </li>


                <li ><a href="{{route('home')}}"><span>About Us</span></a></li>
                    You, 2 hours ago • full dynamic header everything is clickable
            </ul>
        </div>
    </nav>
</div>
<div class="btn-box">
    <a href="index.html" class="theme-btn btn-one"><span>+</span>Add Listing</a>
</div>
</div>
</div>
</div>

        <!--sticky Header-->
        <div class="sticky-header">
            <div class="outer-box">
                <div class="main-box">
                    <div class="logo-box">
                        <figure class="logo"><a href="index.html"><img src="{{ asset('frontend/assets/images/mylogo.jpg') }}" alt=""></a></figure>
                    </div>
                    <div class="menu-area clearfix">
                        <nav class="main-menu clearfix">
                            <!--Keep This Empty / Menu will come through Javascript-->
                        </nav>
                    </div>
                    <div class="btn-box">
                        <a href="index.html" class="theme-btn btn-one"><span>+</span>Add Listing</a>
                    </div>
                </div>
            </div>
        </div>
    </header>
```

❖ Frontend dashboard :

```
File  Edit  Selection  View  Go  Run  Terminal  Help        realestate

Compare.php | compare-roperties.html | compare.blade.php | login.blade.php | feature.blade.php | User.php | dashboard_sidebar.blade.php | frontend_dashboard.blade.php | UserController.php

resources > views > frontend > frontend_dashboard.blade.php
You, 4 hours ago | 2 authors (You and others)
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=0">

<title>ABASHON </title>

<!-- Fav Icon -->
<link rel="icon" href="{{ asset('frontend/assets/images/favicon.ico') }}" type="image/x-icon">

<meta name="csrf-token" content="{{ csrf_token() }}" >

<!-- Google Fonts -->
<link href="https://fonts.googleapis.com/css2?family=Rubik:ital,wght@0,300;0,400;0,500;0,600;0,700;0,800;0,900;1,300;1,400;1,500;1,600;1,700;1,800;1,900&display=swap" rel="stylesheet">

<!-- Stylesheets -->
<link href="{{ asset('frontend/assets/css/font-awesome-all.css') }}" rel="stylesheet">
<link href="{{ asset('frontend/assets/css/flaticon.css') }}" rel="stylesheet">
<link href="{{ asset('frontend/assets/css/owl.css') }}" rel="stylesheet">
<link href="{{ asset('frontend/assets/css/bootstrap.css') }}" rel="stylesheet">
<link href="{{ asset('frontend/assets/css/jquery.fancybox.min.css') }}" rel="stylesheet">
<link href="{{ asset('frontend/assets/css/animate.css') }}" rel="stylesheet">
<link href="{{ asset('frontend/assets/css/jquery-ui.css') }}" rel="stylesheet">
<link href="{{ asset('frontend/assets/css/nice-select.css') }}" rel="stylesheet">
<link href="{{ asset('frontend/assets/css/color/theme-color.css') }}" id="jssDefault" rel="stylesheet">
<link href="{{ asset('frontend/assets/css/switcher-style.css') }}" rel="stylesheet">
<link href="{{ asset('frontend/assets/css/style.css') }}" rel="stylesheet">
<link href="{{ asset('frontend/assets/css/responsive.css') }}" rel="stylesheet">


<link rel="stylesheet" type="text/css" href="https://cdnjs.cloudflare.com/ajax/libs/toastr.js/latest/toastr.css" >
</head>


<!-- page wrapper -->
<body>

    <div class="boxed_wrapper">


        <!-- preloader -->
        @include('frontend.home.preload')

sadaf-3  0 0  0   You, 4 hours ago  Ln 423, Col 13  Spaces: 4  UTF-8  LF  PHP  Go Live  8.1
```



```
<!-- page wrapper -->
<body>

    <div class="boxed_wrapper">


        <!-- preloader -->
        @include('frontend.home.preload')
        <!-- preloader end -->


        <!-- switcher menu -->

        <!-- end switcher menu -->


        <!-- main header -->
        @include('frontend.home.header')
        <!-- main-header end -->

        <!-- Mobile Menu  -->
        @include('frontend.home.mobile_menu')
        <!-- End Mobile Menu -->


        @yield('main')

        <!-- main-footer -->
        @include('frontend.home.footer')
        <!-- main-footer end -->



        <!--Scroll to top-->
        <button class="scroll-top scroll-to-target" data-target="html">
            <span class="fal fa-angle-up"></span>
        </button>
    </div>


    <!-- jequery plugins -->
    <script src="{{ asset('frontend/assets/js/jquery.js') }}"></script>
    <script src="{{ asset('frontend/assets/js/popper.min.js') }}"></script>
    <script src="{{ asset('frontend/assets/js/bootstrap.min.js') }}"></script>
```



```
    <!-- jequery plugins -->
    <script src="{{ asset('frontend/assets/js/jquery.js') }}"></script>
    <script src="{{ asset('frontend/assets/js/popper.min.js') }}"></script>
    <script src="{{ asset('frontend/assets/js/bootstrap.min.js') }}"></script>
    <script src="{{ asset('frontend/assets/js/owl.js') }}"></script>
    <script src="{{ asset('frontend/assets/js/wow.js') }}"></script>
    <script src="{{ asset('frontend/assets/js/validation.js') }}"></script>
    <script src="{{ asset('frontend/assets/js/jquery.fancybox.js') }}"></script>
    <script src="{{ asset('frontend/assets/js/appear.js') }}"></script>
    <script src="{{ asset('frontend/assets/js/scrollbar.js') }}"></script>
    <script src="{{ asset('frontend/assets/js/isotope.js') }}"></script>
    <script src="{{ asset('frontend/assets/js/jquery.nice-select.min.js') }}"></script>
    <script src="{{ asset('frontend/assets/js/jQuery.style.switcher.min.js') }}"></script>
    <script src="{{ asset('frontend/assets/js/jquery-ui.js') }}"></script>
    <script src="{{ asset('frontend/assets/js/nav-tool.js') }}"></script>
    <!-- map script -->
    <script src="https://maps.googleapis.com/maps/api/js?key=AIzaSyA-CE0deH3Jhj6GN4YvdCFZ57DpbXexzGU"></script>
    <script src="{{asset('frontend/assets/js/gmaps.js')}}"></script>
    <script src="{{asset('frontend/assets/js/map-helper.js')}} "></script>

    <!-- main-js -->
    <script src="{{ asset('frontend/assets/js/script.js') }}"></script>

    <script type="text/javascript" src="https://cdnjs.cloudflare.com/ajax/libs/toastr.js/latest/toastr.min.js"></script>


@if(Session::has('message'))
<script>
var type = "{{ Session::get('alert-type','info') }}"
switch(type){
  case 'info':
  toastr.info(" {{ Session::get('message') }} ");
  break;
  case 'success':
  toastr.success(" {{ Session::get('message') }} ");
  break;
  case 'warning':
  toastr.warning(" {{ Session::get('message') }} ");
  break;
  case 'error':
  toastr.error(" {{ Session::get('message') }} ");
  break;
}
</script>
```



```
    case 'error':
    toastr.error(" {{ Session::get('message') }} ");
    break;
  }
  </script>
  @endif


  <script src="https://cdn.jsdelivr.net/npm/sweetalert2@10"></script>

  <script type="text/javascript">
    $.ajaxSetup({
        headers:{
            'X-CSRF-TOKEN':$('meta[name="csrf-token"]').attr('content')
        }
    })

    // Add To Wishlist
    function addToWishList(property_id){

      $.ajax({
            type: "POST",
            dataType: 'json',
            url: "/add-to-wishList/"+property_id,
            success:function(data){

                // Start Message
            const Toast = Swal.mixin({
                toast: true,
                position: 'top-end',

                showConfirmButton: false,
                timer: 3000
            })
            if ($.isEmptyObject(data.error)) {

                    Toast.fire({
                    type: 'success',
                    icon: 'success',
                    title: data.success,
                    })
            }else{

            Toast.fire({
                    type: 'error',
```



```
                    })
            }else{

            Toast.fire({
                    type: 'error',
                    icon: 'error',
                    title: data.error,
                    })
                }
              // End Message
            }
        })
    }
  </script>


<!-- load Wishlist Data  -->

<script type="text/javascript">
    function wishlist(){
        $.ajax({
            type: "GET",
            dataType: 'json',
            url: "/get-wishlist-property/",
            success:function(response){
                $('#wishQty').text(response.wishQty);

                var rows = ""
                $.each(response.wishlist, function(key,value){
                  rows += `<div class="deals-block-one">
                            <div class="inner-box">
                                <div class="image-box">
                                    <figure class="image"><img src="/${value.property.property_thumbnail}" alt=""></figure>
                                    <div class="batch"><i class="icon-11"></i></div>
                                    <span class="category">Featured</span>
                                    <div class="buy-btn"><a href="#">For ${value.property.property_status}</a></div>
                                </div>
                                <div class="lower-content">
                                    <div class="title-text"><h4><a href="">${value.property.property_name}</a></h4></div>
                                    <div class="price-box clearfix">
                                        <div class="price-info pull-left">
                                            <h6>Start From</h6>
                                            <h4>$${value.property.lowest_price}</h4>
                                            <h6>Maximum Price</h6>
                                            <h4>$${value.property.max_price}</h4>
```


File Edit Selection View Go Run Terminal Help
realestate
Compare.php
compare-roperties.html
compare.blade.php
login.blade.php
feature.blade.php
User.php
dashboard_sidebar.blade.php
frontend_dashboard.blade.php
UserController.php
resources > views > frontend > frontend_dashboard.blade.php

<h4>${value.property.property_name}</h4>

<h6>Start From</h6>
<h4>$${value.property.lowest_price}</h4>
<h6>Maximum Price</h6>
<h4>$${value.property.max_price}</h4>

<ul class="more-details clearfix">
${value.property.bedrooms} Beds
${value.property.bathrooms} Baths
${value.property.property_size} Sq Ft

<ul class="other-option pull-right clearfix">

 `
});
$('#wishlist').html(rows);
}
})
}
wishlist();
// Wishlist Remove Start
function wishlistRemove(id){
$.ajax({
type: "GET",
dataType: 'json',
url: "/wishlist-remove/"+id,


File Edit Selection View Go Run Terminal Help
compare-roperties.html
compare.blade.php
login.blade.php
resources > views > frontend > frontend_dashboard.blade.php
wishlist();
// Wishlist Remove Start
function wishlistRemove(id){
$.ajax({
type: "GET",
dataType: 'json',
url: "/wishlist-remove/"+id,
success:function(data){
wishlist();
// Start Message
const Toast = Swal.mixin({
toast: true,
position: 'top-end',
showConfirmButton: false,
timer: 3000
})
if ($.isEmptyObject(data.error)) {
Toast.fire({
type: 'success',
icon: 'success',
title: data.success,
})
}else{
Toast.fire({
type: 'error',
icon: 'error',
title: data.error,
})
}
// End Message
}
})
}
/// End Wishlist Remove
</script>
sadaf--3


File Edit Selection View Go Run Terminal Help
realestate
compare.php
compare-roperties.html
compare.blade.php
login.blade.php
feature.blade.php
User.php
dashboard_sidebar.blade.p
resources > views > frontend > frontend_dashboard.blade.php
<!-- ////add to compare -->
<script type="text/javascript">
function addToCompare(property_id){
$.ajax({
type: "POST",
dataType: 'json',
url: "/add-to-compare/"+property_id,
success:function(data){
// Start Message
const Toast = Swal.mixin({
toast: true,
position: 'top-end',
showConfirmButton: false,
timer: 3000
})
if ($.isEmptyObject(data.error)) {
Toast.fire({
type: 'success',
icon: 'success',
title: data.success,
})
}else{
Toast.fire({
type: 'error',
icon: 'error',
title: data.error,
})
}
// End Message
}
})
}


File Edit Selection View Go Run Terminal Help
realestate
Compare.php
compare-roperties.html
compare.blade.php
login.blade.php
feature.blade.php
User.php
dashboard_sidebar.blade.php
resources > views > frontend > frontend_dashboard.blade.php
</script>
<!-- load compare Data -->
<script type="text/javascript">
function compare(){
$.ajax({
type: "GET",
dataType: 'json',
url: "/get-compare-property/",
success:function(response){
var rows = ""
$.each(response, function(key,value){
rows += ` <tr>
<th>Property Info</th>
<th>
<figure class="image-box"><img src="/${value.property.property_thumbnail}" alt=""></figure>
/${value.property.property_name}
/${value.property.lowest_price}
</th>
</tr>
<tr>
<td>
City
</td>
<td>
/${value.property.city}
</td>
</tr>
<tr>
<td>
Area
</td>
<td>
${value.property.property_size} Sq Ft
sadaf--3
0 0
0


File Edit Selection View Go Run Terminal Help
realestate
compare.php
compare-roperties.html
compare.blade.php
login.blade.php
feature.blade.php
User.php
dashboard_sidebar.blade.php
frontend_dashboar
resources > views > frontend > frontend_dashboard.blade.php
${value.property.property_size} Sq Ft
</td>
</tr>
<tr>
<td>
Rooms
</td>
<td>
${value.property.bedrooms}
</td>
</tr>
<tr>
<td>
Bathrooms
</td>
<td>
${value.property.bathrooms}
</td>
</tr>
<tr>
<td>
Garage
</td>
<td>
${value.property.garage}
</td>
</tr>
<tr>
<td>
Action
</td>
<td>

</td>
</tr>
});


File Edit Selection View Go Run Terminal Help
Compare.php
compare-roperties.html
compare.blade.php
login.blade.php
feature.blade.php
User.php
resources > views > frontend > frontend_dashboard.blade.php
405 });
406 $('#compare').html(rows);
407 }
408 })
409 }
410
411 compare();
412
413
414
415 // compare Remove Start
416 function compareRemove(id){
417 $.ajax({
418 type: "GET",
419 dataType: 'json',
420 url: "/compare-remove/"+id,
421
422 You, 4 hours ago • compare properties + remove property from comapar…
423 success:function(data){
424 compare();
425 // Start Message
426 const Toast = Swal.mixin({
427 toast: true,
428 position: 'top-end',
429
430 showConfirmButton: false,
431 timer: 3000
432 })
433 if ($.isEmptyObject(data.error)) {
434
435 Toast.fire({
436 type: 'success',
437 icon: 'success',
438 title: data.success,
439 })
440 }else{
441
442 Toast.fire({
443 type: 'error',
444 icon: 'error',
445 title: data.error,
446 })
447 }
448 // End Message
449


File Edit Selection View Go Run Terminal Help
realesta
Compare.php
compare-roperties.html
compare.blade.php
login.blade.php
feature.blade.php
User.php
resources > views > frontend > frontend_dashboard.blade.php
$.ajax({
type: "GET",
dataType: 'json',
url: "/compare-remove/"+id,
You, 4 hours ago • compare properties + remove property from comapar…
success:function(data){
compare();
// Start Message
const Toast = Swal.mixin({
toast: true,
position: 'top-end',
showConfirmButton: false,
timer: 3000
})
if ($.isEmptyObject(data.error)) {
Toast.fire({
type: 'success',
icon: 'success',
title: data.success,
})
}else{
Toast.fire({
type: 'error',
icon: 'error',
title: data.error,
})
}
// End Message
}
})
}
/// compare remove end
</script>
sadaf--3
0 0
0

❖ Index :


File Edit Selection View Go Run Terminal Help
Compare.php
compare-roperties.html
compare.blade.php
login.blade.php
User.php
dashboard_sidebar.b
resources > views > frontend > index.blade.php
Israt Jahan Ayshi, yesterday | 2 authors (You and others)
@extends('frontend.frontend_dashboard')
@section('main')
<!-- banner-section -->
@include('frontend.home.banner')
<!-- banner-section end -->
<!-- category-section -->
@include('frontend.home.category')
<!-- category-section end -->
<!-- feature-section -->
@include('frontend.home.feature')
<!-- feature-section end -->
You, 2 weeks ago • Home page + login page with css …
<!-- video-section -->
@include('frontend.home.video')
<!-- video-section end -->
<!-- deals-section -->
@include('frontend.home.deals')
<!-- deals-section end -->
<!-- testimonial-section end -->
<!-- testimonial-section end -->
<!-- chooseus-section -->
<!-- chooseus-section end -->
<!-- place-section
@include('frontend.home.place')
place-section end -->
sadaf--3
0 0
0


File Edit Selection View Go Run Terminal Help
realestate
Compare.php
compare-roperties.html
compare.blade.php
login.blade.php
User.php
dashboard_sidebar.blade.php
frontend_dashboard.b
resources > views > frontend > index.blade.php
<!-- place-section
@include('frontend.home.place')
place-section end -->
<!-- team-section -->
<!-- team-section end -->
<!-- cta-section -->
<section class="cta-section bg-color-2">

<h2>Looking to Buy a New Property or
Sell an Existing One?</h2>

Rent Properties
Buy Properties

</section>
<!-- cta-section end -->
<!-- news-section -->
<!-- news-section end -->
<!-- download-section -->
<!-- download-section end -->
@endsection

❖ Wishlist :



```
@extends('frontend.frontend_dashboard')
@section('main')

    <!--Page Title-->
    <section class="page-title-two bg-color-1 centred">
            <div class="pattern-layer">
                <div class="pattern-1" style=""></div>
                <div class="pattern-2" style=""></div>
            </div>
            <div class="auto-container">
                <div class="content-box clearfix">
                    <h1>WishList Property </h1>
                    <ul class="bread-crumb clearfix">
                        <li><a href="index.html">Home</a></li>
                        <li>WishList Property</li>
                    </ul>
                </div>
            </div>
        </section>
        <!--End Page Title-->


        <!-- property-page-section -->
        <section class="property-page-section property-list">
            <div class="auto-container">
                <div class="row clearfix">
                    <div class="col-lg-6 col-md-12 col-sm-12 sidebar-side">

        @php
            $id = Auth::user()->id;
            $userData = App\Models\User::find($id);
        @endphp


    <div class="blog-sidebar">
   <div class="sidebar-widget post-widget">
                        <div class="widget-title">
                            <h4>User Profile </h4>
                        </div>
                          <div class="post-inner">
                            <div class="post">
                                <figure class="post-thumb"><a href="blog-details.html">
        <img src="{{ (!empty($userData->photo)) ? url('upload/user_images/'.$userData->photo) : url('upload/no_image.jpg') }}" alt=""></a></figure>
        <h5><a href="blog-details.html">{{ $userData->name }} </a></h5>
```


File Edit Selection View Go Run Terminal Help
realestate
compare.php
compare-roperties.html
compare.blade.php
login.blade.php
User.php
dashboard_sidebar.blade.php
frontend_dashboard.blade.php
wishlist.
resources > views > frontend > dashboard > wishlist.blade.php

<h4>User Profile </h4>

<figure class="post-thumb">
<img src="{{ (!empty($userData->photo)) ? url('upload/user_images/'.$userData->photo) : url('upload/no_image.jpg') }}" alt=""></figure>
<h5>{{ $userData->name }} </h5>
{{ $userData->email }}

@include('frontend.dashboard.dashboard_sidebar')

</br>
<!--get wishlist with id-->

sadaf--3
0 0 0
Israt Jahan A


File Edit Selection View Go Run Terminal Help
realestate
compare.php
compare-roperties.html
compare.blade.php
login.blade.php
User.php
dashboard_sidebar.blade.php
resources > views > frontend > dashboard > wishlist.blade.php

</br>
<!--get wishlist with id-->

</section>
<!-- property-page-section end -->
<!-- subscribe-section -->
<section class="subscribe-section bg-color-3">

Subscribe
<h2>Sign Up To Our Newsletter To Get The Latest News And Offers.</h2>

<form action="contact.html" method="post" class="subscribe-form">

<input type="email" name="email" placeholder="Enter your email" required="">
<button type="submit">Subscribe Now</button>

</form>

</section>

```
        <!-- subscribe-section -->
        <section class="subscribe-section bg-color-3">
            <div class="pattern-layer" style=""></div>
            <div class="auto-container">
                <div class="row clearfix">
                    <div class="col-lg-6 col-md-6 col-sm-12 text-column">
                        <div class="text">
                            <span>Subscribe</span>
                            <h2>Sign Up To Our Newsletter To Get The Latest News And Offers.</h2>
                        </div>
                    </div>
                    <div class="col-lg-6 col-md-6 col-sm-12 form-column">
                        <div class="form-inner">
                            <form action="contact.html" method="post" class="subscribe-form">
                                <div class="form-group">
                                    <input type="email" name="email" placeholder="Enter your email" required="">
                                    <button type="submit">Subscribe Now</button>
                                </div>
                            </form>
                        </div>
                    </div>
                </div>
            </div>
        </section>
        <!-- subscribe-section end -->



@endsection
```

❖ Compare properties:

```
@extends('frontend.frontend_dashboard')
@section('main')


<!--Page Title-->
<section class="page-title-two bg-color-1 centred">
            <div class="pattern-layer">
                <div class="pattern-1" style="background-image: url({{asset('frontend/assets/images/shape/shape-9.png')}});"></div>
                <div class="pattern-2" style="background-image: url({{asset('frontend/assets/images/shape/shape-10.png')}});"></div>
            </div>
            <div class="auto-container">
                <div class="content-box clearfix">
                    <h1>Compare Properties</h1>
                    <ul class="bread-crumb clearfix">
                        <li><a href="index.html">Home</a></li>
                        <li>Compare Properties</li>
                    </ul>
                </div>
            </div>
        </section>
        <!--End Page Title-->


        <!-- properties-section -->
        <section class="properties-section centred">
            <div class="auto-container">
                <div class="table-outer">
                    <table class="properties-table">

                        <tbody id="compare">      You, 5 hours ago • property compare - done, remove loading









                        </tbody>
                    </table>
                </div>
            </div>
        </section>
```

Backend Development

Some of the Database Table screenshots are attached below as examples.

- ❖ All Migrations:



- ❖ User Data Table Structure in Database:



❖ Properties Data Table Structure in Database:



❖ Property Multi Image table in Database:



❖ Property Message table in Database:



❖ Blog Categories table in database



❖ Blog category table in database



Some of the backend Controller code screenshots are attached below as examples.

- ❖ Web.php file all routes:



```php

Route::middleware('auth')->group(function () {
    //Route::get('/profile', [ProfileController::class, 'edit'])->name('profile.edit');
   // Route::patch('/profile', [ProfileController::class, 'update'])->name('profile.update');
   // Route::delete('/profile', [ProfileController::class, 'destroy'])->name('profile.destroy');
    Route::get('/user/profile', [UserController::class, 'UserProfile'])->name('user.profile');

    Route::post('/user/profile/store', [UserController::class, 'UserProfileStore'])->name('user.profile.store');

    Route::get('/user/logout', [UserController::class, 'UserLogout'])->name('user.logout');


     // User WishlistAll Route
    Route::controller(WishlistController::class)->group(function(){

        Route::get('/user/wishlist', 'UserWishlist')->name('user.wishlist');
        Route::get('/get-wishlist-property', 'GetWishlistProperty');
        Route::get('/wishlist-remove/{id}', 'WishlistRemove');


});

// User CompareController Route
Route::controller(CompareController::class)->group(function(){

    Route::get('/user/compare', 'UserCompare')->name('user.compare');
    Route::get('/get-compare-property', 'GetCompareProperty');
    Route::get('/compare-remove/{id}', 'CompareRemove');



});

});
```


web.php
.env
CompareController.php
header.blade.php
Compare.php
compare.blade.php
login.blade.php
routes > web.php
});
require __DIR__.'/auth.php';
//admin group middleware start (protected)
Route::middleware(['auth','role:admin'])->group(function(){
Route::get('/admin/dashboard', [AdminController::class, 'AdminDashboard'])->name('admin.dashboard');
Route::get('/admin/logout', [AdminController::class, 'AdminLogout'])->name('admin.logout');
Route::get('/admin/profile', [AdminController::class, 'AdminProfile'])->name('admin.profile');
Route::post('/admin/profile/store', [AdminController::class, 'AdminProfileStore'])->name('admin.profile.store');
Route::get('/admin/allagent',[AdminController::class,'AdminAllAgent'])->name('admin.allagent');
Route::get('/admin/addagent',[AdminController::class,'AdminAddAgent'])->name('admin.addagent');
Route::post('/admin/addagent/submit', [AdminController::class, 'addagent'])->name('admin.addagent.submit');
}); //end grp admin middleware
//agent group middleware start (protected)
Route::middleware(['auth','role:agent'])->group(function(){
Route::get('/agent/dashboard', [AgentController::class, 'AgentDashboard'])->name('agent.dashboard');
Route::get('/agent/logout', [AgentController::class, 'AgentLogout'])->name('agent.logout');
Route::get('/agent/profile', [AgentController::class, 'AgentProfile'])->name('agent.profile');
Route::post('/agent/profile/store', [AgentController::class, 'AgentProfileStore'])->name('agent.profile.store');
}); //end agent middleware




```php
});
//end agent middleware



Route::get('/admin/login', [AdminController::class, 'AdminLogin'])->name('admin.login');
Route::get('/agent/login', [AgentController::class, 'AgentLogin'])->name('agent.login');

Route::get('/', [AdminController::class, 'AdminGoBack'])->name('home');
Route::get('/', [AgentController::class, 'AgentGoBack'])->name('home');


Route::middleware(['auth','role:admin'])->group(function(){

    // property type all route
    Route::controller(PropertyTypeController::class)->group(function(){
        Route::get('/all/type','AllType')->name('all.type');
        Route::get('/add/type','AddType')->name('add.type');
        Route::post('/store/type','StoreType')->name('store.type');
        Route::get('/edit/type/{id}','EditType')->name('edit.type');
        Route::post('/update/type','UpdateType')->name('update.type');
        Route::get('/delete/type/{id}','DeleteType')->name('delete.type');


    });

    //facility routes
    Route::controller(PropertyTypeController::class)->group(function(){
        Route::get('/all/facility','AllFacility')->name('all.facility');
        Route::get('/add/facility','AddFacility')->name('add.facility');
        Route::post('/store/facility','StoreFacility')->name('store.facility');
        //Route::get('/edit/facility/{id}','EditFacility')->name('edit.facility');
        //Route::post('/update/type','UpdateType')->name('update.type');
        //Route::get('/delete/type/{id}','DeleteType')->name('delete.type');


    });

     // Property All Route
    Route::controller(PropertyController::class)->group(function(){
        Route::get('/all/property', 'AllProperty')->name('all.property');
        Route::get('/add/property', 'AddProperty')->name('add.property');
        Route::post('/store/property', 'StoreProperty')->name('store.property');
        Route::get('/edit/property/{id}', 'EditProperty')->name('edit.property');
        Route::post('/update/property', 'UpdateProperty')->name('update.property');
```

web.php | .env | CompareController.php | header.blade.php | Compare.php | compare.blade.php | login.bla

routes > web.php

```php
        Route::get('/edit/property/{id}', 'EditProperty')->name('edit.property');
        Route::post('/update/property', 'UpdateProperty')->name('update.property');
        Route::post('/update/property/thumbnail', 'UpdatePropertyThumbnail')->name('update.property.thumbnail');



    });

     // State  All Route
    Route::controller(StateController::class)->group(function(){

        Route::get('/all/state', 'AllState')->name('all.state');
        Route::get('/add/state', 'AddState')->name('add.state');
        Route::post('/store/state', 'StoreState')->name('store.state');
        //Route::get('/edit/type/{id}', 'EditType')->name('edit.type');
        //Route::post('/update/type', 'UpdateType')->name('update.type');
        //Route::get('/delete/type/{id}', 'DeleteType')->name('delete.type');

});


   }); //end grp admin middleware


//agent  group middleware start

Route::middleware(['auth','role:agent'])->group(function(){
        //agent property add
   Route::controller(AgentPropertyController::class)->group(function(){
       Route::get('/agent/all/property','AgentAllProperty')->name('agent.all.property');
       Route::get('/agent/add/property', 'AgentAddProperty')->name('agent.add.property');
       Route::post('/agent/store/property', 'AgentStoreProperty')->name('agent.store.property');
       Route::get('/agent/edit/property/{id}', 'AgentEditProperty')->name('agent.edit.property');
       Route::post('/agent/update/property', 'AgentUpdateProperty')->name('agent.update.property');

});

   }); //end agent middleware




  // Frontend Property Details All Route
  Route::get('/property/details/{id}/{slug}', [IndexController::class, 'PropertyDetails']);
```

```php
}); //end agent middleware




// Frontend Property Details All Route
Route::get('/property/details/{id}/{slug}', [IndexController::class, 'PropertyDetails']);

// Wishlist Add Route
Route::post('/add-to-wishList/{property_id}', [WishlistController::class, 'AddToWishList']);

// Home Page Buy Seach Option
Route::post('/buy/property/search', [IndexController::class, 'BuyPropertySeach'])->name('buy.property.search');

// Home Page Rent Seach Option
Route::post('/rent/property/search', [IndexController::class, 'RentPropertySeach'])->name('rent.property.search');

// Get All Rent Property
Route::get('/rent/property', [IndexController::class, 'RentProperty'])->name('rent.property');

// Get All Buy Property
Route::get('/buy/property', [IndexController::class, 'BuyProperty'])->name('buy.property');


// compare add route
Route::post('/add-to-compare/{property_id}', [CompareController::class, 'AddToCompare']);




//forgot password


Route::get('/forgot-password', function () {
    return view('auth.forgot-password');
})->middleware('guest')->name('password.request');


        You, 7 hours ago • add compare property in database
```

❖ Property Controller:





```
Team-Venom > app > Http > Controllers > Backend > PropertyController.php > PropertyController > UpdateProperty

class PropertyController extends Controller
{
    public function AllProperty(){

        $property = Property::latest()->get();
        return view('backend.property.all_property',compact('property'));

    } // End Method

    public function AddProperty(){

        $propertytype = PropertyType::latest()->get();
        $pstate = State::latest()->get();
        $facilities = Facilities::latest()->get();
        $activeAgent = User::where('status','active')->where('role','agent')->latest()->get();
        return view('backend.property.add_property',compact('propertytype','facilities','activeAgent','pstate'));

    }// End Method


    public function StoreProperty(Request $request){

        $facil = $request->facility_id;
        $facility = implode(",", $facil);
        // dd($amenites);

        $pcode = IdGenerator::generate(['table' => 'properties','field' => 'property_code','length' => 5, 'prefix' => 'PC' ]);


        $image = $request->file('property_thumbnail');
        $name_gen = hexdec(uniqid()).'.'.$image->getClientOriginalExtension();
        Image::make($image)->resize(370,250)->save('upload/property/thumbnail/'.$name_gen);
        $save_url = 'upload/property/thumbnail/'.$name_gen;

        $property_id = Property::insertGetId([

            'ptype_id' => $request->ptype_id,
```



```
Team-Venom > app > Http > Controllers > Backend > PropertyController.php > PropertyController > UpdateProperty

            'ptype_id' => $request->ptype_id,
            'facility_id' => $facility,
            'property_name' => $request->property_name,
            'property_slug' => strtolower(str_replace(' ', '-', $request->property_name)),
            'property_code' => $pcode,
            'property_status' => $request->property_status,

            'lowest_price' => $request->lowest_price,
            'max_price' => $request->max_price,
            'short_descp' => $request->short_descp,
            'long_descp' => $request->long_descp,
            'bedrooms' => $request->bedrooms,
            'bathrooms' => $request->bathrooms,
            'garage' => $request->garage,


            'property_size' => $request->property_size,
            'property_video' => $request->property_video,
            'address' => $request->address,
            'city' => $request->city,
            'state' => $request->state,
            'postal_code' => $request->postal_code,

            'neighborhood' => $request->neighborhood,
            'latitude' => $request->latitude,
            'longitude' => $request->longitude,
            'featured' => $request->featured,
            'hot_exclusive' => $request->hot,
            'agent_id' => $request->agent_id,
            'status' => 1,
            'property_thumbnail' => $save_url,
            'created_at' => Carbon::now(),
```


web.php
PropertyController.php
Team-Venom > app > Http > Controllers > Backend > PropertyController.php > PropertyController > UpdateProperty
/// Multiple Image ////
$images = $request->file('multi_img');
foreach($images as $img){
$make_name = hexdec(uniqid()).'.'.$img->getClientOriginalExtension();
Image::make($img)->resize(770,520)->save('upload/property/multi-image/'.$make_name);
$uploadPath = 'upload/property/multi-image/'.$make_name;
MultiImage::insert([
'property_id' => $property_id,
'photo_name' => $uploadPath,
'created_at' => Carbon::now(),
]);
} // End Foreach
/// End Multiple Image ////
/// Property Service/benefits ////
$services = Count($request->service_name);
if ($services != NULL) {
for ($i=0; $i < $services; $i++) {
$fcount = new PropertyService();
$fcount->property_id = $property_id;
$fcount->service_name = $request->service_name[$i];
$fcount->distance = $request->distance[$i];
$fcount->save();
}
}


web.php
PropertyController.php
Team-Venom > app > Http > Controllers > Backend > PropertyController.php > PropertyController > UpdateProperty
/// Property Service/benefits ////
$services = Count($request->service_name);
if ($services != NULL) {
for ($i=0; $i < $services; $i++) {
$fcount = new PropertyService();
$fcount->property_id = $property_id;
$fcount->service_name = $request->service_name[$i];
$fcount->distance = $request->distance[$i];
$fcount->save();
}
}
/// End Property Service ////
$notification = array(
'message' => 'Property Inserted Successfully',
'alert-type' => 'success'
);
return redirect()->route('all.property')->with($notification);
}// End Method
public function EditProperty($id){
$property = Property::findOrFail($id);
$type = $property->facility_id;
$property_facility = explode(',', $type);



```
Team-Venom > app > Http > Controllers > Backend > PropertyController.php > PropertyController > UpdateProperty

        $propertytype = PropertyType::latest()->get();
        $pstate = State::latest()->get();
        $facilities = Facilities::latest()->get();
        $activeAgent = User::where('status','active')->where('role','agent')->latest()->get();

        return view('backend.property.edit_property',compact('property','propertytype','facilities','activeAgent','property_facility','pstate

    }// End Method


    public function UpdateProperty(Request $request){


        $facil = $request->facility_id;
        $facility = implode(",", $facil);

        $property_id =$request->id;
        Property::findOrFail($property_id)->update([

            'ptype_id' => $request->ptype_id,
            'facility_id' => $facility,
            'property_name' => $request->property_name,
            'property_slug' => strtolower(str_replace(' ', '-', $request->property_name)),
            'property_status' => $request->property_status,

            'lowest_price' => $request->lowest_price,
            'max_price' => $request->max_price,
            'short_descp' => $request->short_descp,
            'long_descp' => $request->long_descp,
            'bedrooms' => $request->bedrooms,
            'bathrooms' => $request->bathrooms,
            'garage' => $request->garage,


            'property_size' => $request->property_size,
```



```
web.php | PropertyController.php M
Team-Venom > app > Http > Controllers > Backend > PropertyController.php > PropertyController > UpdateProperty

            'property_size' => $request->property_size,
            'property_video' => $request->property_video,
            'address' => $request->address,
            'city' => $request->city,
            'state' => $request->state,
            'postal_code' => $request->postal_code,

            'neighborhood' => $request->neighborhood,
            'latitude' => $request->latitude,
            'longitude' => $request->longitude,
            'featured' => $request->featured,
            'hot_exclusive' => $request->hot,
            'agent_id' => $request->agent_id,
            'updated_at' => Carbon::now(),



        ]);

        $notification = array(
            'message' => 'Property Update Successfully',
            'alert-type' => 'success'
        );

        return redirect()->route('all.property')->with($notification);


    }// End Method


    public function UpdatePropertyThumbnail(Request $request){

        $pro_id = $request->id;
        $oldImage = $request->old_img;
```



❖ Admin Controller:




web.php
AdminController.php
Team-Venom > app > Http > Controllers > AdminController.php > AdminController > AdminAllAgent
public function AdminLogin() {
return view('admin.admin_login');
} //end method
public function AdminProfile() {
$id = Auth::user()->id;
$profileData = User::find($id);
return view('admin.admin_profile_view',compact('profileData'));
} //end method
public function AdminProfileStore(Request $request){
$id = Auth::user()->id;
$data = User::find($id);
$data->username = $request->username;
$data->name = $request->name;
$data->email = $request->email;
$data->phone = $request->phone;
$data->address = $request->address;
$data->save();
$notification = array(
'message' => 'Admin Profile Updated Successfully',
'alert-type' => 'success'
);
return redirect()->back()->with($notification);


web.php
AdminController.php
Team-Venom > app > Http > Controllers > AdminController.php > AdminController > AdminAllAgent
}//end method
public function AdminAllAgent() {
$allagent= User::where('role','agent')->get();
return view('admin.admin_all_agent',compact('allagent'));
} //end method
public function AdminAddAgent() {
return view('admin.admin_add_agent');
} //end method
public function addagent(Request $request)
{
$data= new user;
$data->name= $request->name;
$data->email= $request->email;
$data->password= bcrypt($request->password);
$data->role='agent';
$data->save();
return redirect()->back();
}
}
Ln 80, Col 37 Spaces: 4 UTF-8 LF PHP

❖ Compare properties :



```php
<?php

namespace App\Http\Controllers\Frontend;

use App\Http\Controllers\Controller;
use Illuminate\Http\Request;

use App\Models\User;
use App\Models\Compare;
use Illuminate\Support\Facades\Auth;
use Carbon\Carbon;

class CompareController extends Controller
{
    public function AddToCompare(Request $request, $property_id){

        if(Auth::check()){

            $exists = Compare::where('user_id',Auth::id())->where('property_id',$property_id)->first();

            if (!$exists) {
                Compare::insert([
                'user_id' => Auth::id(),
                'property_id' => $property_id,
                'created_at' => Carbon::now()
                ]);
                return response()->json(['success' => 'Successfully Added To Your Compare List']);
            }else{
                return response()->json(['error' => 'This Property Is Already In Your Compare List']);
            }

        }else{
            return response()->json(['error' => 'Please Login to Your Account']);
        }

    } // End Method

    //start methiod
    public function UserCompare(){
```


File Edit Selection View Go Run Terminal Help
realestate
web.php
.env
CompareController.php
header.blade.php
Compare.php
compare.blade.php
login.blade.php
User.php
app > Http > Controllers > Frontend > CompareController.php > App\Http\Controllers\Frontend\CompareController > CompareRemove()
}else{
return response()->json(['error' => 'Please Login to Your Account']);
}
} // End Method
//start methiod
0 references | 0 overrides
public function UserCompare(){
return view('frontend.dashboard.compare');
}//end method
0 references | 0 overrides
public function GetCompareProperty(){
$compare = Compare::with('property')->where('user_id',Auth::id())->latest()->get();
return response()->json($compare);
}// End Method
0 references | 0 overrides
public function CompareRemove($id){
Compare::where('user_id',Auth::id())->where('id',$id)->delete();
return response()->json(['success' => 'Successfully Removed from Compare List']);
You, 4 hours ago • compare properties + remove property
}
}


Help
realestate
web.php
.env
CompareController.php
header.blade.php
Compare.php
compare.blade.php
login.blade.php
app > Models > Compare.php > ...
You, 5 hours ago | 1 author (You)
<?php
namespace App\Models;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;
5 references | 0 implementations | You, 5 hours ago | 1 author (You)
class Compare extends Model
{
use HasFactory;
0 references
protected $guarded = [];
0 references | 0 overrides
public function property(){
return $this->belongsTo(Property::class,'property_id','id');
}
}

❖ Auth:

web.php | auth.php | .env | CompareController.php | header.blade.php | Compare.php | compare.blade.php

routes > auth.php

You, 3 weeks ago | 1 author (You)

```php
<?php      You, 3 weeks ago • initial commit

use App\Http\Controllers\Auth\AuthenticatedSessionController;
use App\Http\Controllers\Auth\ConfirmablePasswordController;
use App\Http\Controllers\Auth\EmailVerificationNotificationController;
use App\Http\Controllers\Auth\EmailVerificationPromptController;
use App\Http\Controllers\Auth\NewPasswordController;
use App\Http\Controllers\Auth\PasswordController;
use App\Http\Controllers\Auth\PasswordResetLinkController;
use App\Http\Controllers\Auth\RegisteredUserController;
use App\Http\Controllers\Auth\VerifyEmailController;
use Illuminate\Support\Facades\Route;

Route::middleware('guest')->group(function () {
    Route::get('register', [RegisteredUserController::class, 'create'])
                ->name('register');

    Route::post('register', [RegisteredUserController::class, 'store']);

    Route::get('login', [AuthenticatedSessionController::class, 'create'])
                ->name('login');

    Route::post('login', [AuthenticatedSessionController::class, 'store']);

    Route::get('forgot-password', [PasswordResetLinkController::class, 'create'])
                ->name('password.request');

    Route::post('forgot-password', [PasswordResetLinkController::class, 'store'])
                ->name('password.email');

    Route::get('reset-password/{token}', [NewPasswordController::class, 'create'])
                ->name('password.reset');

    Route::post('reset-password', [NewPasswordController::class, 'store'])
                ->name('password.store');
});

Route::middleware('auth')->group(function () {
    Route::get('verify-email', EmailVerificationPromptController::class)
                ->name('verification.notice');

    Route::get('verify-email/{id}/{hash}', VerifyEmailController::class)
                ->middleware(['signed', 'throttle:6,1'])
                ->name('verification.verify');
```


web.php
auth.php
.env
CompareController.php
header.blade.php
Compare.php
compare.blade.php
routes > auth.php
30
31 Route::get('reset-password/{token}', [NewPasswordController::class, 'create'])
32 ->name('password.reset');
33
34 Route::post('reset-password', [NewPasswordController::class, 'store'])
35 ->name('password.store');
36 });
37
38 Route::middleware('auth')->group(function () {
39 Route::get('verify-email', EmailVerificationPromptController::class)
40 ->name('verification.notice');
41
42 Route::get('verify-email/{id}/{hash}', VerifyEmailController::class)
43 ->middleware(['signed', 'throttle:6,1'])
44 ->name('verification.verify');
45
46 Route::post('email/verification-notification', [EmailVerificationNotificationController::class, 'store'])
47 ->middleware('throttle:6,1')
48 ->name('verification.send');
49
50 Route::get('confirm-password', [ConfirmablePasswordController::class, 'show'])
51 ->name('password.confirm');
52
53 Route::post('confirm-password', [ConfirmablePasswordController::class, 'store']);
54
55 Route::put('password', [PasswordController::class, 'update'])->name('password.update');
56
57 Route::post('logout', [AuthenticatedSessionController::class, 'destroy'])
58 ->name('logout');
59 });
60

❖ Blog Controller:




y\Team-Venom-AbashON\app\Http\Controllers\Backend\BlogController.php (Team-Venom-AbashON) - Sublime Text (UNREGISTERED)
Tools Project Preferences Help
web.php
BlogController.php
blog_category.blade.php
return response()->json($categories);
}// End Method
public function UpdateBlogCategory(Request $request){
$cat_id = $request->cat_id;
BlogCategory::findOrFail($cat_id)->update([
'category_name' => $request->category_name,
'category_slug' => strtolower(str_replace(' ','-',$request->category_name)),
]);
$notification = array(
'message' => 'BlogCategory Updated Successfully',
'alert-type' => 'success'
);
return redirect()->route('all.blog.category')->with($notification);
}// End Method
public function DeleteBlogCategory($id){
BlogCategory::findOrFail($id)->delete();
$notification = array(
'message' => 'BlogCategory Deleted Successfully',
'alert-type' => 'success'
);
return redirect()->route('all.blog.category')->with($notification);
}// End Method
}

Create blog categories table:




y\Team-Venom-AbashON\resources\views\backend\category\blog_category.blade.php (Team-Venom-AbashON) - Sublime Text (UNREGISTERED)
Tools Project Preferences Help
web.php
BlogController.php
2023_12_09_184229_create_blog_categories_table.php
blog_category.blade.php
@extends('admin.admin_dashboard')
@section('admin')

<nav class="page-breadcrumb">
<ol class="breadcrumb">
<button type="button" class="btn btn-inverse-info" data-bs-toggle="modal" data-bs-target="#exampleModal">
Add Category
</button>

</nav>

<h6 class="card-title">Blog Category All </h6>

<table id="dataTableExample" class="table">
<thead>
<tr>
<th>Serial </th>
<th>Blog Category Name </th>
<th>Blog Category Slug </th>
<th>Action </th>
</tr>
</thead>
<tbody>
@foreach($category as $key => $item)
<tr>
<td>{{ $key+1 }}</td>
<td>{{ $item->category_name }}</td>
<td>{{ $item->category_slug }}</td>
<td>


y\Team-Venom-AbashON\resources\views\backend\category\blog_category.blade.php (Team-Venom-AbashON) - Sublime Text (UNREGISTERED)
Tools Project Preferences Help
web.php
BlogController.php
2023_12_09_184229_create_blog_categories_table.php
blog_category.blade.php
<button type="button" class="btn btn-inverse-warning" data-bs-toggle="modal" data-bs-target="#catedit" id="{{ $item->id }}" onclick="categoryEdit(this.id)" >
Edit
</button>
id) }}" class="btn btn-inverse-danger" id="delete"> Delete
</td>
</tr>
@endforeach
</tbody>
</table>

<!-- Modal -->

<h5 class="modal-title" id="exampleModalLabel">Add Category</h5>
<button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="btn-close"></button>

<form method="POST" action="{{ route('store.blog.category') }}" class="forms-sample">
@csrf

<label for="exampleInputEmail1" class="form-label">Blog Category Name </label>
<input type="text" name="category_name" class="form-control" >

Activate Window
Go to Settings to activa


y\Team-Venom-AbashON\resources\views\backend\category\blog_category.blade.php (Team-Venom-AbashON) - Sublime Text (UNREGISTERED)
Tools Project Preferences Help
web.php
BlogController.php
2023_12_09_184229_create_blog_categories_table.php
blog_category.blade.php

<button type="submit" class="btn btn-primary">Save changes</button>

</form>

<!-- Edit Category Modal -->

<h5 class="modal-title" id="exampleModalLabel">Edit Category</h5>
<button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="btn-close"></button>

<form method="POST" action="{{ route('update.blog.category') }}" class="forms-sample">
@csrf
<input type="hidden" name="cat_id" id="cat_id">

<label for="exampleInputEmail1" class="form-label">Blog Category Name </label>
<input type="text" name="category_name" class="form-control" id="cat" >

Activate
Go to Setting


y\Team-Venom-AbashON\resources\views\backend\category\blog_category.blade.php (Team-Venom-AbashON) - Sublime Text (UNREGISTERED)
Tools Project Preferences Help
web.php
BlogController.php
2023_12_09_184229_create_blog_categories_table.php
blog_category.blade.php

<button type="submit" class="btn btn-primary">Save changes</button>

</form>

<script type="text/javascript">
function categoryEdit(id){
$.ajax({
type: 'GET',
url: '/blog/category/'+id,
dataType: 'json',
success:function(data){
// console.log(data)
$('#cat').val(data.category_name);
$('#cat_id').val(data.id);
}
})
}
</script>
@endsection

Sidebar:


y\Team-Venom-AbashON\resources\views\admin\body\sidebar.blade.php (Team-Venom-AbashON) - Sublime Text (UNREGISTERED)
Tools Project Preferences Help
web.php
BlogController.php
blog_category.blade.php
sidebar.blade.php

<ul class="nav sub-menu">
<li class="nav-item">
All Property Type

<li class="nav-item">
Add Property Type

<li class="nav-item">
<a class="nav-link" data-bs-toggle="collapse" href="#blogcategory" role="button" aria-expanded="false"
aria-controls="uiComponents">

Blog Category

<ul class="nav sub-menu">
<li class="nav-item">
All Blog Category

<li class="nav-item">
<a class="nav-link" data-bs-toggle="collapse" href="#state" role="button" aria-expanded="false"
aria-controls="emails">

State Areas

Activate Windo
Go to Settings to acti

Web:


\Team-Venom-AbashON\routes\web.php (Team-Venom-AbashON) - Sublime Text (UNREGISTERED)
Tools Project Preferences Help
web.php
BlogController.php
blog_category.blade.php
// State All Route
Route::controller(StateController::class)->group(function(){
Route::get('/all/state', 'AllState')->name('all.state');
Route::get('/add/state', 'AddState')->name('add.state');
Route::post('/store/state', 'StoreState')->name('store.state');
//Route::get('/edit/type/{id}', 'EditType')->name('edit.type');
//Route::post('/update/type', 'UpdateType')->name('update.type');
//Route::get('/delete/type/{id}', 'DeleteType')->name('delete.type');
});
//Blog Category All Route
Route::controller(BlogController::class)->group(function(){
Route::get('/all/blog/category','AllBlogCategory')->name('all.blog.category');
Route::post('/store/blog','StoreBlogCategory')->name('store.blog.category');
Route::get('/blog/category/{id}', 'EditBlogCategory');
Route::post('/update/blog/category','UpdateBlogCategory')->name('update.blog.category');
Route::get('/delete/blog/category/{id}','DeleteBlogCategory')->name('delete.blog.category');
});
}); //end grp admin middleware
//agent group middleware start
Route::middleware(['auth','role:agent'])->group(function(){
//agent property add
Route::controller(AgentPropertyController::class)->group(function(){
Route::get('/agent/all/property','AgentAllProperty')->name('agent.all.property');
Route::get('/agent/add/property', 'AgentAddProperty')->name('agent.add.property');
Route::post('/agent/store/property', 'AgentStoreProperty')->name('agent.store.property');
Route::get('/agent/edit/property/{id}', 'AgentEditProperty')->name('agent.edit.property');

Technology (Framework, Languages)

- Framework : Laravel

- Other languages used to implement :

    - ➔ PHP
    - ➔ JavaScript
    - ➔ JavaScript Object Notation (json)
    - ➔ Basic Html

GitHub Repository

Link: legaldomain/Team-Venom-AbashON (github.com)

Individual Contribution

ID	Name	Contribution
20101537	Sadaf M. Anis	Admin, user login & registration, admin dashboard, user dashboard, dashboard frontend & backend, forgot password, update profile admin, Login/reg using name, email, phone number, Property details add/edit/delete, Map location in every property with latitude and longitude, Nearby benefits (by distance), Featured page for featured properties, Property status in featured page section, Compare properties, Notification System, custom logo design, CSS, Report Writing
20101618	Israt Jahan Ayshi	Agent add & view, Agent login & registration, Agent dashboard, Verification mail, Update profile agent, Update profile user, Property type, facilities, states add/edit/delete, Add Property from admin and agent, Send Message section for user & agent can view messages, property details page, wishlist, Property Search in homepage, Property list pages, Notification System, CSS, Report Writing
20101021	Ms Rodsy Tahmid	Admin Blog Category Page, Add Category, Edit already created category, Delete a blog type, Notification system, CSS, Report Writing