

Safety data sheet

According to 1907/2006/EC, Article 31

Printing date 31.01.2024 Version number 13 (replaces version 12)

Revision: 31.01.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** Struktol Polydis 3604
- **Article number:** 03052
- **UFI:** 7CN0-40DP-D00C-M5JA
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Epoxy resin
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Schill+Seilacher "Struktol" GmbH
Moorfleeter Str. 28
D-22113 Hamburg
Phone: +49 / (0)40 / 73362-0
Fax: +49 / (0)40 / 73362-194
- **Further information obtainable from:**
CRA - Chemical Regulatory Affairs
E-Mail: msds@struktol.de
- **1.4 Emergency telephone number:**
Emergency Telephone Number for dangerous goods transport:
+44 1865 407333
NCEC - Carechem 24

GIZ North
Phone: +49 / (0)551 / 19240

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2 H319 Causes serious eye irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.
Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS07 GHS09

(Contd. on page 2)

Safety data sheet

According to 1907/2006/EC, Article 31

Printing date 31.01.2024 Version number 13 (replaces version 12)

Revision: 31.01.2024

Trade name: Struktol Polydis 3604

(Contd. of page 1)

- **Signal word** Warning
- **Hazard-determining components of labelling:**
Bis-[4-(2,3-epoxipropoxy)phenyl]propane
- **Hazard statements**
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H411 Toxic to aquatic life with long lasting effects.
- **Precautionary statements**
P261 Avoid breathing mist/vapours/spray.
P280 Wear protective clothing / eye protection.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Additional information:**
EUH205 Contains epoxy constituents. May produce an allergic reaction.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:**
Nitrile rubber modified epoxy resin based on bisphenol-A-diglycidyl ether (DGEBA).

· **Dangerous components:**

CAS: 1675-54-3 EINECS: 216-823-5 Reg.nr.: 01-2119456619-26-XXXX	Bis-[4-(2,3-epoxipropoxy)phenyl]propane ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317, EUH205	25–50%
---	---	--------

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **After inhalation:**
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

Safety data sheet

According to 1907/2006/EC, Article 31

Printing date 31.01.2024 Version number 13 (replaces version 12)

Revision: 31.01.2024

Trade name: Struktol Polydis 3604

(Contd. of page 2)

*If skin irritation continues, consult a doctor.***· After eye contact:***Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.***· 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions****· 4.3 Indication of any immediate medical attention and special treatment needed***No further relevant information available.*

SECTION 5: Firefighting measures

· 5.1 Extinguishing media**· Suitable extinguishing agents:***CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.***· For safety reasons unsuitable extinguishing agents: Water with full jet****· 5.2 Special hazards arising from the substance or mixture***In case of fire, the following can be released:**Carbon monoxide and carbon dioxide**Poisonous gases/vapours**Nitrogen oxides (NO_x)***· 5.3 Advice for firefighters****· Protective equipment:***Wear self-contained respiratory protective device.**Do not inhale explosion gases or combustion gases.*

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures*Wear protective clothing.***· 6.2 Environmental precautions:***Inform respective authorities in case of seepage into water course or sewage system.**The product should not be released into the aquatic environment without preliminary treatments (purification plant).**Do not allow to enter sewers/ surface or ground water.**Do not allow to penetrate the ground/soil.***· 6.3 Methods and material for containment and cleaning up:***Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).**Dispose contaminated material as waste according to section 13.**Ensure adequate ventilation.***· 6.4 Reference to other sections***See Section 7 for information on safe handling.**See Section 8 for information on personal protection equipment.**See Section 13 for disposal information.*

ES-E

(Contd. on page 4)

Safety data sheet

According to 1907/2006/EC, Article 31

Printing date 31.01.2024 Version number 13 (replaces version 12)

Revision: 31.01.2024

Trade name: Struktol Polydis 3604

(Contd. of page 3)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

The usual precautionary measures are to be adhered to when handling chemicals.

· **Information about fire - and explosion protection:** No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** Store in a cool location.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:**

Keep container tightly sealed.

Store in dry conditions.

· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· **Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **Additional information:** The lists valid during the making were used as basis.

· 8.2 Exposure controls

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

(Contd. on page 5)

ES-E

Safety data sheet

According to 1907/2006/EC, Article 31

Printing date 31.01.2024 Version number 13 (replaces version 12)

Revision: 31.01.2024

Trade name: Struktol Polydis 3604

(Contd. of page 4)

· **Material of gloves**

In cooperation with the glove manufacturer KCL, we recommend the following gloves:

Nitrile rubber, NBR

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Value for the permeation: Level ≥ 6

· **For the permanent contact gloves made of the following materials are suitable:**

Butyl rubber, BR

Nitrile rubber, NBR

· **Eye/face protection**



Tightly sealed goggles

· **Body protection: Protective work clothing**

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Fluid

· **Colour:**

Yellowish

· **Odour:**

Uncharacteristic.

· **Odour threshold:**

Not determined.

· **Melting point/freezing point:**

Not determined.

· **Boiling point or initial boiling point and boiling range**

> 200 °C

· **Flammability**

Not applicable.

· **Lower and upper explosion limit**

· **Lower:**

Not determined.

· **Upper:**

Not determined.

· **Flash point:**

> 150 °C (DIN/ISO 2592)

· **Fire point:**

· **Decomposition temperature:**

Not determined.

· **pH**

Not determined.

Mixture is non-soluble (in water).

· **Viscosity:**

· **Kinematic viscosity**

Not determined.

(Contd. on page 6)

Safety data sheet

According to 1907/2006/EC, Article 31

Printing date 31.01.2024 Version number 13 (replaces version 12)

Revision: 31.01.2024

Trade name: Struktol Polydis 3604

(Contd. of page 5)

· Dynamic at 25 °C:	190000 mPas (DIN 51550)
· Solubility	
· water:	Not miscible or difficult to mix.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C:	1,054 g/cm ³ (DIN 53479)
· Relative density	Not determined.
· Vapour density	Not determined.
· 9.2 Other information	
· Appearance:	
· Form:	Highly viscous
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· Organic solvents:	0,0 %
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

ES-E

(Contd. on page 7)

Safety data sheet

According to 1907/2006/EC, Article 31

Printing date 31.01.2024 Version number 13 (replaces version 12)

Revision: 31.01.2024

Trade name: Struktol Polydis 3604

(Contd. of page 6)

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
 - **Thermal decomposition / conditions to be avoided:**
Can decompose slowly with localised heating above 150°C.
- **10.3 Possibility of hazardous reactions** Reacts with oxidising agents.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**
No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
 - **Acute toxicity** Based on available data, the classification criteria are not met.
 - **Skin corrosion/irritation** Causes skin irritation.
 - **Serious eye damage/irritation** Causes serious eye irritation.
 - **Respiratory or skin sensitisation** May cause an allergic skin reaction.
 - **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
 - **Carcinogenicity** Based on available data, the classification criteria are not met.
 - **Reproductive toxicity** Based on available data, the classification criteria are not met.
 - **STOT-single exposure** Based on available data, the classification criteria are not met.
 - **STOT-repeated exposure** Based on available data, the classification criteria are not met.
 - **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

CAS: 1675-54-3 Bis-[4-(2,3-epoxipropoxy)phenyl]propane

EC50/48h 1,8 mg/l (Daphnia magna)

EC50/72h 11 mg/l (Algae)

IC50/96H 2 mg/l (Salmo gairdneri)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.

(Contd. on page 8)

Safety data sheet

According to 1907/2006/EC, Article 31

Printing date 31.01.2024 Version number 13 (replaces version 12) Revision: 31.01.2024

Trade name: Struktol Polydis 3604

(Contd. of page 7)

- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Also poisonous for fish and plankton in water bodies.
The material is harmful to the environment.
Toxic for aquatic organisms

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Disposal must be made according to official regulations.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- | | |
|---|--|
| <ul style="list-style-type: none"> · 14.1 UN number or ID number · ADR/RID/ADN, IMDG, IATA | UN3082 |
| <ul style="list-style-type: none"> · 14.2 UN proper shipping name · ADR/RID/ADN · IMDG · IATA | 3082 ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID, N.O.S. (Bis-[4-(2,3-
epoxipropoxi)phenyl]propane)

ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID, N.O.S. (Bis-[4-(2,3-
epoxipropoxi)phenyl]propane), MARINE
POLLUTANT

Environmentally hazardous substance,
liquid, n.o.s. (Bis-[4-(2,3-epoxipropoxi)
phenyl]propane) |

(Contd. on page 9)

Safety data sheet

According to 1907/2006/EC, Article 31

Printing date 31.01.2024 Version number 13 (replaces version 12)

Revision: 31.01.2024

Trade name: Struktol Polydis 3604

(Contd. of page 8)

· **14.3 Transport hazard class(es)**

· **ADR/RID/ADN**



· **Class**

9 (M6) Miscellaneous dangerous substances and articles.

· **Label**

9

· **IMDG, IATA**



· **Class**

9 Miscellaneous dangerous substances and articles.

· **Label**

9

· **14.4 Packing group**

· **ADR/RID/ADN, IMDG, IATA**

III

· **14.5 Environmental hazards:**

· **Marine pollutant:**

Yes

Symbol (fish and tree)

· **Special marking (ADR/RID/ADN):**

Symbol (fish and tree)

· **Special marking (IATA):**

Symbol (fish and tree)

· **14.6 Special precautions for user**

Not applicable.

· **Hazard identification number (Kemler code):**

90

· **EMS Number:**

F-A,S-F

· **Stowage Category**

A

· **14.7 Maritime transport in bulk according to IMO instruments**

Not covered in this data sheet.

· **Transport/Additional information:**

· **ADR/RID/ADN**

· **Limited quantities (LQ)**

5L

· **Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging:
30 ml

Maximum net quantity per outer packaging:
1000 ml

· **Transport category**

3

(Contd. on page 10)

Safety data sheet

According to 1907/2006/EC, Article 31

Printing date 31.01.2024 Version number 13 (replaces version 12)

Revision: 31.01.2024

Trade name: Struktol Polydis 3604

(Contd. of page 9)

· Tunnel restriction code	(-)
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BIS-[4-(2,3-EPOXIPROPOXI) PHENYL]PROPANE), 9, III

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I**
ninguno de los componentes está incluido en una lista
- **Seveso category E2** Peligroso para el medio ambiente acuático
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

- **REGULATION (EU) 2019/1148**

- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

- **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

- **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

(Contd. on page 11)

ES-E

Safety data sheet

According to 1907/2006/EC, Article 31

Printing date 31.01.2024 Version number 13 (replaces version 12)

Revision: 31.01.2024

Trade name: Struktol Polydis 3604

(Contd. of page 10)

· **15.2 Chemical safety assessment:**

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

EUH205 Contains epoxy constituents. May produce an allergic reaction.

· **Department issuing SDS:** CRA - Chemical Regulatory Affairs

· **Date of previous version:** 28.12.2022

· **Version number of previous version:** 12

· **Abbreviations and acronyms:**

RDI: Règlement concernant le transport international ferroviaire des marchandises dangereuses (Regulation Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

· *** Data compared to the previous version altered.**