

Pitstop Operations Manual

The self-serve guide to customer support tickets, calls and admin at Legend of Toys.



Version	Updated	Application
1.0.1	2026-06-06	pitstop.legendoftoys.com

Contents

GETTING STARTED

Welcome to Pitstop	4
Signing In & Getting Around	6
Roles & What You Can See	7

WORK

The Queue /queue	10
Working a Ticket /queue/detail	11
New Ticket /new	13
Calls /calls	14
Call Detail /calls/detail	15

ANALYZE

Reports /reports	17
------------------------	----

ADMIN

Departments /admin/departments	19
MyOperator Accounts /admin/myop	20
WhatsApp Templates /admin/wa-templates	21

PART 1

Getting Started

What Pitstop is, how to sign in and get around, and what your role can see.

Welcome to Pitstop

AGENT

LEAD

ADMIN

Pitstop is the customer support system for Legend of Toys. Every customer issue, whether it arrives by phone, WhatsApp or a marketplace message, becomes a **ticket** that an agent works from start to finish. This manual is your self-serve guide to every screen in it.

How a ticket flows

Almost everything in Pitstop revolves around a ticket moving through clear stages. The shape of that journey is set by one choice: the **disposition**, which is what you have decided to do for the customer.

DISPOSITION	WHAT HAPPENS
Query / No action	A question or a non-issue: opens and closes quickly (intake to closed).
Awaiting info	Waiting on the customer for evidence before deciding.
Replacement / Refund / Repair / Pending	The full path: verify, schedule a pickup, receive at the warehouse, inspect, then the branch for the chosen outcome, then close.

You set the disposition during triage; from there the ticket advances stage by stage, each step asking for the details it needs (an AWB, an inspection note, a refund reference).

① WHERE THE CONVERSATION HAPPENS

Pitstop shows the customer's WhatsApp conversation as a **read-only mirror**. To actually reply to the customer you click through to BiteSpeed; two-way replies inside Pitstop are a later phase. Phone calls flow in from MyOperator and appear in the Calls log, where a missed call can be turned into a ticket.

How to use this manual

Each chapter covers one screen and follows the same shape: what it is for, how to read it, and what to do. Jump to the screen you are on using the Contents page or your PDF reader's bookmarks. Chapters are tagged with the roles that use them:

AGENT

LEAD

ADMIN

Callout boxes

✓ **TIP**

A faster or smarter way to do something.

⚠ **WATCH OUT**

A common mistake or something easy to misread.

⚡ **IMPORTANT**

Something that affects a customer outcome or money: get it right.

Signing In & Getting Around



Pitstop opens with one click using your work Google account, and everything is reachable from a short sidebar. This chapter covers signing in and finding your way around.

Signing in

Open `pitstop.legendoftoys.com` and sign in with your `@legendoftoys.com` Google account. Personal accounts are refused; if sign-in bounces you back, sign out of any personal Google account first or use a fresh browser profile.

The menu

GROUP	WHAT LIVES HERE
WORK	Queue, Calls, New Ticket.
ANALYZE	Reports (for leads and admins).
ADMIN	Departments, MyOperator Accounts, WhatsApp Templates (admins only).

You only see the groups your role allows. Most screens have a search box you can focus by pressing `/`, and the queue and calls lists support arrow keys with Enter to open a row.

① THE DEPARTMENT SWITCHER

Admins get a **department switcher** in the top bar that scopes every list to one team or “All Departments”. Everyone else is locked to their own department automatically, so you only see your team’s tickets and calls. Customer phone numbers are **masked** by default across the app, with a reveal toggle only on the ticket’s customer panel.

Roles & What You Can See

AGENT

LEAD

ADMIN

Pitstop gives each person the access that matches their job. This chapter explains the three roles used throughout this manual and what each unlocks.

The three roles

AGENT	CS Agent. Works the queue and calls: opens tickets, verifies issues, advances them through their stages, logs notes and evidence, and claims tickets to themselves.
LEAD	CS Lead. Everything an agent does, plus reassigning tickets to other agents and reading the Reports.
ADMIN	Admin. Full access: changing a ticket’s disposition after triage, the department switcher, and the admin screens (Departments, MyOperator accounts, WhatsApp templates).

① HOW ACCESS ACTUALLY WORKS

Your access comes from the permissions on your account (for example `cs_ticket_manage` to work tickets, `cs_ticket_reassign` to assign to others, `cs_reports_view` for reports, `cs_ticket_admin` for the admin screens). The three tags above are plain-language groupings of those permissions. If you cannot do something you should be able to, an admin needs to adjust your role.

Who sees what

AREA	AGENT	LEAD	ADMIN
Queue, Calls, New Ticket, working a ticket	•	•	•
Reassign tickets to other agents		•	•
Reports		•	•
Change disposition past triage			•

AREA	AGENT	LEAD	ADMIN
Departments, MyOp, WA Templates, dept switcher			•

PART 2

Work

The queue, the ticket workspace, creating tickets, and the call log.

The Queue

/queue

AGENT

LEAD

ADMIN

The Queue is the CS home screen: the worklist of tickets. Agents live here to see what is assigned to them, what is overdue, and to open or create tickets. It is where a shift starts.

WHAT IT'S FOR	READ OR ACT?	WHO	UPDATES
Your ticket worklist.	Read; open or create tickets.	AGENT LEAD ADMIN	Counts every 60s.

Reading it

Five cards head the screen: **My Open, Overdue** (red), **Awaiting Evidence 3+ days** (nudge candidates), **Closed Today**, and **Avg Close** month-to-date. Below them, tabs with live counts: **My Queue** (the default), All Open, Awaiting Evidence, In Logistics, Inspection, Resolution, Closed.

Each row shows the ticket number, customer (with masked phone), product, the **disposition** badge (an **AUTO** tag if it was auto-created), the current stage, platform, assigned agent, and an **Age / SLA** figure: green up to 3 days, orange beyond, and **red and bold when overdue** with a "+Nd over" note. The exact **creation date and time** sits in small grey type under the age (and on hover), shown in Indian time so you can tell at a glance when a ticket actually came in.

Finding and opening tickets

Search by name, phone, order, UPC or ticket number (press **/** to jump in). Narrow with the disposition chips and the Category and Platform dropdowns; the filters live in the URL so a view can be bookmarked. Click a row, or use the arrow keys and Enter, to open it. **New Ticket** (red) creates one; **Export CSV** downloads the rows you can currently see.

△ EXPORT IS THE VISIBLE LIST, WITH MASKED PHONES

Export CSV downloads only the tickets currently loaded for the tab and filters you are on, not the whole queue, and phone numbers are masked in the file. The **AUTO** badge means the ticket was created automatically (for example from a call), not opened by an agent.

Working a Ticket

/queue/detail

AGENT

LEAD

ADMIN

The ticket detail screen is the full case file for one ticket. This is where you verify the issue, advance it through its lifecycle, read the WhatsApp conversation, log notes and evidence, and assign it. It is the heart of Pitstop.

WHAT IT'S FOR	READ OR ACT?	WHO	LAYOUT
Working a single ticket end to end.	The main action screen.	AGENT LEAD ADMIN	Identity · Work area · Activity.

The layout

A header carries the customer and product (with its colour where known), the disposition, an overdue badge if relevant, the creation date and time in Indian time, and the big red **Advance** button, with a stage **stepper** below. The body has three columns: the **identity rail** (assignment, customer, Shopify, call info, order, past cases), the **work area** (Issue, Return logistics, Resolution), and the **activity feed** (history, notes, attachments).

The **Shopify panel** on the identity rail pulls the customer's full order history: each recent order lists its line items (product, quantity, variant and price), the order total, where it shipped, and the courier tracking number with a **track** link, so you can confirm what was bought and where it is without leaving the ticket.

Advancing a ticket

- 1

Set the **disposition** from the header dropdown during triage. This decides the whole path the ticket will take.
- 2

Click **Advance**. The button names the next stage (for example "Schedule Pickup"). A modal asks for the fields that stage needs: a pickup needs the return AWB and courier; inspection needs an inspection note; a refund needs the amount, then the payment reference. **Verifying the issue is the exception**: it has no fields, but it needs at least one evidence attachment first — the modal tells you so and how to add one.
- 3

Fill the **required fields and confirm**. The ticket moves to the next stage and the stepper updates.

Three side-exits handle the non-standard endings: **Cancel** (customer dropped), **Reject** (inspection found no fault), and **Escalate** (flag for a manager, staying in the current stage). Assignment is on the left rail: agents **Claim** an unassigned ticket; leads and admins can **Reassign** to anyone.

⚠ DISPOSITION LOCKS AFTER TRIAGE

You can change the disposition freely only while the ticket is in **intake** or **awaiting evidence**. Once it enters logistics, only an admin can change it. The Issue, Return logistics and Resolution panels also unlock in sequence: a panel that is greyed out now ("unlocks once the issue is verified") will open at the right stage. Cancel, Reject and Close are three different endings: do not use one for another.

① WHATSAPP AND ATTACHMENTS

The WhatsApp panel is a read-only mirror: to reply, use **Reply in BiteSpeed**. A green pill shows how long the 24-hour reply window is open. Attachments in the activity feed are **links** (to a WhatsApp video, a Drive photo), not uploaded files.

New Ticket

/new
AGENT
LEAD
ADMIN

New Ticket logs a customer issue, usually while on a call. It is built so you scan or type the unit's UPC first and the product details fill themselves in.

WHAT IT'S FOR Creating a customer ticket.	READ OR ACT? Action: creates a ticket.	WHO AGENT LEAD ADMIN	REQUIRED Customer name + description.
---	--	--	---

Filling it in

- 1 Order lookup.** Scan or type the unit **UPC**; after a few characters it looks the unit up and auto-fills product, model, colour and SKU (without overwriting anything you typed). Pick the platform and enter the external order ID if there is one.
- 2 Customer.** Enter the name (required), phone, email and address. When you leave the phone field it checks for past cases and warns you with links if this customer has contacted before.
- 3 Issue.** Pick a category and sub-category (or "Other" with a description), set the disposition (default **Pending**), choose the intake channel, and write the description (required).
- 4 Create Ticket.** The ticket is created and opens on its detail page.

① ONLY TWO FIELDS ARE REQUIRED

Only the customer **name** and the issue **description** are mandatory; the UPC and product can be blank if you do not have them. When you open this from a missed call, the phone and name are pre-filled and the description is seeded for you.

Calls

/calls

AGENT

LEAD

ADMIN

Calls is the phone-call log: who called, who answered, what was missed, and which calls still need a callback or a ticket. Agents use it to clear missed calls and turn them into tickets.

WHAT IT'S FOR	READ OR ACT?	WHO	UPDATES
The call log and missed-call follow-up.	Read; quick row actions.	AGENT LEAD ADMIN	List every 30s.

Reading it

Five cards show Calls today, Answered, Missed, Answer rate and Awaiting callback. Tabs split the list into All Calls, My Calls, Unassigned and Missed. Each row shows the time, direction (incoming or outgoing), phone, customer, agent, duration, a status badge (**Answered**, **Missed**, **Abandoned**, or **Live**), and the linked ticket if there is one.

Acting on a call

The row menu (...) offers the right actions for that call: a missed call with no ticket can be **Marked Called Back** or turned into a ticket with **Create Ticket**; a call with a ticket offers **Open Ticket**. Clicking a row opens its ticket if it has one, otherwise the call detail.

- ① PHONE IS SHOWN IN FULL HERE

Unlike the queue, the calls list shows the full phone number so you can call back. Turning a missed call into a ticket carries the call's details into the new ticket and links the two together.
- ① REPEAT CALLS STAY ON ONE TICKET

When the same customer calls again about something already open — a dropped call, a callback, a same-day follow-up — the new answered call attaches to their existing ticket instead of opening a duplicate, so you don't get a flood of near-identical tickets. Every call is still logged here as its own row, and the ticket's history notes that the repeat call was folded in.

Call Detail

/calls/detail

AGENT

LEAD

ADMIN

Call Detail is the full record of one call: its timeline, the agent, and the recording, plus the buttons to turn it into a ticket or mark it called back.

WHAT IT'S FOR One call's full record.	READ OR ACT? Read; two actions.	WHO AGENT LEAD ADMIN	OPENED FROM The Calls list.
---	---	--	---

What it shows

A header card with the customer, status and the call's phone, duration, MyOperator account and department. A **timeline** card (created, answered, ended, called back, ticket created). An **agent** card. And, when one exists, a **recording** card with a link to play it.

Acting on it

Create Ticket From Call appears when no ticket is linked and opens a pre-filled New Ticket. **Mark Called Back** appears for a missed call that has not been returned. Once a ticket is linked, both buttons disappear and the ticket shows in the timeline.

① A RECORDING MAY LAG

The recording link can take a little while to become playable; until then it shows "URL not yet resolved". That is normal, not a fault.

PART 3

Analyze

Cross-cutting reports on tickets and calls.

Reports

/reports

LEAD

ADMIN

Reports is the “how are we doing” screen: how many cases and calls happened over a date range, what they cost, and how products, platforms, agents and departments compare. Open it to review performance.

WHAT IT’S FOR	READ OR ACT?	WHO	RANGE
Ticket and call analytics.	Read; CSV export.	LEAD ADMIN	From / To (defaults year-to-date).

Two tabs

Tickets shows total cases and the three cost lines (return logistics, replacement units, refund payouts), a monthly trend chart coloured by outcome, and breakdowns by product, platform and agent (with each agent’s average days-to-close). **Calls** shows total, answered and missed calls, answer rate and average duration, with breakdowns by department, MyOperator account, direction and agent, plus an hourly distribution.

Set the From and To dates at the top; changing either refetches immediately.

⚠ EXPORT IS TICKETS ONLY

The **Export CSV** button shows on both tabs but always exports the *ticket* figures (product, platform, agent and a cost summary), even when you are looking at the Calls tab. In the agent call table, “missed to returned” counts missed calls that were later called back, not still-missed ones. This screen needs the reports permission.

PART 4

Admin

Departments, MyOperator call accounts, and WhatsApp templates.

Departments

/admin/departments

ADMIN

Departments define the CS teams (Inbound, Outbound, Confirmation, Messaging and so on) and which agent belongs to each. Departments control visibility: a non-admin only sees the tickets and calls in their own team.

WHAT IT'S FOR	READ OR ACT?	WHO	EFFECT
Teams and who is in them.	Action: create, toggle, assign.	ADMIN	Scopes everyone's view.

Using it

The **Departments** table lists each team with its slug, name, sort order, agent count and an Active toggle. **Add Department** creates one (a URL-safe slug, a name, a sort order). The **Agents** table lists everyone with a per-row department dropdown: pick a team to move an agent into it (or "None" to remove them).

⚠ CHANGES APPLY INSTANTLY, NO CONFIRM

Toggling a department active and reassigning an agent both take effect the moment you click, with no confirmation, so a misclick is live immediately. Setting an agent to "None" drops their tickets and calls out of every department view. A slug is fixed once the department is created.

MyOperator Accounts

/admin/myop

ADMIN

MyOperator Accounts registers each calling account that feeds phone calls into Pitstop. Each account gets its own webhook URL and secret; you set it up here, then point MyOperator at the generated URL so its call events flow in.

WHAT IT'S FOR	READ OR ACT?	WHO	WHEN
Connecting calling lines to Pitstop.	Action: create + activate.	ADMIN	Onboarding a new number.

Adding an account

Add Account captures a slug, a name, and optionally the DID (caller number) and owner email. Each account row shows its generated **webhook URL** and **env-var name**, each with a copy button, and an Active toggle. There is no edit or delete: an account can only be created and then activated or deactivated.

⊖

CREATING THE ACCOUNT IS ONLY HALF THE SETUP

Calls will not authenticate until an engineer sets the matching secret in Cloudflare (the `MYOP_WEBHOOK_SECRET_<SLUG>` shown on the row), using `wrangler secret put`. That is a one-time technical step outside Pitstop. Because there is no edit, a typo in the slug, DID or owner can only be fixed by creating a new account.

WhatsApp Templates

/admin/wa-templates

ADMIN

WhatsApp Templates manages the library of pre-approved messages agents use to start a conversation or message a customer outside the 24-hour reply window. Open it to add or edit a template's wording, label, category and language.

WHAT IT'S FOR	READ OR ACT?	WHO	CATEGORIES
The approved-message library.	Action: create / edit / toggle.	ADMIN	Utility · Marketing · Authentication.

Managing templates

Each row shows the template **name** (the Meta-approved name), the **label** agents see, its category, language, how many **placeholders** (`{{1}}` , `{{2}}` ...) the body has, and an Active toggle. **Add Template** or **Edit** opens a form for the name, display label, category, language and body; the placeholder count is counted from the body automatically as you type.

⚠ THE NAME MUST MATCH META EXACTLY

A template's **name** must match the name approved in Meta Business Manager, or it will not send; and the name is locked after creation (fix a wrong one by making a new template). Today this screen *records* templates and composes wording; the actual WhatsApp send is a later phase, so saving a template here does not yet deliver a message on its own.