



AMITY UNIVERSITY

Source Code Management

Lab File
Slot: L25+L26

Submitted by:

Anuj Preetham
BTech CSE(AI&ML) 4th sem
A866175124032

Submitted to:

Ms. Manisha Nair
Assistant Professor
AIIT

Index

[illegible]

10/3/2026

1) Creating files using touch command and deleting using rm

```
anuj-preetham@annihilus:~/Desktop/scm$ mkdir 10mar
anuj-preetham@annihilus:~/Desktop/scm$ cd 10mar
anuj-preetham@annihilus:~/Desktop/scm/10mar$ touch add.py
anuj-preetham@annihilus:~/Desktop/scm/10mar$ touch sub.c
anuj-preetham@annihilus:~/Desktop/scm/10mar$ touch multi.cpp
anuj-preetham@annihilus:~/Desktop/scm/10mar$ touch div.java
anuj-preetham@annihilus:~/Desktop/scm/10mar$ touch display.html
anuj-preetham@annihilus:~/Desktop/scm/10mar$ ls
add.py  display.html  div.java  multi.cpp  sub.c
anuj-preetham@annihilus:~/Desktop/scm/10mar$ touch del1.txt
anuj-preetham@annihilus:~/Desktop/scm/10mar$ touch del2.md
anuj-preetham@annihilus:~/Desktop/scm/10mar$ rm del1.txt del2.md
anuj-preetham@annihilus:~/Desktop/scm/10mar$ ls
add.py  display.html  div.java  multi.cpp  sub.c
anuj-preetham@annihilus:~/Desktop/scm/10mar$
```

2) Creating folders using mkdir command and removing using rmdir

```
anuj-preetham@annihilus:~/Desktop/scm/10mar$ mkdir folder
anuj-preetham@annihilus:~/Desktop/scm/10mar$ ls
add.py  display.html  div.java  folder  multi.cpp  sub.c
anuj-preetham@annihilus:~/Desktop/scm/10mar$ rmdir folder
anuj-preetham@annihilus:~/Desktop/scm/10mar$ ls
add.py  display.html  div.java  multi.cpp  sub.c
anuj-preetham@annihilus:~/Desktop/scm/10mar$
```

3) Deleting non-empty directories using rm -r command

```
anuj-preetham@annihilus:~/Desktop/scm/10mar$ mkdir folder
anuj-preetham@annihilus:~/Desktop/scm/10mar$ cd folder
anuj-preetham@annihilus:~/Desktop/scm/10mar/folder$ touch temp
anuj-preetham@annihilus:~/Desktop/scm/10mar/folder$ ls
temp
anuj-preetham@annihilus:~/Desktop/scm/10mar/folder$ cd ..
anuj-preetham@annihilus:~/Desktop/scm/10mar$ rmdir folder
rmdir: failed to remove 'folder': Directory not empty
anuj-preetham@annihilus:~/Desktop/scm/10mar$ ls
add.py  display.html  div.java  folder  multi.cpp  sub.c
anuj-preetham@annihilus:~/Desktop/scm/10mar$ rm -r folder
anuj-preetham@annihilus:~/Desktop/scm/10mar$ ls
add.py  display.html  div.java  multi.cpp  sub.c
anuj-preetham@annihilus:~/Desktop/scm/10mar$
```

17/3/2026

4) Using cat to display file contents in terminal

```
anuj-preetham@annihilus:~/Desktop/scm$ cat file
cat: file: No such file or directory
anuj-preetham@annihilus:~/Desktop/scm$ touch file
anuj-preetham@annihilus:~/Desktop/scm$ nano file
anuj-preetham@annihilus:~/Desktop/scm$ cat file
hello world
anuj-preetham@annihilus:~/Desktop/scm$
```

5) Writing text to a file using echo

```
anuj-preetham@annihilus:~/Desktop/scm$ echo "rewrite" > filename
anuj-preetham@annihilus:~/Desktop/scm$ cat filename
rewrite
anuj-preetham@annihilus:~/Desktop/scm$ echo "rewrite" >> filename
anuj-preetham@annihilus:~/Desktop/scm$ cat filename
rewrite
rewrite
anuj-preetham@annihilus:~/Desktop/scm$
```

6) Writing text using cat


```
anuj-preetham@annihilus:~/Desktop/scm$ cat > file
test
anuj-preetham@annihilus:~/Desktop/scm$ cat file
test
anuj-preetham@annihilus:~/Desktop/scm$ cat >> file
appending
anuj-preetham@annihilus:~/Desktop/scm$ cat file
test
appending
anuj-preetham@annihilus:~/Desktop/scm$
```

7) Copying contents from one file to another

```
anuj-preetham@annihilus:~/Desktop/scm$ cat file > filename
anuj-preetham@annihilus:~/Desktop/scm$ cat file
test
appending
anuj-preetham@annihilus:~/Desktop/scm$ cat filename
test
appending
anuj-preetham@annihilus:~/Desktop/scm$
```

8) Editing a file using nano editor

```
anuj-preetham@annihilus:~/Desktop/scm$ cat file
test
appending
written using nano
anuj-preetham@annihilus:~/Desktop/scm$
```



24/3/2026

9) File Creation using echo & cat

```
anuj-preetham@annihilus:~/Desktop/scm/24mar$ echo "text content" > file1.txt
anuj-preetham@annihilus:~/Desktop/scm/24mar$ echo "Learning vi editor" >> file1.txt
anuj-preetham@annihilus:~/Desktop/scm/24mar$ cat file1.txt
text content
Learning vi editor
anuj-preetham@annihilus:~/Desktop/scm/24mar$
```

```
anuj-preetham@annihilus:~/Desktop/scm/24mar$ cat > file2.txt
This is line 1
This is line 2
This is line 3
anuj-preetham@annihilus:~/Desktop/scm/24mar$ cat file2.txt
This is line 1
This is line 2
This is line 3
anuj-preetham@annihilus:~/Desktop/scm/24mar$
```

10) Copy Content Between Files

```
anuj-preetham@annihilus:~/Desktop/scm/24mar$ cat file1.txt > file3.txt
anuj-preetham@annihilus:~/Desktop/scm/24mar$ cat file3.txt
text content
Learning vi editor
anuj-preetham@annihilus:~/Desktop/scm/24mar$
```

11) vi + Git Configuration

```
anuj-preetham@annihilus:~/Desktop/scm/24mar$ git config --global core.editor "vi"
anuj-preetham@annihilus:~/Desktop/scm/24mar$ git var GIT_EDITOR
vi
anuj-preetham@annihilus:~/Desktop/scm/24mar$ git config --global user.name "Anuj Preetham"
anuj-preetham@annihilus:~/Desktop/scm/24mar$ git config --global user.email "anujpreetham@gmail.com"
anuj-preetham@annihilus:~/Desktop/scm/24mar$ git config --list
user.name=Anuj Preetham
user.email=anujpreetham@gmail.com
init.defaultbranch=main
core.editor=vi
core.repositoryformatversion=0
core.filemode=true
core.bare=false
core.logallrefupdates=true
remote.origin.url=git@github.com:legendracer/scm.git
remote.origin.fetch=+refs/heads/*:refs/remotes/origin/*
branch.main.remote=origin
branch.main.merge=refs/heads/main
anuj-preetham@annihilus:~/Desktop/scm/24mar$
```

12) Create and Write File using vi

```
anuj-preetham@annihilus:~/Desktop/scm/24mar$ vi test.txt
anuj-preetham@annihilus:~/Desktop/scm/24mar$ cat test.txt
Anuj Preetham
BTech CSE(AI&ML)
I'm a student
I am from Bangalore
I'm 20 years old
anuj-preetham@annihilus:~/Desktop/scm/24mar$
```

13) Editing Practice (Insert + Navigation)

```
anuj-preetham@annihilus:~/Desktop/scm/24mar$ cat test.txt
Anuj Preetham
BTech CSE(AI&ML)
I'm a student
I am from Bangalore
I'm 20 years old
inserted line above cursor using O, appending this to end of line using A
inserted bottom line using o
anuj-preetham@annihilus:~/Desktop/scm/24mar$
```


14) Delete Operations

```
anuj-preetham@annihilus:~/Desktop/scm/24mar$ vi test.txt
anuj-preetham@annihilus:~/Desktop/scm/24mar$ cat test.txt
Anuj Preetham
BTech CSE(AI&ML)
I'm a student
I am from Bangalore
inserted line above cursor using O, appending this to end of line usng O
inserted bottom line usi
all changes seen above compared to previous task were done using x, dd, and d$
anuj-preetham@annihilus:~/Desktop/scm/24mar$
```

15) Copy-Paste in vi

```
anuj-preetham@annihilus:~/Desktop/scm/24mar$ vi test.txt
anuj-preetham@annihilus:~/Desktop/scm/24mar$ cat test.txt
Anuj Preetham
BTech CSE(AI&ML)
I'm a student
I am from Bangalore
inserted line above cursor using O, appending this to end of line usng O
this line shall be copied and pasted using yy, p, and P
inserted bottom line usi
all changes seen above compared to previous task were done using x, dd, and d$
this line shall be copied and pasted using yy, p, and P
this line shall be copied and pasted using yy, p, and P
anuj-preetham@annihilus:~/Desktop/scm/24mar$
```

5/5/2026

16) Pushing local code to GitHub

```
anuj-preetham@annihilus:~/Desktop/scm$ git init
Reinitialized existing Git repository in /home/anuj-preetham/Desktop/scm/.git/
anuj-preetham@annihilus:~/Desktop/scm$ git add .
anuj-preetham@annihilus:~/Desktop/scm$ git commit -m "initial commit"
[main aa81dff] initial commit
2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 31mar assignment.odt
create mode 100644 lab_file.pdf
anuj-preetham@annihilus:~/Desktop/scm$ git branch -M main
anuj-preetham@annihilus:~/Desktop/scm$ git remote add origin github.com/legendracer/scm
error: remote origin already exists.
anuj-preetham@annihilus:~/Desktop/scm$ git push -u origin main
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 745.27 KiB | 2.12 MiB/s, done.
Total 4 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:legendracer/scm.git
    0e7916d..aa81dff  main -> main
branch 'main' set up to track 'origin/main'.
anuj-preetham@annihilus:~/Desktop/scm$
```

17) Pushing to another branch

```
anuj-preetham@annihilus:~/Desktop/scm$ git push -u origin alt
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'alt' on GitHub by visiting:
remote:   https://github.com/legendracer/scm/pull/new/alt
remote:
To github.com:legendracer/scm.git
 * [new branch]      alt -> alt
branch 'alt' set up to track 'origin/alt'.
anuj-preetham@annihilus:~/Desktop/scm$
```

18) Branching commands

git branch (Show branches)

```
anuj-preetham@annihilus:~/Desktop/scm$ git branch
* alt
  main
anuj-preetham@annihilus:~/Desktop/scm$
```

git branch branch_name (Create branch) & git checkout branch_name (Switch branch)

```
anuj-preetham@annihilus:~/Desktop/scm$ git branch test1
anuj-preetham@annihilus:~/Desktop/scm$ git checkout test1
Switched to branch 'test1'
anuj-preetham@annihilus:~/Desktop/scm$
```

git checkout -b feature2 (Create + switch)

```
anuj-preetham@annihilus:~/Desktop/scm$ git checkout -b test2
Switched to a new branch 'test2'
anuj-preetham@annihilus:~/Desktop/scm$
```

git merge branch_name (Merge changes into current branch)

```
anuj-preetham@annihilus:~/Desktop/scm$ git merge test1
Already up to date.
```

git branch -d feature1 (Delete branch)

```
anuj-preetham@annihilus:~/Desktop/scm$ git branch -d test1
Deleted branch test1 (was aa81dff).
anuj-preetham@annihilus:~/Desktop/scm$
```

19) Commit History

```
anuj-preetham@annihilus:~/Desktop/scm$ git log
commit aa81dffffe62cdadff1ea4fca1220e514aaff11c6 (HEAD -> test2, origin/main, origin/alt, main, alt)
Author: Anuj Preetham <anujpreetham@gmail.com>
Date: Tue May 5 13:58:42 2026 +0530

    initial commit

commit 0e7916d48ba5565ec62a35103e115f0b4d6b9131
Author: Anuj Preetham <anujpreetham@gmail.com>
Date: Tue Mar 31 14:22:01 2026 +0530

    SCM Lab Assignment March 31

commit 3e0ab4bee92f335f1739be9e52ad87014fda95b6
Author: Anuj Preetham <anujpreetham@gmail.com>
Date: Tue Feb 24 13:48:28 2026 +0530

    Initial commit
anuj-preetham@annihilus:~/Desktop/scm$
```

19) Commit History

20) HEAD in Git

```
anuj-preetham@annihilus:~/Desktop/scm$ git show HEAD
commit aa81dffffe62cdadff1ea4fca1220e514aaff11c6 (HEAD -> test2, origin/main, origin/alt, main, alt)
Author: Anuj Preetham <anujpreetham@gmail.com>
Date: Tue May 5 13:58:42 2026 +0530

    initial commit

diff --git a/31mar assignment.odt b/31mar assignment.odt
new file mode 100644
index 0000000..acdb369
Binary files /dev/null and b/31mar assignment.odt differ
diff --git a/lab_file.pdf b/lab_file.pdf
new file mode 100644
index 0000000..a565675
Binary files /dev/null and b/lab_file.pdf differ
anuj-preetham@annihilus:~/Desktop/scm$
```

20) HEAD in Git

9/5/2026

1) Resolving merge conflict in greeting.py

```
anuj-preetham@annihilus: ~/Desktop/scm/9jun/ps1$ nano greeting.py
anuj-preetham@annihilus: ~/Desktop/scm/9jun/ps1$ git add .
anuj-preetham@annihilus: ~/Desktop/scm/9jun/ps1$ git add greeting.py
fatal: pathspec 'greeting.py' did not match any files
anuj-preetham@annihilus: ~/Desktop/scm/9jun/ps1$ ls
greeting.py
anuj-preetham@annihilus: ~/Desktop/scm/9jun/ps1$ rm greeting.py
anuj-preetham@annihilus: ~/Desktop/scm/9jun/ps1$ nano greeting.py
anuj-preetham@annihilus: ~/Desktop/scm/9jun/ps1$ git add greeting.py
anuj-preetham@annihilus: ~/Desktop/scm/9jun/ps1$ git commit -m "initial greeting message"
[main (root-commit) 795c208] initial greeting message
 2 files changed, 2 insertions(+)
 create mode 100644 greeting.py
 create mode 100644 greeting.py
anuj-preetham@annihilus: ~/Desktop/scm/9jun/ps1$ ls
greeting.py
anuj-preetham@annihilus: ~/Desktop/scm/9jun/ps1$ git checkout -b branch-a
Switched to a new branch 'branch-a'
anuj-preetham@annihilus: ~/Desktop/scm/9jun/ps1$ nano greeting.py
anuj-preetham@annihilus: ~/Desktop/scm/9jun/ps1$ git add greeting.py
fatal: pathspec 'greeting.py' did not match any files
anuj-preetham@annihilus: ~/Desktop/scm/9jun/ps1$ git add greeting.py
anuj-preetham@annihilus: ~/Desktop/scm/9jun/ps1$ git commit -m "updated greeting in branch-a"
[branch-a 2f56188] updated greeting in branch-a
 1 file changed, 1 insertion(+), 1 deletion(-)
anuj-preetham@annihilus: ~/Desktop/scm/9jun/ps1$ git checkout main
D      greeting.py
Switched to branch 'main'
anuj-preetham@annihilus: ~/Desktop/scm/9jun/ps1$ git checkout -b branch-b
Switched to a new branch 'branch-b'
anuj-preetham@annihilus: ~/Desktop/scm/9jun/ps1$ nano greeting.py
anuj-preetham@annihilus: ~/Desktop/scm/9jun/ps1$ git add greeting.py
anuj-preetham@annihilus: ~/Desktop/scm/9jun/ps1$ git commit -m "updated greeting in branch-b"
[branch-b c30d4bd] updated greeting in branch-b
 1 file changed, 1 insertion(+), 1 deletion(-)
anuj-preetham@annihilus: ~/Desktop/scm/9jun/ps1$ git checkout main
D      greeting.py
Switched to branch 'main'
anuj-preetham@annihilus: ~/Desktop/scm/9jun/ps1$ git merge branch-a
Updating 795c208..2f56188
Fast-forward
 greeting.py | 2 +-
 1 file changed, 1 insertion(+), 1 deletion(-)
```

```

anj-preetham@annihilus:~/Desktop/scm/9jun/ps1$ git merge branch-b
Auto-merging greeting.py
CONFLICT (content): Merge conflict in greeting.py
Automatic merge failed; fix conflicts and then commit the result.
anj-preetham@annihilus:~/Desktop/scm/9jun/ps1$ nano greeting.py
anj-preetham@annihilus:~/Desktop/scm/9jun/ps1$ git add greeting.py
anj-preetham@annihilus:~/Desktop/scm/9jun/ps1$ git commit -m "resolved merge conflict, combined messages"
[main eb6b251] resolved merge conflict, combined messages
anj-preetham@annihilus:~/Desktop/scm/9jun/ps1$ python greeting.py
Command 'python' not found, did you mean:
  command 'python3' from deb python3
  command 'python' from deb python-is-python3
anj-preetham@annihilus:~/Desktop/scm/9jun/ps1$ python3 greeting.py
Welcome to Advanced Python and Programming Lab
anj-preetham@annihilus:~/Desktop/scm/9jun/ps1$ git branch
  branch-a
  branch-b
* main
anj-preetham@annihilus:~/Desktop/scm/9jun/ps1$ git log --oneline --graph --all
* eb6b251 (HEAD -> main) resolved merge conflict, combined messages
| \
| * c30d4bd (branch-b) updated greeting in branch-b
| * | 2f56188 (branch-a) updated greeting in branch-a
| /
* 795c208 initial greeting message
anj-preetham@annihilus:~/Desktop/scm/9jun/ps1$ git status
On branch main
Changes not staged for commit:
  (use "git add/rm <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        deleted:    greeting.py

no changes added to commit (use "git add" and/or "git commit -a")
anj-preetham@annihilus:~/Desktop/scm/9jun/ps1$

```

Pages 13 and 14 of 14 205 words, 1,218 characters Default Page Style English (USA)

2) Resolving merge conflict in calculate.py

```

anj-preetham@annihilus:~/Desktop/scm/9jun/ps2$ nano calculate.py
anj-preetham@annihilus:~/Desktop/scm/9jun/ps2$ git add calculate.py
anj-preetham@annihilus:~/Desktop/scm/9jun/ps2$ git commit -m "initial calculator program"
[main (root-commit) 0283e72] initial calculator program
1 file changed, 4 insertions(+)
create mode 100644 calculate.py
anj-preetham@annihilus:~/Desktop/scm/9jun/ps2$ git checkout -b subtraction
Switched to a new branch 'subtraction'
anj-preetham@annihilus:~/Desktop/scm/9jun/ps2$ nano calculate.py
anj-preetham@annihilus:~/Desktop/scm/9jun/ps2$ git add calculate.py
anj-preetham@annihilus:~/Desktop/scm/9jun/ps2$ git commit -m "changed operation to subtraction"
[subtraction 858c55d] changed operation to subtraction
1 file changed, 1 insertion(+), 1 deletion(-)
anj-preetham@annihilus:~/Desktop/scm/9jun/ps2$ git checkout main
Switched to branch 'main'
anj-preetham@annihilus:~/Desktop/scm/9jun/ps2$ git checkout -b multiplication
Switched to a new branch 'multiplication'
anj-preetham@annihilus:~/Desktop/scm/9jun/ps2$ nano calculate.py
anj-preetham@annihilus:~/Desktop/scm/9jun/ps2$ git checkout main
Switched to branch 'main'
anj-preetham@annihilus:~/Desktop/scm/9jun/ps2$ git checkout multiplication
Switched to branch 'multiplication'
anj-preetham@annihilus:~/Desktop/scm/9jun/ps2$ git add calculate.py
anj-preetham@annihilus:~/Desktop/scm/9jun/ps2$ git commit -m "changed operation to multiplication"
[multiplication 2795d8f] changed operation to multiplication
1 file changed, 1 insertion(+), 1 deletion(-)
anj-preetham@annihilus:~/Desktop/scm/9jun/ps2$ git checkout main
Switched to branch 'main'

```

Multiplication: 50

Commands for verification

Show branches:

```

$ git branch

```

Show commit graph:

```

$ git log --oneline --graph --all

```

Check repository status:

```

$ git status

```

Expected final program:

```

Python
a = 10
b = 5

```



```

anuj-preetham@annihilus:~/Desktop/scm/9jun/ps2$ git merge subtraction
Updating 0283e72..858c55d
Fast-forward
 calculate.py | 2 +-
 1 file changed, 1 insertion(+), 1 deletion(-)
anuj-preetham@annihilus:~/Desktop/scm/9jun/ps2$ git merge multiplication
Auto-merging calculate.py
CONFLICT (content): Merge conflict in calculate.py
Automatic merge failed; fix conflicts and then commit the result.
anuj-preetham@annihilus:~/Desktop/scm/9jun/ps2$ nano calculate.py
anuj-preetham@annihilus:~/Desktop/scm/9jun/ps2$ git add calculate.py
anuj-preetham@annihilus:~/Desktop/scm/9jun/ps2$ git commit -m "resolved conflict by adding subtraction and multiplication"
[main 17b3266] resolved conflict by adding subtraction and multiplication
anuj-preetham@annihilus:~/Desktop/scm/9jun/ps2$ python3 calculate.py
subtraction: 5
multiplication: 50
anuj-preetham@annihilus:~/Desktop/scm/9jun/ps2$ git log --oneline --graph --all
* 17b3266 (HEAD -> main) resolved conflict by adding subtraction and multiplication
| \
| * 2795d8f (multiplication) changed operation to multiplication
| * | 858c55d (subtraction) changed operation to subtraction
| /
* 0283e72 initial calculator program
anuj-preetham@annihilus:~/Desktop/scm/9jun/ps2$ git status
On branch main
nothing to commit, working tree clean
anuj-preetham@annihilus:~/Desktop/scm/9jun/ps2$ git branch
* main
  multiplication
  subtraction
anuj-preetham@annihilus:~/Desktop/scm/9jun/ps2$

```

3) Resolving merge conflict in product.py

```

anuj-preetham@annihilus:~/Desktop/scm/9jun/ps3$ nano product.py
anuj-preetham@annihilus:~/Desktop/scm/9jun/ps3$ git add product.py
anuj-preetham@annihilus:~/Desktop/scm/9jun/ps3$ git commit -m "Initial product pgm"
[main (root-commit) 707be48] initial product pgm
 1 file changed, 5 insertions(+)
 create mode 100644 product.py
anuj-preetham@annihilus:~/Desktop/scm/9jun/ps3$ git checkout -b branch-a
Switched to a new branch 'branch-a'
anuj-preetham@annihilus:~/Desktop/scm/9jun/ps3$ nano product.py
anuj-preetham@annihilus:~/Desktop/scm/9jun/ps3$ git add product.py
anuj-preetham@annihilus:~/Desktop/scm/9jun/ps3$ git commit -m "updated price to 55k in branch-a"
[branch-a 4aadb90] updated price to 55k in branch-a
 1 file changed, 1 insertion(+), 1 deletion(-)
anuj-preetham@annihilus:~/Desktop/scm/9jun/ps3$ git checkout main
Switched to branch 'main'
anuj-preetham@annihilus:~/Desktop/scm/9jun/ps3$ git checkout -b branch-b
Switched to a new branch 'branch-b'
anuj-preetham@annihilus:~/Desktop/scm/9jun/ps3$ nano product.py
anuj-preetham@annihilus:~/Desktop/scm/9jun/ps3$ git add .
anuj-preetham@annihilus:~/Desktop/scm/9jun/ps3$ git commit -m "updated price to 60k in branch-b"
[branch-b df0caf2] updated price to 60k in branch-b
 1 file changed, 1 insertion(+), 1 deletion(-)
anuj-preetham@annihilus:~/Desktop/scm/9jun/ps3$ git checkout main
Switched to branch 'main'
anuj-preetham@annihilus:~/Desktop/scm/9jun/ps3$ git merge branch-a
Updating 707be48..4aadb90
Fast-forward
 product.py | 2 +-
 1 file changed, 1 insertion(+), 1 deletion(-)
anuj-preetham@annihilus:~/Desktop/scm/9jun/ps3$ git merge branch-b
Auto-merging product.py
CONFLICT (content): Merge conflict in product.py
Automatic merge failed; fix conflicts and then commit the result.

```

```
anuj-preetham@annihilus:~/Desktop/scm/9jun/ps3$ nano product.py
anuj-preetham@annihilus:~/Desktop/scm/9jun/ps3$ git add .
anuj-preetham@annihilus:~/Desktop/scm/9jun/ps3$ git commit -m "resolved merge conflict and set final price to 57500"
[main 595e2ea] resolved merge conflict and set final price to 57500
anuj-preetham@annihilus:~/Desktop/scm/9jun/ps3$ python product.py
Command 'python' not found, did you mean:
  command 'python3' from deb python3
  command 'python' from deb python-is-python3
anuj-preetham@annihilus:~/Desktop/scm/9jun/ps3$ python3 product.py
Laptop
Price: 57500
anuj-preetham@annihilus:~/Desktop/scm/9jun/ps3$ git status
On branch main
nothing to commit, working tree clean
anuj-preetham@annihilus:~/Desktop/scm/9jun/ps3$ git branch
  branch-a
  branch-b
* main
anuj-preetham@annihilus:~/Desktop/scm/9jun/ps3$ git log --oneline --graph --all
* 595e2ea (HEAD -> main) resolved merge conflict and set final price to 57500
| \
| * df0caf2 (branch-b) updated price to 60k in branch-b
| * | 4aadb90 (branch-a) updated price to 55k in branch-a
|/
* 707be48 initial product pgm
anuj-preetham@annihilus:~/Desktop/scm/9jun/ps3$
```

Page 15 of 19

247 words, 1402 characters

Default Page Style

English (USA)