DEVELOP *like a girl*

STARTER KIT / LEARN

Your command card

Find the right command
for the work you want to do.

COMMON STARTING POINTS

```
/dlag-starter-core:get-started
/dlag-starter-core:plan-project
/dlag-starter-core:ready-check
```

02

Your everyday commands

Enter these commands inside Claude Code in your own project folder. Add your plain-language request after the command.

`/dlag-starter-core:get-started`

Inspect the project and propose a starting point.

`/dlag-starter-core:plan-project`

Define a useful first version and its checks.

`/dlag-starter-core:review-project`

Draft or refresh the Project Notebook.

`/dlag-starter-core:build-task`

Scope and route one task. Build Lead stays read-only.

`/dlag-starter-core:explain-this`

Explain supplied code, errors, or technical material.

`/dlag-starter-core:design-interface`

Implement a focused local interface change.

`/dlag-starter-core:design-data`

Design records and ownership; draft local data changes.

Full command reference and workflow details

Build and review

Enter these commands inside Claude Code in your own project folder. Add your plain-language request after the command.

`/dlag-starter-core:check-dependencies`

Review supplied dependency and advisory evidence.

`/dlag-starter-core:manage-repository`

Review repository evidence and Git workflow.

`/dlag-starter-core:ready-check`

Assess a named candidate with security before quality.

`/dlag-starter-website-builder:build-website`

Implement one website slice. Requires Core.

`/dlag-starter-app-builder:build-app`

Implement one signed-in app slice. Requires Core.

`/dlag-starter-app-builder:build-app-search`

Add search over an agreed, permission-scoped source.

`/dlag-starter-app-builder:build-integration`

Implement one local provider operation and its contract.

A Ready Check prepares an owner decision. It does not authorize publication, provider changes, or payments. Implementation and checks require the appropriate tools and approval.

Full command reference and workflow details