grp.h - Man Page

group structure

Prolog

This manual page is part of the POSIX Programmer's Manual. The Linux implementation of this interface may differ (consult the corresponding Linux manual page for details of Linux behavior), or the interface may not be implemented on Linux.

Synopsis

#include <grp.h>

Description

The <grp.h> header shall declare the **group** structure, which shall include the following members:

The following shall be declared as functions and may also be defined as macros. Function prototypes shall be provided.

The following sections are informative.

Application Usage

None.

Rationale

None.

grp.h - Man Page

None.

See Also

<sys_types.h>

The System Interfaces volume of POSIX.1-2017, endgrent(), getgrgid(), getgrnam()

Copyright

Portions of this text are reprinted and reproduced in electronic form from IEEE Std 1003.1-2017, Standard for Information Technology -- Portable Operating System Interface (POSIX), The Open Group Base Specifications Issue 7, 2018 Edition, Copyright (C) 2018 by the Institute of Electrical and Electronics Engineers, Inc and The Open Group. In the event of any discrepancy between this version and the original IEEE and The Open Group Standard, the original IEEE and The Open Group Standard is the referee document. The original Standard can be obtained online at http://www.opengroup.org/unix/online.html .

Any typographical or formatting errors that appear in this page are most likely to have been introduced during the conversion of the source files to man page format. To report such errors, see https://www.kernel.org/doc/man-pages/reporting_bugs.html .

Referenced By

endgrent(3p), getgrgid(3p), getgrnam(3p).

2017 IEEE/The Open Group POSIX Programmer's Manual

grp.h - Man Page

Home Blog About