Сообщить об ошибке.

хочу помочь

Модульых errno в Python, символьное обозначение стандартных ошибок



practicum.yandex.ru



Бесплатное занятие английским в Яндекс Практикуме

Тест на уровень языка • Разбор грамматики • Разговорная практика • За 30 минут

Узнать больше

Ищем ведущих программистов в команду YADRO.

oneweekoffer.yadro.com

Ждем амбициозных и талантливых, которые горят инновационными идеями. Заполни анкету

О команде Кого мы ищем Что мы предлагаем

Узнать больше

Модуль errno в Python, символьное обозначение стандартных ошибок

эго кода ошибки в сообщение об ошибке

ольное обозначение стандартных системных ошибок. Значение каждого символа - это начение. Имена и описания заимствованы из linux/include/errno.h, что должно быть

вление значения errno со строковым именем в базовой системе. Например, ведет 'EPERM'.

д ошибки в сообщение об ошибке, используйте функцию os.strerror().

Смотрите примеры использования модуля errno.


Из следующего списка символы, которые не используются на текущей платформе, не определены модулем. Конкретный список определенных символов доступен как errno.errorcode.keys().

Доступные символьные обозначения ошибок могут включать в себя:

- errno.EPERM: Operation not permitted
- errno.ENOENT: No such file or directory
- errno.ESRCH: No such process
- errno.EINTR: Interrupted system call.
- errno.EIO: I/O error
- errno.ENXIO: No such device or address
- errno.E2BIG: Arg list too long
- errno.ENOEXEC: Exec format error
- errno.EBADF: Bad file number
- errno.ECHILD: No child processes
- errno.EAGAIN: Try again
- errno.ENOMEM: Out of memory
- errno.EACCES: Permission denied
- errno.EFAULT: Bad address
- errno.ENOTBLK: Block device required
- errno.EBUSY: Device or resource busy
- errno.EEXIST: File exists
- errno.EXDEV: Cross-device link
- errno.ENODEV: No such device
- errno.ENOTDIR: Not a directory
- errno.EISDIR: Is a directory
- errno.EINVAL: Invalid argument
- errno.ENFILE: File table overflow

.EMFILE: Too many open files Вверх ENOTTY: Not a typewriter

- errno.ETXTBSY: Text file busyerrno.EFBIG: File too large
- errno.ENOSPC: No space left on device



out of domain of func not representable adlock would occur ame too long cks available

blic links encountered

implemented

on would block

f desired type

er out of range

ture available

noved

эd

not empty

oneweekoffer.yadro.com

Ищем ведущих программистов в команду YADRO.

Ждем амбициозных и талантливых, которые горят инновационными идеями. Заполни анкету

Окоманде > ad

Кого мы ищем > ut of range

Что мы предлагаем > iver not attached

Узнать больше

• errno.esade: invalio exchange

errno.EBADR: Invalid request descriptor

errno.EXFULL: Exchange full

• errno.ENOANO: No anode

• errno.EBADRQC: Invalid request code

• errno.EBADSLT: Invalid slot

errno.EDEADLOCK: File locking deadlock error

errno.EBFONT: Bad font file formaterrno.ENOSTR: Device not a stream

• errno.ENODATA: No data available

errno.ETIME: Timer expired

errno.ENOSR: Out of streams resources

• errno.ENONET: Machine is not on the network

errno.ENOPKG: Package not installed

errno.EREMOTE: Object is remote

errno.ENOLINK: Link has been severed

errno.EADV: Advertise errorerrno.ESRMNT: Srmount error

errno.ECOMM: Communication error on send

errno.EPROTO: Protocol error

• errno.EMULTIHOP: Multihop attempted

• errno.EDOTDOT: RFS specific error

• errno.EBADMSG: Not a data message

errno.EOVERFLOW: Value too large for defined data type

errno.ENOTUNIQ: Name not unique on network

errno.EBADFD: File descriptor in bad state

errno.EREMCHG: Remote address changed


errno.ELIBACC: Can not access a needed shared library

errno.ELIBBAD: Accessing a corrupted shared library

BBepx .ELIBSCN: .lib section in a.out corrupted

.ELIBMAX: Attempting to link in too many shared libraries

- errno.ELIBEXEC: Cannot exec a shared library directly
- errno.EILSEQ: Illegal byte sequence
- errno.ERESTART: Interrupted system call should be restarted



oneweekoffer.yadro.com

Ищем ведущих программистов в команду YADRO.

Ждем амбициозных и талантливых, которые горят инновационными идеями. Заполни анкету

О команде

Кого мы ищем

Что мы предлагаем

по мыпредлагаем

Узнать больше

n not supported on transport endpoint

ol family not supported

5 family not supported by protocol

already in use

t assign requested address

down

is unreachable

ropped connection because of reset

re caused connection abort

on reset by peer

bace available

ndpoint is already connected

endpoint is not connected

nd after transport endpoint shutdown


- errno.Eloumanykers: loo many references: cannot splice
- errno.ETIMEDOUT: Connection timed out
- errno.ECONNREFUSED: Connection refused
- errno.EHOSTDOWN: Host is down
- errno.EHOSTUNREACH: No route to host
- errno.EALREADY: Operation already in progress
- errno.EINPROGRESS: Operation now in progress
- errno.ESTALE: Stale NFS file handle
- errno.EUCLEAN: Structure needs cleaning
- errno.ENOTNAM: Not a XENIX named type file
- errno.ENAVAIL: No XENIX semaphores available
- errno.EISNAM: Is a named type file
- errno.EREMOTEIO: Remote I/O error
- errno.EDQUOT: Quota exceeded


<u>Примеры использования модуля errno:</u>

```
>>> import errno
>>> errno.errorcode.keys()
dict_keys(
[19, 50, 113, 42, 117, 45, 51, 61, 15, 38, 32, 22,
75, 68, 4, 87, 39, 105, 71, 66, 119, 10, 40, 18, 7,
3, 90, 97, 53, 112, 96, 92, 16, 11, 77, 73, 106,
55, 108, 44, 80, 64, 52, 9, 72, 5, 49, 91, 28, 8,
114, 100, 118, 13, 48, 84, 20, 76, 1, 33, 54, 111,
21, 93, 30, 99, 43, 70, 69, 121, 47, 74, 23, 82,
29, 67, 102, 110, 2, 17, 122, 60, 57, 56, 79, 14,
27, 35, 107, 89, 81, 37, 120, 103, 101, 116, 63,
12, 88, 86, 31, 34, 83, 46, 104, 98, 95, 78, 36,
25, 85, 94, 62, 59, 109, 24, 26, 115, 6, 65, 123,
124, 125, 126, 127, 128, 129, 130, 131, 132
   Вверх
    .errorcode[errno.EPERM]
```



получение сообщения об ошибке из кода ошибки





DOCS-Python.ru[™], 2023 г.

(Внимание! При копировании материала ссылка на источник обязательна)

@docs_python_ru

Вверх