


Следуя работе Бретта Шварца, мы интегрировали несколько тем в основную библиотеку ядра.

Поскольку эти темы включены в библиотеку, она работает "из коробки": вам не нужно ничего устанавливать на своей стороне. Вам просто нужно использовать директиву !theme :



⊼ ☑ List of available themes


Several websites are listing available themes:

- Gallery of all official PlantUML themes.
- Examples of some Puml Themes made by Brett Schwarz on the Theme Gallery.

Finally, you can list all available themes from your PlantUML library:








$\overline{}$ $\ \, \underline{\ \, }$ Coloring message with some procedures included on some theme

Some theme includes some procedures, to help coloring message, as:

```
$success("<msg>")$failure("<msg>")$warning("<msg>")
```

Example:



⊼ ☑ Local themes

последовательност прецедентов классов активности активности вына компонент состояний объ ♠ В начало

By default, a theme file is named puml-theme-foo.puml where foo is the name of the theme.

To invoke a local theme, you have to use the following directive:

!theme foo from /path/to/themes/folder

Online ServerЗапуск

■ Что нового ?

_ ′

F.A.Q.

🏠 Скачать

т Форум

Theme

Препроцессинг

Ш\\ Стандартная библиотека

+ Hitchhiker's Guide

👭 PDF Guide

➣ ☑ Themes from the Internet

Other repositories can also publish themes for PlantUML.

Theme files must follow the same convention: puml-theme-foo.puml where foo is the name of the theme.

To use a theme from a remote repository, you have to use the following directive:

!theme amiga from https://raw.githubusercontent.com/plantuml/plantuml/master/themes

If you find any interesting theme, you can also propose a pull request so that we integrate this theme into the main core library.

Privacy Policy Advertise