SUPPLEMENTARY FILE

In this supplementary file, Section S.I gives the proofs of the theoretical results; Section S.II introduces the resource-limit pair (RP) detection algorithm; Section S.III provides the critical set of RPs (CRP) detection algorithm; Section S.IV presents all CRPs and partial deadlocks of the S^{4}PR in Fig. 5 of the paper; and Section S.V includes an example that demonstrates how the detection results establish a foundation for the design of optimal controllers.

S.I. PROOFS OF THEORETICAL RESULTS

In this section, we prove all theoretical results.

Proof of Property 1:

In an S^{4}PR, since $\mathbb{N}_i=(\{p_{0i}\}\cup P_{Ai}, T_i, F_i, W_i, M_{0i})$ is a strongly connected state machine, $\forall t_i\in T_i$:

$$|{}^\bullet t_i\cap(P_{Ai}\cup\{p_{0i}\})|=|t_i{}^\bullet\cap(P_{Ai}\cup\{p_{0i}\})|=1.$$

According to Definition 5, $\forall t\in T$:

$$|{}^\bullet t\cap(P_A\cup\{p_0\})|=|t^\bullet\cap(P_A\cup\{p_0\})|=1,$$

i.e.,

$$|{}^\bullet t\cap P_A|\le 1 \text{ and } |t^\bullet\cap P_A|\le 1. \quad ■$$

Proof of Property 2:

$\forall M\in R(M_0)$, $A^{\mathrm{T}}X=M-M_0$. Hence, $(A^{\mathrm{T}}X)^{\mathrm{T}}\pi_r=(M-M_0)^{\mathrm{T}}\pi_r$, i.e.,

$$X^{\mathrm{T}}(A\pi_r)=(M-M_0)^{\mathrm{T}}\pi_r.$$

By $A\pi_r=\mathbf{0}$,

$$(M-M_0)^{\mathrm{T}}\pi_r=0,$$

i.e.,

$$M^{\mathrm{T}}\pi_r=M_0{}^{\mathrm{T}}\pi_r.$$

Thus,

$$\Sigma_{p\in\|\pi_r\|}(M(p)\pi_r(p))=\Sigma_{p\in\|\pi_r\|}(M_0(p)\pi_r(p)),$$

i.e.,

$$\Sigma_{p\in\|\pi_r\|}(M(p)\pi_r(p))=M_0(r)\pi_r(r)+\Sigma_{p'\in\Pi_r}(M_0(p')\pi_r(p')).$$

Since $\Pi_r\subseteq P_A$ and $\forall p_i\in P_A$: $M_0(p_i)=0$,

$$\Sigma_{p'\in\Pi_r}(M_0(p')\pi_r(p'))=0.$$

Hence,

$$\Sigma_{p\in\|\pi_r\|}(M(p)\pi_r(p))=M_0(r)\pi_r(r).$$

Since $\pi_r(r)=1$,

$$\Sigma_{p\in\|\pi_r\|}(M(p)\pi_r(p))=M_0(r). \quad ■$$

Proof of Lemma 1:

Suppose that $p\notin P_c$. According to Definition 7, $\exists\, t\in p^\bullet$: $\forall\, r\in P_R$ and $r\notin{}^\bullet t$, i.e., ${}^\bullet t\cap P_R=\varnothing$. Since $p\in P_M$, $p\in P_A$ and $M(p)\neq 0$. According to Property 1, $|{}^\bullet t\cap(P_A\cup P_0)|=1$. By $t\in p^\bullet$ and $p\in P_A$, we obtain that ${}^\bullet t=\{p\}$. Since $M(p)\neq 0$, t is enabled at M. Hence, $p\in P_c$. ■

Proof of Lemma 2:

Since M is a partial deadlock, according to Definition 6, $\forall p\in P_M$ and $\forall t\in p^\bullet$ such that t is not enabled at $\forall M'\in R(M)$. According to Lemma 1, $p\in P_c$. ■

Proof of Theorem 1:

Sufficiency:

If $\exists r^w\in R_{i,j}$: $M(r)\le w$, according to Definition 8, $\exists r\in{}^\bullet t_j\cap P_R$: $M(r)\le W(r, t_j)$-1, i.e., $M(r)<W(r, t_j)$. Hence, t_j is not enabled at M.

Necessity:

By $p_i\in P_M$ and $P_M=\{p|\ p\in P_A, M(p)\neq 0\}$, we have that $p_i\in P_A$ and $M(p_i)\neq 0$. By $|{}^\bullet t_j\cap(P_A\cup P_0)|=1$, $p_i\in{}^\bullet t_j$, and $p_i\in P_A$, we derive that ${}^\bullet t_j\cap P_0=\varnothing$. Since $M(p_i)\neq 0$ and t_j is not enabled at M, $\exists r\in P_R$: $r\in{}^\bullet t_j$ and $M(r)<W(r, t_j)$, i.e.,

$$r\in P_R\cap{}^\bullet t_j \text{ and } M(r)\le W(r, t_j)\text{-}1.$$

Since $p_i\in P_M$, according to Corollary 1, $p_i\in P_c$. According to Definition 8, $R_{i,j}=\{r^w|\ r\in{}^\bullet t_j\cap P_R,\ w=W(r, t_j)\text{-}1\}$. Hence, $\exists r^w\in R_{i,j}$: $M(r)\le w$. ■

Proof of Corollary 2:

According to Theorem 1, it can be easily proved. ■

Proof of Theorem 2:

Sufficiency:

If $\omega_{i\text{-}a}=\langle P_{Ri}, L_{i\text{-}a}\rangle$ is an RP of p_i, according to Definitions 8 and 9,

$$L_{i\text{-}a}\subseteq\cup_{j\in J}R_{i,j} \text{ and } R_{i,j}=\{r^y|\ r'\in{}^\bullet t_j\cap P_R,\ y=W(r', t_j)\text{-}1\},$$

where $J=\{j|\ t_j\in p_i^\bullet\}$ and $\forall j\in J$: $|L_{i\text{-}a}\cap R_{i,j}|=1$. Hence, $\forall t_j\in p_i^\bullet$, $\exists r'\in{}^\bullet t_j\cap P_R$: $y=W(r', t_j)$-1 and $r^y\in L_{i\text{-}a}\cap R_{i,j}$. Since $\forall r^w\in L_{i\text{-}a}$: $M(r)\le w$, we have that $M(r')\le y$. Hence, $\forall t_j\in p_i^\bullet$, $\exists r^y\in R_{i,j}$: $M(r')\le y$. According to Theorem 1, t_j is not enabled at M.

Necessity:

Since $\forall t_j\in p_i^\bullet$ is not enabled at M, according to Theorem 1, $\exists r^w\in R_{i,j}$: $M(r)\le w$. Since $J=\{j|\ t_j\in p_i^\bullet\}$, $\forall j\in J$ satisfies that $\exists r^w\in R_{i,j}$: $M(r)\le w$. Hence, $\exists L_{i\text{-}a}\subseteq\cup_{j\in J}R_{i,j}$ and $|L_{i\text{-}a}\cap R_{i,j}|=1$: $\forall r^w\in L_{i\text{-}a}$, $M(r)\le w$. By $p_i\in P_M$, $p_i\in P_A$. According to Definition 5, $\exists r\in P_R$: $p_i\in\|\pi_r\|$. Thus, there exists $P_{Ri}=\{r'|\ r'\in P_R, p_i\in\|\pi_{r'}\|\}$. According to Definition 9, $\exists\ \omega_{i\text{-}a}=\langle P_{Ri}, L_{i\text{-}a}\rangle$: $\forall\ r^w\in L_{i\text{-}a}$, $M(r)\le w$. ■

Proof of Corollary 3:

Since M is a partial deadlock, according to Corollary 2, $\forall p_i\in P_M$ and $\forall t_j\in p_i^\bullet$: $\exists r^w\in R_{i,j}$ and $M(r)\le w$. By $J=\{j|\ t_j\in p_i^\bullet\}$, we have that $\forall p_i\in P_M$ and $\forall j\in J$: $\exists r^w\in R_{i,j}$ and $M(r)\le w$. Hence, $\forall p_i\in P_M$, $\exists L_{i\text{-}a}\subseteq\cup_{j\in J}R_{i,j}$ and $|L_{i\text{-}a}\cap R_{i,j}|=1$: $\forall r^w\in L_{i\text{-}a}$, $M(r)\le w$. Since $\exists r\in P_R$: $p_i\in\|\pi_r\|$, there exists $P_{Ri}=\{r'|\ r'\in P_R, p_i\in\|\pi_{r'}\|\}$. According to Definition 9, $\forall\ p_i\in P_M$, $\exists\ \omega_{i\text{-}a}=\langle P_{Ri}, L_{i\text{-}a}\rangle$: $\forall r^w\in L_{i\text{-}a}$, $M(r)\le w$. ■

Proof of Corollary 4:

According to Corollary 3, it can be easily proved. ■

Proof of Theorem 3:

Sufficiency:

Suppose that $\hat{\Omega}$ is a CRP at M. According to Definition 10, $\forall p_i\in P_M$, $\exists\omega_{i\text{-}a}=\langle P_{Ri}, L_{i\text{-}a}\rangle$: $\forall r^w\in L_{i\text{-}a}$, $M(r)\le w$. According to Theorem 2, $\forall t_j\in p_i^\bullet$ is not enabled at M. Hence, $\forall t'\in T$, if $M[t'\rangle M'$, there are two cases.

i) When $t'\notin\cup_{p\in\|\pi_r\|}(p^\bullet\cup{}^\bullet p)$, $\forall p_k\in\Pi_r$: $p_k\notin t'^\bullet\cup{}^\bullet t'$. Thus,

$$M(p_k)=M'(p_k).$$

ii) When $t'\in\cup_{p\in\|\pi_r\|}(p^\bullet\cup{}^\bullet p)$, since $\forall p_i\in P_M$ and $\forall t_j\in p_i^\bullet$ is not enabled at M, we have that $\forall p_k\in\Pi_r$: $t'\notin p_k^\bullet$. By $M[t'\rangle M'$,

$$M'(p_k)\ge M(p_k).$$

Then,

$$\Sigma_{p\in\Pi_r\cap P_M}(M'(p)\pi_r(p))\ge\Sigma_{p\in\Pi_r\cap P_M}(M(p)\pi_r(p)). \qquad \text{(S1)}$$

According to Property 2,

$$\sum_{p_v\in\|\pi_r\|}(M(p_v)\pi_r(p_v))=\sum_{p_v\in\|\pi_r\|}(M'(p_v)\pi_r(p_v))=M_0(r).$$

Since $\Pi_r=\|\pi_r\|\setminus\{r\}$,

$$M(r)\pi_r(r)+\sum_{p_z\in\Pi_r}(M(p_z)\pi_r(p_z))$$
$$=M'(r)\pi_r(r)+\sum_{p_z\in\Pi_r}(M'(p_z)\pi_r(p_z))=M_0(r).$$

By $\pi_r(r)=1$, we have that:

$$M(r)+\sum_{p_z\in\Pi_r}(M(p_z)\pi_r(p_z))$$
$$=M'(r)+\sum_{p_z\in\Pi_r}(M'(p_z)\pi_r(p_z))=M_0(r).$$

By $\Pi_r=(\Pi_r\cap P_M)\cup(\Pi_r\setminus P_M)$,

$$M(r)+\sum_{p'\in\Pi_r\setminus P_M}(M(p')\pi_r(p'))$$
$$+\sum_{p\in\Pi_r\cap P_M}(M(p)\pi_r(p))=M_0(r) \quad \text{(S2)}$$

and

$$M'(r)+\sum_{p'\in\Pi_r\setminus P_M}(M'(p')\pi_r(p'))$$
$$+\sum_{p\in\Pi_r\cap P_M}(M'(p)\pi_r(p))=M_0(r). \quad \text{(S3)}$$

$\forall p_z\in\Pi_r$, if $p_z\notin P_M$, $M(p_z)=0$. Hence, $\sum_{p'\in\Pi_r\setminus P_M}(M(p')\pi_r(p'))=0$. By (S2),

$$M(r)+\sum_{p\in\Pi_r\cap P_M}(M(p)\pi_r(p))=M_0(r), \quad \text{(S4)}$$

i.e., $\sum_{p\in\Pi_r\cap P_M}(M(p)\pi_r(p))=M_0(r)-M(r)$. Since $M(r)\le w$,

$$\sum_{p\in\Pi_r\cap P_M}(M(p)\pi_r(p))\ge M_0(r)-w.$$

By (S1),

$$\sum_{p\in\Pi_r\cap P_M}(M'(p)\pi_r(p))\ge M_0(r)-w. \quad \text{(S5)}$$

By (S3),

$$\sum_{p\in\Pi_r\cap P_M}(M'(p)\pi_r(p))=M_0(r)-\sum_{p'\in\Pi_r\setminus P_M}(M'(p')\pi_r(p'))-M'(r).$$

By (S5), $M_0(r)-\sum_{p'\in\Pi_r\setminus P_M}(M'(p')\pi_r(p'))-M'(r)\ge M_0(r)-w$, i.e.,

$$M'(r)\le w-\sum_{p'\in\Pi_r\setminus P_M}(M'(p')\pi_r(p')).$$

Since $\sum_{p'\in\Pi_r\setminus P_M}(M'(p')\pi_r(p'))\ge 0$, we have that $M'(r)\le w$. According to Theorem 2, $\forall t_j\in p_i^\bullet$, t_j is not enabled at M'. By analogy, $\forall M''\in R(M)$, t_j is not enabled at M''. Hence, M is a partial deadlock.

Necessity:

Suppose that M is a partial deadlock. According to Corollary 3, $\forall p_i\in P_M$, $\exists\,\omega_{i\text{-}a}=\langle P_{Ri}, L_{i\text{-}a}\rangle$: $\forall r^w\in L_{i\text{-}a}$, $M(r)\le w$. Let $\hat{\Omega}$ be the set of these $\omega_{i\text{-}a}$. Hence, $P_M=\{p_i|\ \omega_{i\text{-}a}\in\hat{\Omega}\}$, and $\forall p_i\in P_M$, $\exists\,\omega_{i\text{-}a}\in\hat{\Omega}$: $\forall r^w\in L_{i\text{-}a}$, $M(r)\le w$. Hence, $\hat{\Omega}$ is a CRP at M. ■

Proof of Theorem 4:

Since $\hat{\Omega}$ is a CRP at M, according to Definition 10, $P_M=\{p_i|\ \omega_{i\text{-}a}\in\hat{\Omega}\}$. Suppose that $\exists r\in\mathscr{R}$: $r\notin\Phi$. Since

$$\Phi=\{r'|\ r'\in P_{Ri},\ \omega_{i\text{-}a}\in\hat{\Omega},\ \omega_{i\text{-}a}=\langle P_{Ri}, L_{i\text{-}a}\rangle\},$$

$\forall\omega_{i\text{-}a}\in\hat{\Omega}$: $r\notin P_{Ri}$, where $\omega_{i\text{-}a}=\langle P_{Ri}, L_{i\text{-}a}\rangle$ and $P_{Ri}=\{r'|\ r'\in P_R,\ p_i\in\|\pi_{r'}\|\}$. Hence, $\forall p_i\in\{p_i|\ \omega_{i\text{-}a}\in\hat{\Omega}\}$: $p_i\notin\|\pi_r\|$. By $P_M=\{p_i|\ \omega_{i\text{-}a}\in\hat{\Omega}\}$, we have that $\forall p_i\in P_M$: $p_i\notin\|\pi_r\|$, i.e., $\forall p_j\in\|\pi_r\|\cap P_A$: $M(p_j)=0$. Thus, $\sum_{p_j\in\|\pi_r\|\cap P_A}(M(p_j)\pi_r(p_j))=0$. Since $\pi_r(r)=1$ and

$$M(r)\pi_r(r)+\sum_{p_j\in\|\pi_r\|\cap P_A}(M(p_j)\pi_r(p_j))=M_0(r),$$

we derive that:

$$M(r)=M_0(r).$$

Since $r\in\mathscr{R}$ and $\mathscr{R}=\{r|\ r^w\in L_{i\text{-}a},\ \omega_{i\text{-}a}\in\hat{\Omega},\ \omega_{i\text{-}a}=\langle P_{Ri}, L_{i\text{-}a}\rangle\}$, according to Definition 10,

$$M(r)<w.$$

According to Definitions 8 and 9, $w=W(r, t_j)-1$, i.e.,

$$M(r)<W(r, t_j).$$

Since $\forall r'\in P_R$: $M_0(r')\ge\mathrm{Max}\{W(r', t)|\ t\in T, (r', t)\in F\}$, we have that:

$$M_0(r)\ge W(r, t_j).$$

Hence, $M(r)<M_0(r)$. This contradicts that $M(r)=M_0(r)$. Thus, $\forall r\in\mathscr{R}$: $r\in\Phi$. ■

S.II. *RP Detection Algorithm*

In this section, Algorithm S1 is proposed to obtain Ω. Particularly, for any activity place p_i, the method determines whether it is a critical place according to Definition 8 (line 4 of Algorithm S1). If the above is fulfilled, P_{Ri} (line 5) and $L_{i\text{-}a}$ (lines 6-9) are computed according to Definition 10. Given an S^{4}PR, the maximum number of input resource places for transitions is $\hat{n}=\mathrm{Max}(\{x|\ x=|{}^\bullet t\cap P_R|,\ t\in T\})$, and the maximum number of output transitions for activity places is $\bar{\bar{n}}=\mathrm{Max}(\{y|\ y=|p^\bullet\cap T|,\ p\in P_A\})$. Hence, when executing the for-loop in lines 2-15 each time, lines 6-7 repeat at most $\bar{\bar{n}}$ times, where the obtained $R_{i,j}$ has at most $\hat{n}$ elements. Hence, $b=\prod_{j\in J}|R_{i,j}|\le\hat{n}^{\bar{\bar{n}}}$. We then have that the for-loop in lines 9-12 repeat at most $\hat{n}^{\bar{\bar{n}}}$ times. As a result, at most $\hat{n}^{\bar{\bar{n}}}$ elements in Ω are obtained. Since there are at most $|P_A|$ critical places, the for loop in lines 2-15 is repeated no more than $|P_A|$ times. Thus, there are no more than $|P_A|\hat{n}^{\bar{\bar{n}}}$ elements in Ω, i.e., there are at most $|P_A|\hat{n}^{\bar{\bar{n}}}$ RPs. For an AMS modeled by an S^{4}PR, $\hat{n}$ represents the maximum number of resource types required for a single-step processing operation within the system, and $\bar{\bar{n}}$ denotes the maximum number of parallel processes when machining the same type of part. For example, in the AMS modeled by the S^{4}PR in Fig. 2, the processing operation represented by t_3 requires two types of resources (r_2 and r_3), while the other operations require only one type. Hence, we have that $\hat{n}=2$. In addition, the job type represented in the left subnet allows two parallel sequential processes to process the same type of part, while the job type shown in the right subnet can only be completed by one sequential process. Hence, we obtain that $\bar{\bar{n}}=2$. Notice that the number of RPs is $|P_A|\hat{n}^{\bar{\bar{n}}}$ only if there are $\hat{n}$ input resource places for each tran-

Algorithm S1: Detection of Ω

```
    Input: S4PR Ξ=(P0 ∪ PA ∪ PR, T, F, W, M0)
    Output: Ω
1   Let Ω=∅;
2   For each pi∈PA, do
4       If pi is a critical place, then
5           Let PRi={r| r∈PR, pi∈||πr||};
6           For each tj∈pi•, do
7               Let Ri,j={r^w| r∈•tj∩PR, w=W(r, tj)-1};
8           End
9           For a=1 to b, where b=∏j∈J|Ri,j|, do
10              Let Li-a be a unique set containing one element of each
                Ri,j, where ∀r^w, r^w'∈Li-a, if w<w', then Li-a=Li-a\{r^w'};
11              Let ωi-a=<PRi, Li-a> and Ω=Ω ∪ {ωi-a};
12          End
13          End
14      End
15  End
16  Return Ω;
17 End
```

sition and $\overline{\overline{n}}$ output transitions for each activity place. In general, the number of RPs is much smaller than $|P_A|\hat{n}^{\overline{\overline{n}}}$. For example, for the S^4PR in Fig. 2, $|P_A|=7$ and $\hat{n}=\overline{\overline{n}}=2$. Hence, $|P_A|\hat{n}^{\overline{\overline{n}}}=28$. However, from Table II, there are only 6 RPs in this S^4PR.

Let us now estimate the time complexity of Algorithm S1. Suppose that $|T|$ and $|P_R|$ are the number of transitions and resource places, respectively. By line 5, the time complexity of obtaining P_{Ri} is $O(|P_R|)$. From lines 6-8, we have that the time complexity of finding $R_{i,j}$ is $O(|T||P_R|)$. For lines 9-12, the time complexity is $O(\hat{n}^{\overline{\overline{n}}})$. For each activity place p_i, we repeat the above steps (lines 2-15). Hence, the total time complexity of Algorithm S1 is $O(|P_A|(|T||P_R|+\hat{n}^{\overline{\overline{n}}}))$.

S.III. *CRP Detection Algorithm*

In this section, Algorithm S2 is introduced to detect all CRPs. For each RP ω_{i-a} in Ω, we need to determine if there is a CRP $\hat{\Omega}$ such that $\omega_{i-a}\in\hat{\Omega}$ (lines 2-6 of Algorithm S2), where Function S1 is used to recursively determine elements in $\hat{\Omega}$. Specifically, suppose that there is a CRP $\hat{\Omega}$ such that $\omega_{i-a}\in\hat{\Omega}$. According to Theorem 4, $\hat{\Omega}$ satisfies that $\forall r\in\mathscr{R}$: $r\in\Phi$. Hence, we first initialize $\hat{\Omega}=\{\omega_{i-a}\}$. Then, we need to compute $\mathscr{R}$ and Φ and determine whether $\exists r\in\mathscr{R}$ such that $r\notin\Phi$ (lines 1 and 2 of Function S1). If $\exists r\in\mathscr{R}$ such that $r\notin\Phi$, since $\Phi=\{P_{Ri}|\ \omega_{i-a}\in\hat{\Omega},\ \omega_{i-a}=<P_{Ri}, L_{i-a}>\}$, we need to find a RP $\omega_{j-c}=<P_{Rj}, L_{j-c}>$ such that $r\in P_{Rj}$ and update $\hat{\Omega}$ (lines 2-7 of Function S1); otherwise, if $\forall r\in\mathscr{R}$: $r\in\Phi$, $\hat{\Omega}$ is a CRP (lines 8-10 of Function S1). For each CRP $\hat{\Omega}$ obtained through the above process, if $\exists\omega_{z-c}\in\Omega$ and $\omega_{z-c}\notin\hat{\Omega}$: $\forall r^w\in L_{z-c}$, $r\in\Phi$, we have that $\hat{\Omega}'=\hat{\Omega}\cup\{\omega_{z-c}\}$ is a CRP (lines 7-9 of Algorithm S2 and Function S2). Hence, Function 2 is proposed to determine new CRPs by adding RPs to a obtained CRP. Then, we obtain all CRPs that contain ω_{i-a}. Subsequently, we can remove ω_{i-a} from Ω (line 11 of Algorithm S2). For each $r\in P_{Ri}$, if $\forall\omega_{j-a}\in\Omega$: $p_j\notin\|\pi_r\|$, we have that $\forall\hat{\Omega}''\subseteq\Omega$: $r\notin\{P_{Rk}|\ \omega_{k-c}\in\hat{\Omega}'',\ \omega_{k-c}=<P_{Rk}, L_{k-c}>\}$. For each

Algorithm S2: Detection of Θ
Input: Ω
Output: Θ
1 Let $\Theta=\varnothing$;
2 **For** $\forall\omega_{i-a}\in\Omega$, where $\omega_{i-a}=<P_{Ri}, L_{i-a}>$, **do**
3 Let $\Theta'=\{\{\omega_{i-a}\}\}$ and $\Theta_{i-a}=\varnothing$;
4 **For** each $\hat{\Omega}\in\Theta'$, **do**
5 $[\Theta_{i-a}, \Theta']=F_{s1}(\hat{\Omega}, \Omega, \Theta', \Theta_{i-a})$;
6 **End**
7 **For** each $\hat{\Omega}\in\Theta_{i-a}$, **do**
8 $[\Theta_{i-a}]=F_{s2}(\hat{\Omega}, \Theta_{i-a}, \Omega)$;
9 **End**
10 $\Theta=\Theta\cup\Theta_{i-a}$;
11 $\Omega=\Omega\backslash\{\omega_{i-a}\}$;
12 $[\Omega]=F_{s3}(P_{Ri}, \Omega, P_A)$
13 **End**
14 **Return** Θ
15 **End**

Function S1: $[\Theta_{i-a}, \Theta']=F_{s1}(\hat{\Omega}, \Omega, \Theta', \Theta_{i-a})$
Input: $\hat{\Omega}, \Omega, \Theta', \Theta_{i-a}$
Output: Θ_{i-a}, Θ'
Let $\mathscr{R}=\{r|\ r^w\in L_{k-a}, \omega_{k-a}\in\hat{\Omega}, \omega_{k-a}=<P_{Rk}, L_{k-a}>\}$,
1 $\Phi=\{r|\ r\in P_{Rk}, \omega_{k-a}\in\hat{\Omega}, \omega_{k-a}=<P_{Rk}, L_{k-a}>\}$,
$\Omega'=\Omega\backslash\{\hat{\Omega}\}$, and $\Theta'=\Theta\backslash\{\hat{\Omega}\}$;
2 **If** $\exists r\in\mathscr{R}\backslash\Phi$, **then**
3 **For** each ω_{j-c} in Ω', where $\omega_{j-c}=<P_{Rj}, L_{j-c}>$, **do**
4 **If** $r\in P_{Rj}$, **then**
5 $\hat{\Omega}'=\hat{\Omega}\cup\{\omega_{j-c}\}$ and $\Theta'=\Theta'\cup\{\hat{\Omega}'\}$;
6 **End**
7 **End**
8 **Else**
9 $\Theta_{i-a}=\Theta_{i-a}\cup\{\hat{\Omega}\}$;
10 **End**
11 **Return** Θ_{i-a} and Θ';
12 **End**

Function S2: $[\Theta_{i-a}]=F_{s2}(\hat{\Omega}, \Theta_{i-a}, \Omega)$
Input: $\hat{\Omega}, \Theta_{i-a}, \Omega$
Output: Θ_{i-a}
1 Let $\Phi=\{r|\ r\in P_{Rk}, \omega_{k-a}\in\hat{\Omega}, \omega_{k-a}=<P_{Rk}, L_{k-a}>\}$ and
$P_K=\{p_k|\ \omega_{k-a}\in\hat{\Omega}\}$;
2 **For** each $\omega_{z-c}\in\Omega\backslash\hat{\Omega}$, **do**
3 **If** $\forall r^w\in L_{z-c}$: $r\in\Phi$ and $p_z\notin P_K$, **then**
4 Let $\hat{\Omega}'=\hat{\Omega}\cup\{\omega_{z-c}\}$ and $\Theta_{i-a}=\Theta_{i-a}\cup\hat{\Omega}'$;
5 **End**
6 **End**
7 **Return** Θ_{i-a};
8 **End**

Function S3: $[\Omega]=F_{s3}(P_{Ri}, \Omega, P_A)$
Input: P_{Ri}, Ω, P_A
Output: Ω
1 **For** each $r\in P_{Ri}$, **do**
2 **If** $\forall\omega_{j-a}\in\Omega$: $p_j\notin\|\pi_r\|$, **then**
3 **For** each $\omega_{u-c}\in\Omega$, where $r\in\{r|\ r^w\in L_{u-c}, \omega_{u-c}=<P_{Ru}, L_{u-c}>\}$, **do**
4 $\Omega=\Omega\backslash\{\omega_{u-c}\}$;
5 **End**
6 **End**
7 **End**
8 **Return** Ω;
9 **End**

$\omega_{u-c}\in\Omega$, if $r\in\{r'|\ r'^w\in L_{u-c}, \omega_{u-c}=<P_{Ru}, L_{u-c}>\}$, according to Theorem 4, there is no CRP containing ω_{u-c}. Thus, Function S3 is given to remove ω_{u-c} from Ω, thereby reducing the computational complexity of detecting CRPs. For each RP, we repeat the above process, all CRPs can be obtained (lines 1-4 of Algorithm S2). Θ_{i-a} represents the set of CRPs that contains ω_{i-a}, where the number of elements in Θ_{i-a} is no more than $|\Omega|$-1, where $|\Omega|$ is the number of elements in Ω. From line 10 of Algorithm S2,

$$\Theta=\cup_{\omega_{i-a}\in\Omega}\Theta_{i-a}.$$

Since there are at most $|\Omega|$ elements in Ω, the number of CRPs is no greater than $|\Omega|(|\Omega|-1)$. According to Algorithm S1, $|\Omega|\leq|P_A|\hat{n}^{\overline{\overline{n}}}$.

Next, we evaluate the time complexity of Algorithm S2. From line 1 of Function S1, $\Omega'=\Omega\backslash\{\hat{\Omega}\}$, i.e., $|\Omega'|\leq|\Omega|$. Hence,

the time complexity of Function S1 is $O(|\Omega|)$. In the worst case, $\forall\, \omega_{j\text{-}a}, \omega_{k\text{-}c} \in \Omega$: $\hat{\Omega} = \{\omega_{j\text{-}a}, \omega_{k\text{-}c}\}$ is a CRP. In this case, Function S1 needs to be repeated $|\Omega|$ times and there are $|\Omega|$-1 elements in $\Theta_{i\text{-}a}$. Thus, the complexity of lines 4-6 of Algorithm S2 is $O(|\Omega|^2)$. According to line 2 of Function S2, $\omega_{z\text{-}a} \in \Omega \setminus \hat{\Omega}$. Hence, the time complexity of Function S2 is $O(|\Omega|)$. Since there $|\Omega|$-1 elements in $\Theta_{i\text{-}a}$, the time complexity of lines 7-9 of Algorithm S2 is $O(|\Omega|^2)$. For Function S3, since $P_{Ri} \subseteq P_R$ and $\omega_{u\text{-}c} \in \Omega$, the time complexity of Function S3 is $O(|P_R||\Omega|)$. Thus, the time complexity of lines 3-12 of Algorithm S2 is $O(|\Omega|^2+|P_R||\Omega|)$. From lines 2-13, the above steps need to be repeated $|\Omega|$ times. Hence, the total time complexity of Algorithm S2 is $O(|\Omega|^3+|P_R||\Omega|^2)$.

S.IV. CRPs and Partial Deadlocks of S^{4}PR in Fig. 5

Table S1 shows all the partial deadlocks and CRPs of the S^{4}PR shown in Fig. 5 of this paper.

TABLE S1
CRPs AND PARTIAL DEADLOCKS OF S^{4}PR IN FIG. 5

CRPs	**Partial deadlocks**
$\hat{\Omega}_1=\{\omega_{1\text{-}1}, \omega_{15\text{-}1}\}$	$M_1=p_1+9p_8+10p_{12}+2p_{15}+8p_{20}+3p_{22}+p_{23}+3p_{24}+3p_{25}$
$\hat{\Omega}_2=\{\omega_{1\text{-}1}, \omega_{14\text{-}1}, \omega_{15\text{-}1}\}$	$M_2=p_1+9p_8+10p_{12}+p_{14}+2p_{15}+7p_{20}+p_{22}+p_{23}+2p_{24}+3p_{25}$
$\hat{\Omega}_3=\{\omega_{1\text{-}1}, \omega_{3\text{-}1}, \omega_{14\text{-}1}, \omega_{15\text{-}1}\}$	$M_3=p_1+p_3+8p_8+10p_{12}+p_{14}+2p_{15}+7p_{20}+p_{22}+p_{23}+p_{24}+3p_{25}$
	$M_4=p_1+2p_3+7p_8+10p_{12}+p_{14}+2p_{15}+7p_{20}+p_{22}+p_{23}+3p_{25}$
$\hat{\Omega}_4=\{\omega_{1\text{-}1}, \omega_{7\text{-}1}, \omega_{14\text{-}1}, \omega_{15\text{-}1}\}$	$M_5=p_1+2p_7+7p_8+10p_{12}+p_{14}+2p_{15}+7p_{20}+p_{22}+p_{23}+3p_{25}$
	$M_6=p_1+p_7+8p_8+10p_{12}+p_{14}+2p_{15}+7p_{20}+p_{22}+p_{23}+p_{24}+3p_{25}$
$\hat{\Omega}_5=\{\omega_{1\text{-}1}, \omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{14\text{-}1}, \omega_{15\text{-}1}\}$	$M_7=p_1+2p_3+p_6+6p_8+10p_{12}+p_{14}+p_{15}+8p_{20}+p_{22}+p_{23}+3p_{25}$
$\hat{\Omega}_6=\{\omega_{1\text{-}1}, \omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{14\text{-}1}, \omega_{15\text{-}1}\}$	$M_8=p_1+p_3+p_6+p_7+6p_8+10p_{12}+p_{14}+p_{15}+8p_{20}+p_{22}+p_{23}+3p_{25}$
$\hat{\Omega}_7=\{\omega_{1\text{-}1}, \omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{14\text{-}1}, \omega_{15\text{-}1}\}$	$M_9=p_1+p_3+p_6+p_7+6p_8+p_{10}+9p_{12}+p_{14}+p_{15}+8p_{20}+p_{22}+p_{23}+p_{25}$
$\hat{\Omega}_8=\{\omega_{1\text{-}1}, \omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{10\text{-}1}, \omega_{14\text{-}1}, \omega_{15\text{-}1}\}$	$M_{10}=p_1+2p_3+p_6+6p_8+p_{10}+9p_{12}+p_{14}+p_{15}+8p_{20}+p_{22}+p_{23}+p_{25}$
$\hat{\Omega}_9=\{\omega_{1\text{-}1}, \omega_{3\text{-}1}, \omega_{7\text{-}1}, \omega_{14\text{-}1}, \omega_{15\text{-}1}\}$	$M_{11}=p_1+p_3+p_7+7p_8+10p_{12}+p_{14}+2p_{15}+7p_{20}+p_{22}+p_{23}+3p_{25}$
$\hat{\Omega}_{10}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{7\text{-}1}, \omega_{14\text{-}1}, \omega_{15\text{-}1}\}$	$M_{12}=p_1+p_2+p_3+p_7+6p_8+10p_{12}+p_{14}+p_{15}+8p_{20}+p_{22}+p_{23}+3p_{25}$
$\hat{\Omega}_{11}=\{\omega_{1\text{-}1}, \omega_{3\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{14\text{-}1}, \omega_{15\text{-}1}\}$	$M_{13}=p_1+p_3+p_7+7p_8+p_{10}+9p_{12}+p_{14}+2p_{15}+7p_{20}+p_{22}+p_{23}+p_{25}$
$\hat{\Omega}_{12}=\{\omega_{1\text{-}1}, \omega_{3\text{-}1}, \omega_{10\text{-}1}, \omega_{14\text{-}1}, \omega_{15\text{-}1}\}$	$M_{14}=p_1+2p_3+7p_8+p_{10}+9p_{12}+p_{14}+2p_{15}+7p_{20}+p_{22}+p_{23}+p_{25}$
$\hat{\Omega}_{13}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{10\text{-}1}, \omega_{14\text{-}1}, \omega_{15\text{-}1}\}$	$M_{15}=p_1+p_2+2p_3+6p_8+p_{10}+9p_{12}+p_{14}+p_{15}+8p_{20}+p_{22}+p_{23}+p_{25}$
$\hat{\Omega}_{14}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{14\text{-}1}, \omega_{15\text{-}1}\}$	$M_{16}=p_1+p_2+p_3+p_7+6p_8+p_{10}+9p_{12}+p_{14}+p_{15}+8p_{20}+p_{22}+p_{23}+p_{25}$
$\hat{\Omega}_{15}=\{\omega_{1\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{14\text{-}1}, \omega_{15\text{-}1}\}$	$M_{17}=p_1+p_6+2p_7+6p_8+10p_{12}+p_{14}+p_{15}+8p_{20}+p_{22}+p_{23}+3p_{25}$
$\hat{\Omega}_{16}=\{\omega_{1\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{14\text{-}1}, \omega_{15\text{-}1}\}$	$M_{18}=p_1+p_6+2p_7+6p_8+p_{10}+9p_{12}+p_{14}+p_{15}+8p_{20}+p_{22}+p_{23}+p_{25}$
$\hat{\Omega}_{17}=\{\omega_{1\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{14\text{-}1}, \omega_{15\text{-}1}\}$	$M_{19}=p_1+2p_7+7p_8+p_{10}+9p_{12}+p_{14}+2p_{15}+7p_{20}+p_{22}+p_{23}+p_{25}$
$\hat{\Omega}_{18}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{14\text{-}1}, \omega_{15\text{-}1}\}$	$M_{20}=p_1+p_2+2p_7+6p_8+p_{10}+9p_{12}+p_{14}+p_{15}+8p_{20}+p_{22}+p_{23}+p_{25}$
$\hat{\Omega}_{19}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{13\text{-}1}\}$	$M_{21}=p_1+2p_2+3p_3+4p_8+10p_{12}+p_{13}+9p_{20}+p_{22}+3p_{25}$
$\hat{\Omega}_{20}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{13\text{-}1}\}$	$M_{22}=p_1+p_2+3p_3+p_6+4p_8+10p_{12}+p_{13}+9p_{20}+p_{22}+3p_{25}$
$\hat{\Omega}_{21}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{13\text{-}1}\}$	$M_{23}=p_1+p_2+p_3+p_6+2p_7+4p_8+10p_{12}+p_{13}+9p_{20}+p_{22}+3p_{25}$
	$M_{24}=p_1+p_2+2p_3+p_6+p_7+4p_8+10p_{12}+p_{13}+9p_{20}+p_{22}+3p_{25}$
$\hat{\Omega}_{22}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{13\text{-}1}\}$	$M_{25}=p_1+p_2+p_3+p_6+2p_7+4p_8+p_{10}+9p_{12}+p_{13}+9p_{20}+p_{22}+p_{25}$
	$M_{26}=p_1+p_2+2p_3+p_6+p_7+4p_8+p_{10}+9p_{12}+p_{13}+9p_{20}+p_{22}+p_{25}$
$\hat{\Omega}_{23}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{10\text{-}1}, \omega_{13\text{-}1}\}$	$M_{27}=p_1+p_2+3p_3+p_6+4p_8+p_{10}+9p_{12}+p_{13}+9p_{20}+p_{22}+p_{25}$
$\hat{\Omega}_{24}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{7\text{-}1}, \omega_{13\text{-}1}\}$	$M_{28}=p_1+2p_2+2p_3+p_7+4p_8+10p_{12}+p_{13}+9p_{20}+p_{22}+3p_{25}$
	$M_{29}=p_1+2p_2+p_3+2p_7+4p_8+10p_{12}+p_{13}+9p_{20}+p_{22}+3p_{25}$
$\hat{\Omega}_{25}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{13\text{-}1}\}$	$M_{30}=p_1+2p_2+p_3+2p_7+4p_8+p_{10}+9p_{12}+p_{13}+9p_{20}+p_{22}+p_{25}$
	$M_{31}=p_1+2p_2+2p_3+p_7+4p_8+p_{10}+9p_{12}+p_{13}+9p_{20}+p_{22}+p_{25}$
$\hat{\Omega}_{26}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{13\text{-}1}, \omega_{15\text{-}1}\}$	$M_{32}=p_1+p_2+p_3+2p_7+5p_8+p_{10}+9p_{12}+p_{13}+p_{15}+8p_{20}+p_{22}+p_{25}$
	$M_{33}=p_1+p_2+2p_3+p_7+5p_8+p_{10}+9p_{12}+p_{13}+p_{15}+8p_{20}+p_{22}+p_{25}$
$\hat{\Omega}_{27}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{7\text{-}1}, \omega_{13\text{-}1}, \omega_{15\text{-}1}\}$	$M_{34}=p_1+p_2+p_3+2p_7+5p_8+10p_{12}+p_{13}+p_{15}+8p_{20}+p_{22}+3p_{25}$
	$M_{35}=p_1+p_2+2p_3+p_7+5p_8+10p_{12}+p_{13}+p_{15}+8p_{20}+p_{22}+3p_{25}$
$\hat{\Omega}_{28}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{10\text{-}1}, \omega_{13\text{-}1}\}$	$M_{36}=p_1+2p_2+3p_3+4p_8+p_{10}+9p_{12}+p_{13}+9p_{20}+p_{22}+p_{25}$
$\hat{\Omega}_{29}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{10\text{-}1}, \omega_{13\text{-}1}, \omega_{15\text{-}1}\}$	$M_{37}=p_1+p_2+3p_3+5p_8+p_{10}+9p_{12}+p_{13}+p_{15}+8p_{20}+p_{22}+p_{25}$
$\hat{\Omega}_{30}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{13\text{-}1}, \omega_{15\text{-}1}\}$	$M_{38}=p_1+p_2+3p_3+5p_8+10p_{12}+p_{13}+p_{15}+8p_{20}+p_{22}+3p_{25}$
$\hat{\Omega}_{31}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{14\text{-}1}\}$	$M_{39}=p_1+2p_2+2p_3+5p_8+10p_{12}+p_{14}+9p_{20}+p_{22}+p_{23}+3p_{25}$
$\hat{\Omega}_{32}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{14\text{-}1}\}$	$M_{40}=p_1+p_2+2p_3+p_6+5p_8+10p_{12}+p_{14}+9p_{20}+p_{22}+p_{23}+3p_{25}$
$\hat{\Omega}_{33}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{14\text{-}1}\}$	$M_{41}=p_1+p_2+p_3+p_6+p_7+5p_8+10p_{12}+p_{14}+9p_{20}+p_{22}+p_{23}+3p_{25}$
$\hat{\Omega}_{34}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{14\text{-}1}\}$	$M_{42}=p_1+p_2+p_3+p_6+p_7+5p_8+p_{10}+9p_{12}+p_{14}+9p_{20}+p_{22}+p_{23}+p_{25}$
$\hat{\Omega}_{35}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{10\text{-}1}, \omega_{14\text{-}1}\}$	$M_{43}=p_1+p_2+2p_3+p_6+5p_8+p_{10}+9p_{12}+p_{14}+9p_{20}+p_{22}+p_{23}+p_{25}$
$\hat{\Omega}_{36}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{7\text{-}1}, \omega_{14\text{-}1}\}$	$M_{44}=p_1+2p_2+p_3+p_7+5p_8+10p_{12}+p_{14}+9p_{20}+p_{22}+p_{23}+3p_{25}$

$\hat{\Omega}_{37}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{10\text{-}1}, \omega_{14\text{-}1}\}$	$M_{45}=p_1+2p_2+2p_3+5p_8+p_{10}+9p_{12}+p_{14}+9p_{20}+p_{22}+p_{23}+p_{25}$
$\hat{\Omega}_{38}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{14\text{-}1}, \omega_{15\text{-}1}\}$	$M_{46}=p_1+p_2+2p_3+6p_8+10p_{12}+p_{14}+p_{15}+8p_{20}+p_{22}+p_{23}+3p_{25}$
$\hat{\Omega}_{39}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{7\text{-}1}, \omega_{13\text{-}1}\}$	$M_{47}=p_1+2p_2+3p_7+4p_8+10p_{12}+p_{13}+9p_{20}+p_{22}+3p_{25}$
$\hat{\Omega}_{40}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{13\text{-}1}\}$	$M_{48}=p_1+p_2+p_6+3p_7+4p_8+10p_{12}+p_{13}+9p_{20}+p_{22}+3p_{25}$
$\hat{\Omega}_{41}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{13\text{-}1}\}$	$M_{49}=p_1+p_2+p_6+3p_7+4p_8+p_{10}+9p_{12}+p_{13}+9p_{20}+p_{22}+p_{25}$
$\hat{\Omega}_{42}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{13\text{-}1}\}$	$M_{50}=p_1+2p_2+3p_7+4p_8+p_{10}+9p_{12}+p_{13}+9p_{20}+p_{22}+p_{25}$
$\hat{\Omega}_{43}=\{\omega_{1\text{-}1},\omega_{2\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{13\text{-}1}, \omega_{15\text{-}1}\}$	$M_{51}=p_1+p_2+3p_7+5p_8+p_{10}+9p_{12}+p_{13}+p_{15}+8p_{20}+p_{22}+p_{25}$
$\hat{\Omega}_{44}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{7\text{-}1}, \omega_{13\text{-}1}, \omega_{15\text{-}1}\}$	$M_{52}=p_1+p_2+3p_7+5p_8+10p_{12}+p_{13}+p_{15}+8p_{20}+p_{22}+3p_{25}$
$\hat{\Omega}_{45}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{7\text{-}1}, \omega_{14\text{-}1}\}$	$M_{53}=p_1+2p_2+2p_7+5p_8+10p_{12}+p_{14}+9p_{20}+p_{22}+p_{23}+3p_{25}$
$\hat{\Omega}_{46}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{14\text{-}1}\}$	$M_{54}=p_1+p_2+p_6+2p_7+5p_8+10p_{12}+p_{14}+9p_{20}+p_{22}+p_{23}+3p_{25}$
$\hat{\Omega}_{47}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{14\text{-}1}\}$	$M_{55}=p_1+p_2+p_6+2p_7+5p_8+p_{10}+9p_{12}+p_{14}+9p_{20}+p_{22}+p_{23}+p_{25}$
$\hat{\Omega}_{48}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{14\text{-}1}\}$	$M_{56}=p_1+2p_2+2p_7+5p_8+p_{10}+9p_{12}+p_{14}+9p_{20}+p_{22}+p_{23}+p_{25}$
$\hat{\Omega}_{49}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{14\text{-}1}\}$	$M_{57}=p_1+2p_2+p_3+p_7+5p_8+p_{10}+9p_{12}+p_{14}+9p_{20}+p_{22}+p_{23}+p_{25}$
$\hat{\Omega}_{50}=\{\omega_{1\text{-}1}, \omega_{2\text{-}1}, \omega_{7\text{-}1}, \omega_{14\text{-}1}, \omega_{15\text{-}1}\}$	$M_{58}=p_1+p_2+2p_7+6p_8+10p_{12}+p_{14}+p_{15}+8p_{20}+p_{22}+p_{23}+3p_{25}$
$\hat{\Omega}_{51}=\{\omega_{1\text{-}1}, \omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{14\text{-}1}\}$	$M_{59}=p_1+2p_3+2p_6+5p_8+10p_{12}+p_{14}+9p_{20}+p_{22}+p_{23}+3p_{25}$
$\hat{\Omega}_{52}=\{\omega_{1\text{-}1}, \omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{14\text{-}1}\}$	$M_{60}=p_1+p_3+2p_6+p_7+5p_8+10p_{12}+p_{14}+9p_{20}+p_{22}+p_{23}+3p_{25}$
$\hat{\Omega}_{53}=\{\omega_{1\text{-}1}, \omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{14\text{-}1}\}$	$M_{61}=p_1+p_3+2p_6+p_7+5p_8+p_{10}+9p_{12}+p_{14}+9p_{20}+p_{22}+p_{23}+p_{25}$
$\hat{\Omega}_{54}=\{\omega_{1\text{-}1}, \omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{10\text{-}1}, \omega_{14\text{-}1}\}$	$M_{62}=p_1+2p_3+2p_6+5p_8+p_{10}+9p_{12}+p_{14}+9p_{20}+p_{22}+p_{23}+p_{25}$
$\hat{\Omega}_{55}=\{\omega_{1\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{14\text{-}1}\}$	$M_{63}=p_1+2p_6+2p_7+5p_8+10p_{12}+p_{14}+9p_{20}+p_{22}+p_{23}+3p_{25}$
$\hat{\Omega}_{56}=\{\omega_{1\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{14\text{-}1}\}$	$M_{64}=p_1+2p_6+2p_7+5p_8+p_{10}+9p_{12}+p_{14}+9p_{20}+p_{22}+p_{23}+p_{25}$
$\hat{\Omega}_{57}=\{\omega_{1\text{-}1}, \omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{13\text{-}1}\}$	$M_{65}=p_1+3p_3+2p_6+4p_8+10p_{12}+p_{13}+9p_{20}+p_{22}+3p_{25}$
$\hat{\Omega}_{58}=\{\omega_{1\text{-}1}, \omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{13\text{-}1}\}$	$M_{66}=p_1+2p_3+2p_6+p_7+4p_8+10p_{12}+p_{13}+9p_{20}+p_{22}+3p_{25}$
	$M_{67}=p_1+p_3+2p_6+2p_7+4p_8+10p_{12}+p_{13}+9p_{20}+p_{22}+3p_{25}$
$\hat{\Omega}_{59}=\{\omega_{1\text{-}1}, \omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{10\text{-}1}, \omega_{13\text{-}1}\}$	$M_{68}=p_1+3p_3+2p_6+4p_8+p_{10}+9p_{12}+p_{13}+9p_{20}+p_{22}+p_{25}$
$\hat{\Omega}_{60}=\{\omega_{1\text{-}1}, \omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{13\text{-}1}\}$	$M_{69}=p_1+2p_3+2p_6+p_7+4p_8+p_{10}+9p_{12}+p_{13}+9p_{20}+p_{22}+p_{25}$
	$M_{70}=p_1+p_3+2p_6+2p_7+4p_8+p_{10}+9p_{12}+p_{13}+9p_{20}+p_{22}+p_{25}$
$\hat{\Omega}_{61}=\{\omega_{1\text{-}1}, \omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{13\text{-}1}, \omega_{15\text{-}1}\}$	$M_{71}=p_1+2p_3+p_6+p_7+5p_8+p_{10}+9p_{12}+p_{13}+p_{15}+8p_{20}+p_{22}+p_{25}$
	$M_{72}=p_1+p_3+p_6+2p_7+5p_8+p_{10}+9p_{12}+p_{13}+p_{15}+8p_{20}+p_{22}+p_{25}$
$\hat{\Omega}_{62}=\{\omega_{1\text{-}1}, \omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{10\text{-}1}, \omega_{13\text{-}1}, \omega_{15\text{-}1}\}$	$M_{73}=p_1+3p_3+p_6+5p_8+p_{10}+9p_{12}+p_{13}+p_{15}+8p_{20}+p_{22}+p_{25}$
$\hat{\Omega}_{63}=\{\omega_{1\text{-}1}, \omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{13\text{-}1}, \omega_{15\text{-}1}\}$	$M_{74}=p_1+3p_3+p_6+5p_8+10p_{12}+p_{13}+p_{15}+8p_{20}+p_{22}+3p_{25}$
$\hat{\Omega}_{64}=\{\omega_{1\text{-}1}, \omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{13\text{-}1}, \omega_{15\text{-}1}\}$	$M_{75}=p_1+2p_3+p_6+p_7+5p_8+10p_{12}+p_{13}+p_{15}+8p_{20}+p_{22}+3p_{25}$
	$M_{76}=p_1+p_3+p_6+2p_7+5p_8+10p_{12}+p_{13}+p_{15}+8p_{20}+p_{22}+3p_{25}$
$\hat{\Omega}_{65}=\{\omega_{1\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{13\text{-}1}\}$	$M_{77}=p_1+2p_6+3p_7+4p_8+10p_{12}+p_{13}+9p_{20}+p_{22}+3p_{25}$
$\hat{\Omega}_{66}=\{\omega_{1\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{13\text{-}1}\}$	$M_{78}=p_1+2p_6+3p_7+4p_8+p_{10}+9p_{12}+p_{13}+9p_{20}+p_{22}+p_{25}$
$\hat{\Omega}_{67}=\{\omega_{1\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{13\text{-}1}, \omega_{15\text{-}1}\}$	$M_{79}=p_1+p_6+3p_7+5p_8+p_{10}+9p_{12}+p_{13}+p_{15}+8p_{20}+p_{22}+p_{25}$
$\hat{\Omega}_{68}=\{\omega_{1\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{13\text{-}1}, \omega_{15\text{-}1}\}$	$M_{80}=p_1+p_6+3p_7+5p_8+10p_{12}+p_{13}+p_{15}+8p_{20}+p_{22}+3p_{25}$
$\hat{\Omega}_{69}=\{\omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{14\text{-}1}\}$	$M_{81}=2p_2+2p_3+6p_8+10p_{12}+p_{14}+p_{18}+p_{19}+9p_{20}+p_{22}+p_{23}+3p_{25}$
$\hat{\Omega}_{70}=\{\omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{14\text{-}1}\}$	$M_{82}=p_2+2p_3+p_6+6p_8+10p_{12}+p_{14}+p_{18}+p_{19}+9p_{20}+p_{22}+p_{23}+3p_{25}$
$\hat{\Omega}_{71}=\{\omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{14\text{-}1}\}$	$M_{83}=p_2+p_3+p_6+p_7+6p_8+10p_{12}+p_{14}+p_{18}+p_{19}+9p_{20}+p_{22}+p_{23}+3p_{25}$
$\hat{\Omega}_{72}=\{\omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{14\text{-}1}\}$	$M_{84}=p_2+p_3+p_6+p_7+6p_8+p_{10}+9p_{12}+p_{14}+p_{18}+p_{19}+9p_{20}+p_{22}+p_{23}+p_{25}$
$\hat{\Omega}_{73}=\{\omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{10\text{-}1}, \omega_{14\text{-}1}\}$	$M_{85}=p_2+2p_3+p_6+6p_8+p_{10}+9p_{12}+p_{14}+p_{18}+p_{19}+9p_{20}+p_{22}+p_{23}+p_{25}$
$\hat{\Omega}_{74}=\{\omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{7\text{-}1}, \omega_{14\text{-}1}\}$	$M_{86}=2p_2+p_3+p_7+6p_8+10p_{12}+p_{14}+p_{18}+p_{19}+9p_{20}+p_{22}+p_{23}+3p_{25}$
$\hat{\Omega}_{75}=\{\omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{10\text{-}1}, \omega_{14\text{-}1}\}$	$M_{87}=2p_2+2p_3+6p_8+p_{10}+9p_{12}+p_{14}+p_{18}+p_{19}+9p_{20}+p_{22}+p_{23}+p_{25}$
$\hat{\Omega}_{76}=\{\omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{14\text{-}1}\}$	$M_{88}=2p_2+p_3+p_7+6p_8+p_{10}+9p_{12}+p_{14}+p_{18}+p_{19}+9p_{20}+p_{22}+p_{23}+p_{25}$
$\hat{\Omega}_{77}=\{\omega_{2\text{-}1}, \omega_{7\text{-}1}, \omega_{14\text{-}1}\}$	$M_{89}=2p_2+2p_7+6p_8+10p_{12}+p_{14}+p_{18}+p_{19}+9p_{20}+p_{22}+p_{23}+3p_{25}$
$\hat{\Omega}_{78}=\{\omega_{2\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{14\text{-}1}\}$	$M_{90}=p_2+p_6+2p_7+6p_8+10p_{12}+p_{14}+p_{18}+p_{19}+9p_{20}+p_{22}+p_{23}+3p_{25}$
$\hat{\Omega}_{79}=\{\omega_{2\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{14\text{-}1}\}$	$M_{91}=p_2+p_6+2p_7+6p_8+p_{10}+9p_{12}+p_{14}+p_{18}+p_{19}+9p_{20}+p_{22}+p_{23}+p_{25}$
$\hat{\Omega}_{80}=\{\omega_{2\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{14\text{-}1}\}$	$M_{92}=2p_2+2p_7+6p_8+p_{10}+9p_{12}+p_{14}+p_{18}+p_{19}+9p_{20}+p_{22}+p_{23}+p_{25}$
$\hat{\Omega}_{81}=\{\omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{13\text{-}1}\}$	$M_{93}=2p_2+3p_3+5p_8+10p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{22}+3p_{25}$
	$M_{94}=p_2+3p_3+6p_8+10p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{21}+p_{22}+3p_{25}$
$\hat{\Omega}_{82}=\{\omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{13\text{-}1}\}$	$M_{95}=p_2+3p_3+p_6+5p_8+10p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{22}+3p_{25}$
$\hat{\Omega}_{83}=\{\omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{13\text{-}1}\}$	$M_{96}=p_2+2p_3+p_6+p_7+5p_8+10p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{22}+3p_{25}$
	$M_{97}=p_2+p_3+p_6+2p_7+5p_8+10p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{22}+3p_{25}$
$\hat{\Omega}_{84}=\{\omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{13\text{-}1}\}$	$M_{98}=p_2+2p_3+p_6+p_7+5p_8+p_{10}+9p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{22}+p_{25}$
	$M_{99}=p_2+p_3+p_6+2p_7+5p_8+p_{10}+9p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{22}+p_{25}$
$\hat{\Omega}_{85}=\{\omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{10\text{-}1}, \omega_{13\text{-}1}\}$	$M_{100}=p_2+3p_3+p_6+5p_8+p_{10}+9p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{22}+p_{25}$
$\hat{\Omega}_{86}=\{\omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{10\text{-}1}, \omega_{13\text{-}1}\}$	$M_{101}=2p_2+3p_3+5p_8+p_{10}+9p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{22}+p_{25}$

	$M_{102}=p_2+3p_3+6p_8+p_{10}+9p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{21}+p_{22}+p_{25}$
$\hat{\Omega}_{87}=\{\omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{13\text{-}1}\}$	$M_{103}=2p_2+2p_3+p_7+5p_8+p_{10}+9p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{22}+p_{25}$
	$M_{104}=2p_2+p_3+2p_7+5p_8+p_{10}+9p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{22}+p_{25}$
	$M_{105}=p_2+2p_3+p_7+6p_8+p_{10}+9p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{21}+p_{22}+p_{25}$
	$M_{106}=p_2+p_3+2p_7+6p_8+p_{10}+9p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{21}+p_{22}+p_{25}$
$\hat{\Omega}_{88}=\{\omega_{2\text{-}1}, \omega_{7\text{-}1}, \omega_{13\text{-}1}\}$	$M_{107}=2p_2+3p_7+5p_8+10p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{22}+3p_{25}$
	$M_{108}=p_2+3p_7+6p_8+10p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{21}+p_{22}+3p_{25}$
$\hat{\Omega}_{89}=\{\omega_{2\text{-}1}, \omega_{3\text{-}1}, \omega_{7\text{-}1}, \omega_{13\text{-}1}\}$	$M_{109}=2p_2+p_3+2p_7+5p_8+10p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{22}+3p_{25}$
	$M_{110}=2p_2+2p_3+p_7+5p_8+10p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{22}+3p_{25}$
	$M_{111}=p_2+p_3+2p_7+6p_8+10p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{21}+p_{22}+3p_{25}$
	$M_{112}=p_2+2p_3+p_7+6p_8+10p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{21}+p_{22}+3p_{25}$
$\hat{\Omega}_{90}=\{\omega_{2\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{13\text{-}1}\}$	$M_{113}=p_2+p_6+3p_7+5p_8+10p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{22}+3p_{25}$
$\hat{\Omega}_{91}=\{\omega_{2\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{13\text{-}1}\}$	$M_{114}=p_2+p_6+3p_7+5p_8+p_{10}+9p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{22}+p_{25}$
$\hat{\Omega}_{92}=\{\omega_{2\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{13\text{-}1}\}$	$M_{115}=2p_2+3p_7+5p_8+p_{10}+9p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{22}+p_{25}$
	$M_{116}=p_2+3p_7+6p_8+p_{10}+9p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{21}+p_{22}+p_{25}$
$\hat{\Omega}_{93}=\{\omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{14\text{-}1}\}$	$M_{117}=2p_3+2p_6+6p_8+10p_{12}+p_{14}+p_{18}+p_{19}+9p_{20}+p_{22}+p_{23}+3p_{25}$
$\hat{\Omega}_{94}=\{\omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{14\text{-}1}\}$	$M_{118}=p_3+2p_6+p_7+6p_8+10p_{12}+p_{14}+p_{18}+p_{19}+9p_{20}+p_{22}+p_{23}+3p_{25}$
$\hat{\Omega}_{95}=\{\omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{10\text{-}1}, \omega_{14\text{-}1}\}$	$M_{119}=2p_3+2p_6+6p_8+p_{10}+9p_{12}+p_{14}+p_{18}+p_{19}+9p_{20}+p_{22}+p_{23}+p_{25}$
$\hat{\Omega}_{96}=\{\omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{14\text{-}1}\}$	$M_{120}=p_3+2p_6+p_7+6p_8+p_{10}+9p_{12}+p_{14}+p_{18}+p_{19}+9p_{20}+p_{22}+p_{23}+p_{25}$
$\hat{\Omega}_{97}=\{\omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{14\text{-}1}\}$	$M_{121}=2p_6+2p_7+6p_8+10p_{12}+p_{14}+p_{18}+p_{19}+9p_{20}+p_{22}+p_{23}+3p_{25}$
$\hat{\Omega}_{98}=\{\omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{14\text{-}1}\}$	$M_{122}=2p_6+2p_7+6p_8+p_{10}+9p_{12}+p_{14}+p_{18}+p_{19}+9p_{20}+p_{22}+p_{23}+p_{25}$
$\hat{\Omega}_{99}=\{\omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{13\text{-}1}\}$	$M_{123}=3p_3+2p_6+5p_8+10p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{22}+3p_{25}$
	$M_{124}=3p_3+p_6+6p_8+10p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{21}+p_{22}+3p_{25}$
$\hat{\Omega}_{100}=\{\omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{13\text{-}1}\}$	$M_{125}=2p_3+2p_6+p_7+5p_8+10p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{22}+3p_{25}$
	$M_{126}=p_3+2p_6+2p_7+5p_8+10p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{22}+3p_{25}$
	$M_{127}=2p_3+p_6+p_7+6p_8+10p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{21}+p_{22}+3p_{25}$
	$M_{128}=p_3+p_6+2p_7+6p_8+10p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{21}+p_{22}+3p_{25}$
$\hat{\Omega}_{101}=\{\omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{13\text{-}1}\}$	$M_{129}=2p_3+2p_6+p_7+5p_8+p_{10}+9p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{22}+p_{25}$
	$M_{130}=p_3+2p_6+2p_7+5p_8+p_{10}+9p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{22}+p_{25}$
	$M_{131}=2p_3+p_6+p_7+6p_8+p_{10}+9p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{21}+p_{22}+p_{25}$
	$M_{132}=p_3+p_6+2p_7+6p_8+p_{10}+9p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{21}+p_{22}+p_{25}$
$\hat{\Omega}_{102}=\{\omega_{3\text{-}1}, \omega_{6\text{-}1}, \omega_{10\text{-}1}, \omega_{13\text{-}1}\}$	$M_{133}=3p_3+2p_6+5p_8+p_{10}+9p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{22}+p_{25}$
	$M_{134}=3p_3+p_6+6p_8+p_{10}+9p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{21}+p_{22}+p_{25}$
$\hat{\Omega}_{103}=\{\omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{13\text{-}1}\}$	$M_{135}=2p_6+3p_7+5p_8+10p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{22}+3p_{25}$
	$M_{136}=p_6+3p_7+6p_8+10p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{21}+p_{22}+3p_{25}$
$\hat{\Omega}_{104}=\{\omega_{6\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{13\text{-}1}\}$	$M_{137}=2p_6+3p_7+5p_8+p_{10}+9p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{22}+p_{25}$
	$M_{138}=p_6+3p_7+6p_8+p_{10}+9p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+p_{21}+p_{22}+p_{25}$
$\hat{\Omega}_{105}=\{\omega_{3\text{-}1}, \omega_{13\text{-}1}\}$	$M_{139}=3p_3+7p_8+10p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+2p_{21}+p_{22}+3p_{25}$
$\hat{\Omega}_{106}=\{\omega_{3\text{-}1}, \omega_{7\text{-}1}, \omega_{13\text{-}1}\}$	$M_{140}=2p_3+p_7+7p_8+10p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+2p_{21}+p_{22}+3p_{25}$
	$M_{141}=p_3+2p_7+7p_8+10p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+2p_{21}+p_{22}+3p_{25}$
$\hat{\Omega}_{107}=\{\omega_{3\text{-}1}, \omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{13\text{-}1}\}$	$M_{142}=2p_3+p_7+7p_8+p_{10}+9p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+2p_{21}+p_{22}+p_{25}$
	$M_{143}=p_3+2p_7+7p_8+p_{10}+9p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+2p_{21}+p_{22}+p_{25}$
$\hat{\Omega}_{108}=\{\omega_{3\text{-}1}, \omega_{10\text{-}1}, \omega_{13\text{-}1}\}$	$M_{144}=3p_3+7p_8+p_{10}+9p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+2p_{21}+p_{22}+p_{25}$
$\hat{\Omega}_{109}=\{\omega_{7\text{-}1}, \omega_{13\text{-}1}\}$	$M_{145}=3p_7+7p_8+10p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+2p_{21}+p_{22}+3p_{25}$
$\hat{\Omega}_{110}=\{\omega_{7\text{-}1}, \omega_{10\text{-}1}, \omega_{13\text{-}1}\}$	$M_{146}=3p_7+7p_8+p_{10}+9p_{12}+p_{13}+p_{18}+p_{19}+9p_{20}+2p_{21}+p_{22}+p_{25}$

S.V. Case Study of Partial Deadlock Control

The reachability graph of an S^4PR is divided into two regions: a live-zone (LZ) and a deadlock-zone (DZ). The DZ includes all illegal markings, and the LZ contains all legal markings. A first-met bad marking (FBM) is a marking in the DZ that represents the first entry from the LZ to the DZ. Once all FBMs are forbidden, the controlled system remains live, as it can no longer enter the DZ. Below, an example is given to illustrate the application of the detected partial deadlocks towards deadlock control.

For the S^4PR in Fig. S1, there are 146 reachable markings from the initial marking $M_0=9p_1+9p_6+4r_1+3r_2+r_3$, where there are four partial deadlocks as $M_{69}=13p_1+14p_6+2p_4+p_7+3r_1+2r_2+3r_3$, $M_{76}=13p_1+13p_6+2p_4+2p7+3r_1+2r_2+r_3$, $M_{80}=12p_1+14p_6+3p_4+p_7+3r_1+3r_3$, and $M_{82}=12p_1+13p_6+3p_4+2p_7+3r_1+r_3$. Conventional

methods for identifying illegal markings and dangerous markings typically require traversing the entire reachability graph, as shown in Fig. S2, where the red-colored and blue-colored markings represent illegal ones, and the orange-colored markings indicate dangerous ones. Here, a dangerous marking is defined as a marking in the LZ that can reach an FBM by firing one transition. If we instead perform a backward traversal starting from the obtained partial deadlocks, the resulting local reachability graph (Fig. S3) contains only 43 markings, including 15 dangerous markings and 13 FBMs. Notice that the analysis is dramatically streamlined: the number of markings that need to be examined is reduced from 146 to just 43, a reduction of approximately 71%. Based on the obtained dangerous markings and their corresponding dangerous transitions, an online controller can be designed to guide the system operation by disabling only the dangerous transitions at those dangerous markings, thereby avoiding deadlocks while preserving maximum permissive behavior. Furthermore, using deadlock prevention strategies, we can design necessary constraints based on the obtained 13 FBMs to prevent their occurrence only, thereby deriving supervisors with maximum permissiveness and minimal structural complexity.

For a system to be live, it is necessary that no reachable marking contains a dead transition. The following theorem is given to show that using the partial deadlocks detected by our proposed method as a foundation, a live controlled Petri net model can indeed be obtained in the subsequent control synthesis phase. In the following, a bad marking refers to an illegal state that inevitably leads to a partial deadlock.

Theorem S1: If transition t is dead at M, then M must be either a partial deadlock or bad marking.

Proof: A transition t is dead at M if there exists no marking $M' \in R(M)$ such that t is enabled at M'. Now, suppose that t is dead at M. If M is neither a partial deadlock nor a bad marking, according to the definition of partial deadlock, $\exists p \in P_M$ and $\exists t' \in p^{\bullet}$ such that t' is enabled at $M' \in R(M)$. If $\forall p' \in P_M$ and $\forall t'' \in p'^{\bullet}$ such that t'' is not enabled at M, then only the output transitions of an idle place can be fired, which will further reduce the amount of idle resources in the system, i.e., $\forall M'' \in R(M)$ and $\forall r \in P_R$: $M''(r) \leq M(r)$. Notice that the idle resource at M is insufficient to enable t''. Hence, at any subsequent marking $M'' \in R(M)$, the number of tokens in resource places remains insufficient to enable t''. This implies that t'' can never be enabled at $\forall M'' \in R(M)$. This contradicts that $\exists p \in P_M$ and $\exists t' \in p^{\bullet}$ such that t' is enabled at $M' \in R(M)$. Hence, t' is enabled at M, and the resulting marking by firing t' is neither a partial deadlock nor a bad marking. By repeating this analysis on each newly generated marking, we can ultimately conclude that all tokens in activity places at M can be returned to idle places, i.e., $M_0 \in R(M)$. If there are dead transitions at the initial marking, it cannot be solved merely by adding behavior-constrained controllers. Hence, without loss of generality, we assume that any transition is not dead at the initial marking. Thus, $\exists M_i \in R(M_0)$: $M_i[t\rangle$. Since $M_0 \in R(M)$, we have that $\exists M_i \in R(M)$: $M_i[t\rangle$. This contradicts that t is dead at M. Hence, if t is dead at M, M must be a partial deadlock or a bad marking. ■



Fig. S1. S^{4}PR with 146 reachable markings.



Fig. S2. Reachability graph of S^{4}PR in Fig. S1.



Fig. S3. A local reachability graph of S4PR in Fig. S1, where dashed arcs represent that transition firing leads to an illegal marking.