

DIRECT MESSAGES

5

- coder

Context reset after a failed run

3m
- reviewer

Running pnpm lint...

now
- planner

Drafting rollout note...

now
- shell-ops

Run failed · exit 1

18m
- docs

Changelog is ready for review

tue

CHANNELS

3

- #

router-rewrite

2 working · reviewer, planner

now
- #

infra-alerts

shell-ops: Disk usage on build-02

9m
- #

release

docs: Changelog is ready for review

tue

Y

You

14:21

Can someone deploy the preview build while that runs?

⛔

routed → none · no agent here handles "deploy". Mention one with @ or add shell-ops to this channel.

□

planner

run cancelled by you after 48s

Y

You

14:24

@reviewer

 review coder's router change.

@planner

 draft the rollout note in parallel.

→

routed →

reviewer

planner

reason: explicit mentions

reviewer

viacodex

working 1:04

Stop

The weighting looks right, but `lastSpeaker` is read before the new message is appended, so the first reply in a thread still

Bash

pnpm lint src/router

0:12

×

planner

viaclaude

working 0:41

Stop

Rollout note, draft: the router now prefers the most recent speaker when two agents score the same, which stops planner from picking up test failures. No config changes are needed, and existing channels

Y

You

🕒

queued → reviewer

sends when it's free

Cancel

@reviewer

 also check the case where two agents tie on the very first message.

Message #router-rewrite — @ to mention, / for commands

IN THIS CHANNEL · 3

+

Add agent

coder

claude · sonnet

idle

≡

Runs

Edit config

×

reviewer

codex · default

working 1:04

≡

Runs · 2 running

Edit config

×

planner

claude · opus

working 0:41

≡

Runs · 1 running

Edit config

×

DIRECT MESSAGES

5

- coder

Writing PR note...

now

reviewer

Running pnpm lint...

now

planner

Drafting rollout note...

now

shell-ops

Run failed · exit 1

18m

docs

Changelog is ready for review

tue

CHANNELS

3

#

router-rewrite

2 working · reviewer, planner

now

#

infra-alerts

shell-ops: Disk usage on build-02

9m

#

release

docs: Changelog is ready for revi

tue

Y

You

5 AGENTS · 2 WORKING

coder

working 0:07

> _

claude

·

sonnet

📄 ~/code/lgt

6 messages in context · 12.4k tokens

Done

—

/ packages bumped, lockfile regenerated, and the build is green.

> ran 9 tools

edit ×7

·

bash

·

bash

pass

48s

context reset · today 14:20

Y

You

14:31

Your e2e run in #router-rewrite ran out of memory. Can you cap Playwright at 4 workers and rerun just the router specs here?

coder

viaclaude

14:31

Capped workers at 4 in playwright.config.ts and reran router.spec.ts — 118 of 118 pass, peak memory 3.1 GB.

ran 3 tools

read

·

edit

·

bash

pass

1m 52s

> Read playwright.config.ts0.1s

> Edit playwright.config.ts workers: 8 → 40.1s

> Bash pnpm test:e2e --project=chromium router.spec.ts1m 51s

← 118 passed (1.8m) · peak rss 3.1 GB212 lines · 9.4 KB

Y

You

14:35

Nice. Write a short note for the PR description explaining the cap.

coder

viaclaude

working 0:07

E2E runs now use at most 4 Playwright workers. At 8, the router suite pushed the CLI past the container's memory limit and the run was killed

Stop

Message coder — / for commands

/

send · newline

Send

DIRECT MESSAGES

5

- 

coder

3m

Context reset after a failed run
- 

reviewer

now

Running pnpm lint...
- 

planner

now

Drafting rollout note...
- 

shell-ops

18m

Run failed · exit 1
- 

docs

tue

Changelog is ready for review

CHANNELS

3

- 

router-rewrite

now

2 working · reviewer, planner
- 

infra-alerts

9m

shell-ops: Disk usage on build-02
- 

release

tue

docs: Changelog is ready for review

<

New agent

New agent

Edit reviewer

IDENTITY

Avatar



Name

e.g. tester

Lowercase, used for @mentions.

Description

What is this agent for?

Shown in @-mentions and used for routing.

BACKING CLI





claude

detected

/usr/local/bin/claude · v...





codex

detected

/opt/homebrew/bin/codex · v...





gemini

install

not found on PATH





custom

command

any command that speaks ...

Model

opus

sonnet

haiku

Sonnet is the default balance of speed and depth.

Extra CLI flags

--max-turns 40

Passed to every run. Optional.

BEHAVIOUR

System prompt

You review diffs for correctness...

0 characters · Markdown is fine.

TOOLS AND WORKSPACE

Tool access

PREVIEW



new-agent

Add a description so routing knows when to pick this agent.

 claude · sonnet

IN THE SIDEBAR



new-agent


Ready when you are

now

IN A CHANNEL



new-agent

 now

Hi — I'm set up in `~/code/lgt` with 2 tools.

DIRECT MESSAGES

5

- 

coder

3m

Context reset after a failed run
- 

reviewer

now

Running pnpm lint...
- 

planner

2m

Rollout note posted
- 

shell-ops

18m

Run failed · exit 1
- 

docs

tue

Changelog is ready for review

CHANNELS

4

- #

design-review

No messages yet

new
- #

router-rewrite

reviewer is working

2m
- #

infra-alerts

shell-ops: Disk usage on build-02

9m
- #

release

docs: Changelog is ready for revi

tue



#design-review is ready

Messages here go to the best-matching agent, or to whoever you @mention. Both start with an empty context in `apps/desktop`.



coder

Gets build and code requests



planner

Gets planning and write-ups

TRY ASKING

- 

@planner

 list the screens in the design brief and who should build each one

→
- 

@coder

 scaffold the agent DM view from the Ember design system

→
- 

@coder

 find every hard-coded colour in apps/desktop and swap it for a token

→

+ Add another agent

Change working directory

Message #design-review — @ to mention, / for commands

@ /



↑ Send

DIRECT MESSAGES

Your agents show up here. Each one gets its own private conversation.

CHANNELS

Put several agents in a channel to hand work between them.



Set up your first agents

Each agent is a specialist backed by a coding CLI on this machine. Pick a few to start with — you can change everything later.

1

CLIs found on this machine

🔄 Scan again

 **claude** /usr/local/bin/claude · v2.1.4 · signed in ready

 **codex** /opt/homebrew/bin/codex · v0.41 · signed in ready

 **gemini** not found · install it, then scan again missing

2

Choose starter agents

2 selected

 **coder**
 claude · sonnet ☒

Implements changes and writes tests.
Read · Grep · Edit · Bash

 **reviewer**
 codex · default ☒

Reviews diffs for bugs and missing tests. Never edits.
Read · Grep · Bash

 **planner**
 claude · opus ☐

Breaks work into steps and writes plans and notes.
Read · Grep · WebFetch

 **docs**
 claude · sonnet ☐

Keeps the README, changelog and user docs current.
Read · Grep · Edit

3

Where should they work?

Browse...

Starter agents use this folder by default. We'll also create a #general channel with them in it.

