

Pulegge dentate per cinghie passo metrico / Timing belt pulleys metric pitch Zahnriemenscheiben metrische Teilung / Poulies dentées pour courroies pas mètrique Poleas dentadas para correas con paso metrico



Materiale: alluminio 6082 T6 UNI 9006/4 adatto al trattamento anodico Material: aluminium 6082 T6 UNI 9006/4 suitable for anodic treatment Werkstoff: aluminium 6082 T6 UNI 9006/4 geeignet für anodischen oxydation Matière: aluminium 6082 T6 UNI 9006/4 apte au traitement anodique Material: aluminio 6082 T6 UNI 9006/4 apto para la oxidacion anodica







Tipo / Type 6

| - | |
|---|---|
| | |
| | _ |
| | |

| 15 | | | | | | | | | | | | | |
|---------------------------------------|--|--------------------|---|-------------------------------------|-----------|--------------|------------------|--------------|----------|----------|----------|--------|---|
| (Passo 5 mm) | (Pitch 5 mm) | | (Teilung 5 m | m) (| (Pas 5 mi | m) | | | | (Pa | so 5 r | nm) | |
| per cinghia larghezza 10 n | 1 | 10 mm | für Riemenb | | pour cou | , | c large | ur 10 | mm | • | | , | ncho 10 mm |
| . 3 | | | | | pour cou | arroic. | 3 large | ui io | | Pai | a coi | Case | |
| Codice Code symbol / Fabriknummer | Nostro codice Our code / Unser kode | Tipo Type / Typ | Codice flangia Flange code / Bordscheiben-Code | N. denti N. of teeth / Zahnezahl | | gC | De | Df | Dm | F | L | d | Peso / Weight Gewicht / Poids / Peso |
| Code symbol / Numero de fabrica | Notre code / Nuestro codigo | Type / Tipo | Code flasque / Código brida | N. bre de dents / Cantidad de d | lientes L | op | De | DI | וווט | Г | L | u | Kg |
| 21T5/10-2 | 21T5010 | 6F | FL003 | 10 | 15 | 5,92 | 15,05 | 19,5 | 8 | 15 | 21 | - | 0.012 |
| 21T5/12-2 | 21T5012 | 6F | FL001 | 12 | | | 18,25 | 23,0 | 11 | 15 | 21 | - | 0,016 |
| 21T5/14-2 | 21T5014 | 6F | FL002 | 14 | 22 | | 21,45 | 25,0 | 13 | 15 | 21 | - | 0,019 |
| 21T5/15-2 | 21T5015 | 6F | FL004 | 15 | | | 23,05 | 28,0 | 16 | 15 | 21 | - | 0,021 |
| 21T5/16-2 | 21T5016 | 6F | FL005 | 16 | | | 24,60 | 32,0 | 18 | 15 | 21 | - | 0,025 |
| 21T5/18-2 21T5/19-2 | 21T5018 21T5019 | 6F 6F | FL006 FL008 | 18 19 | | | 27,80 29,40 | 32,0 36,0 | 20 20 | 15 15 | 21 21 | - | 0,031 0,036 |
| 2115/19-2 21T5/20-2 | 21T5019 21T5020 | 6F | FL008 | 20 | | | 31,00 | 36,0 | 22 | 15 | 21 | | 0,038 |
| 21T5/22-2 | 21T5022 | 6F | FL009 | 22 | | | 34,15 | 38,0 | 23 | 15 | 21 | _ | 0,046 |
| 21T5/24-2 | 21T5024 | 6F | FL013 | 24 | | | 37,40 | 42,0 | 24 | 15 | 21 | - | 0,054 |
| 21T5/25-2 | 21T5025 | 6F | FL012 | 25 | | | 38,95 | 44,0 | 26 | 15 | 21 | - | 0,058 |
| 21T5/26-2 | 21T5026 | 6F | FL012 | 26 | | | 40,60 | 44,0 | 26 | 15 | 21 | - | 0,061 |
| 21T5/27-2 | 21T5027 | 6F 6F | FL011 | 27 | | | 42,20 | 48,0 | 30 | 15 15 | 21 | 8 | 0,064 |
| 21T5/28-2 21T5/30-2 | 21T5028 21T5030 | 6F | FL011 FL016 | 28 30 | | | 43,75 46,95 | 48,0 51,0 | 32 34 | 15 | 21 21 | 8 | 0,068 0,075 |
| 21T5/32-2 | 21T5032 | 6F | FL018 | 32 | | | 50,10 | 54,0 | 38 | 15 | 21 | 8 | 0,088 |
| 21T5/36-2 | 21T5036 | 6F | FL023 | 36 | | | 56,45 | 64,0 | 38 | 15 | 21 | 8 | 0,114 |
| 21T5/40-2 | 21T5040 | 6F | FL024 | 40 | 63 | 3,66 | 62,85 | 66.5 | 40 | 15 | 21 | 8 | 0,138 |
| 21T5/42-2 | 21T5042 | 6F | FL026 | 42 | | | 66,00 | 70,0 | 40 | 15 | 21 | 8 | 0,150 |
| 21T5/44-0 | 21T5044 | 6 | - | 44 | | | 69,20 | - | 45 | 15 | 21 | 8 | 0,168 |
| 21T5/48-0 21T5/60-0 | 21T5048 21T5060 | 6 6 | - | 48 60 | | | 75,55 94,65 | - | 50 65 | 15 15 | 21 21 | 8 | 0,200 0,340 |
| 2113/00-0 | 2113000 | | - | 00 | 90 | 3,32 | 94,03 | | 03 | 13 | 21 | 0 | 0,340 |
| (Passo 5 mm) | (Pitch 5 mm) | | (Teilung 5 m | m) (| (Pas 5 m | m) | | | | (Pa | so 5 r | nm) | |
| per cinghia larghezza 16 n | nm for belt width | 16 mm | für Riemenb | reite 16 mm p | pour cou | urroies | s large | ur 16 | mm | par | a cor | reas a | incho 16 mm |
| 27T5/10-2 | 27T5010 | 6F | FL003 | 10 | 15 | 5,92 | 15,05 | 19,5 | 8 | 21 | 27 | - | 0,016 |
| 27T5/12-2 | 27T5012 | 6F | FL001 | 12 | | | 18,25 | 23,0 | 11 | 21 | 27 | - | 0,022 |
| 27T5/14-2 | 27T5014 | 6F | FL002 | 14 | | | 21,45 | 25,0 | 13 | 21 | 27 | - | 0,026 |
| 27T5/15-2 | 27T5015 | 6F | FL004 | 15 | | | 23,05 | 28,0 | 16 | 21 | 27 | - | 0,029 |
| 27T5/16-2 | 27T5016 | 6F 6F | FL005 FL006 | 16 | | | 24,60 27,80 | 32,0 32,0 | 18 10 | 21 21 | 27 27 | - | 0,035 |
| 27T5/18-2 27T5/19-2 | 27T5018 27T5019 | 6F | FL008 | 18 19 | | | 29,40 | 36,0 | 20 | 21 | 27 | - | 0,043 0,049 |
| 27T5/20-2 | 27T5020 | 6F | FL008 | 20 | | | 31,00 | 36,0 | 22 | 21 | 27 | - | 0,053 |
| 27T5/22-2 | 27T5022 | 6F | FL009 | 22 | | | 34,15 | 38,0 | 23 | 21 | 27 | - | 0,065 |
| 27T5/24-2 | 27T5024 | 6F | FL013 | 24 | | | 37,40 | 42,0 | 24 | 21 | 27 | - | 0,076 |
| 27T5/25-2 | 27T5025 | 6F | FL012 | 25 | | | 38,95 | 44,0 | 26 | 21 | 27 | - | 0,078 |
| 27T5/26-2 | 27T5026 27T5027 | 6F 6F | FL012 FL011 | 26 27 | | | 40,60 42,20 | 44,0 48,0 | 26 30 | 21 21 | 27 27 | 8 | 0,080 0,090 |
| 27T5/27-2 27T5/28-2 | 2715027 27T5028 | 6F | FL011 | 27 | | | 43,75 | 48,0 | 32 | 21 | 27 | 8 | 0,090 |
| 27T5/30-2 | 27T5030 | 6F | FL016 | 30 | | | 46,95 | 51,0 | 34 | 21 | 27 | 8 | 0,105 |
| 27T5/32-2 | 27T5032 | 6F | FL018 | 32 | | | 50,10 | 54,0 | 38 | 21 | 27 | 8 | 0,123 |
| 27T5/36-2 | 27T5036 | 6F | FL023 | 36 | | | 56,45 | 64,0 | 38 | 21 | 27 | 8 | 0,160 |
| 27T5/40-2 | 27T5040 | 6F | FL024 | 40 | | | 62,85 | 66.5 | 40 | 21 | 27 | 8 | 0,193 |
| 27T5/42-2 27T5/44-0 | 27T5042 27T5044 | 6F 6 | FL026 | 42 44 | | | 66,00 69,20 | 70,0 | 40 45 | 21 21 | 27 27 | 8 | 0,200 0,300 |
| 27T5/48-0 | 27T5044 | 6 | _ | 48 | | | 75,55 | - | 50 | 21 | 27 | 8 | 0,300 |
| 27T5/60-0 | 27T5060 | 6 | _ | 60 | | | 94,65 | - | 65 | 21 | 27 | 8 | 0,430 |
| (Passo 5 mm) | (Pitch 5 mm) | | (Teilung 5 m | m) (| (Pas 5 m | | | | | (Da | so 5 r | nm) | |
| per cinghia larghezza 25 n | 1 | 25 mm | für Riemenb | | pour cou | , | c largo | ur 25 | mm | • | | | ncho 25 mm |
| · · · · · · · · · · · · · · · · · · · | | | | | | | | | | | | cus c | |
| 36T5/10-2 36T5/12-2 | 36T5010 36T5012 | 6F 6F | FL003 FL001 | 10 12 | | | 15,05 18,25 | 19,5 23,0 | 8 11 | 30 30 | 36 36 | - | 0,023 0,031 |
| 36T5/12-2 36T5/14-2 | 36T5012 | 6F | FL001 | 14 | | | 21,45 | 25,0 | 13 | 30 | 36 | - | 0,031 |
| 36T5/15-2 | 36T5015 | 6F | FL004 | 15 | | | 23,05 | 28,0 | 16 | 30 | 36 | - | 0,041 |
| 36T5/16-2 | 36T5016 | 6F | FL005 | 16 | | | 24,60 | 32,0 | 18 | 30 | 36 | - | 0,050 |
| 36T5/18-2 | 36T5018 | 6F | FL006 | 18 | | | 27,80 | 32,0 | 10 | 30 | 36 | - | 0,061 |
| 36T5/19-2 | 36T5019 | 6F | FL008 | 19 | | 0,25 | 29,40 | 36,0 | 20 | 30 | 36 | - | 0,070 |
| 36T5/20-2 36T5/22-2 | 36T5020 36T5022 | 6F 6F | FL008 FL009 | 20 22 | 31 | 1,83 5,02 | 31,00 34,15 | 36,0 38,0 | 22 23 | 30 30 | 36 36 | - | 0,076 0,090 |
| 36T5/24-2 | 36T5024 | 6F | FL013 | 24 | | | 37,40 | 42,0 | 24 | 30 | 36 | 8 | 0,109 |
| 36T5/25-2 | 36T5025 | 6F | FL012 | 25 | | | 38,95 | 44,0 | 26 | 30 | 36 | 8 | 0,116 |
| 36T5/26-2 | 36T5026 | 6F | FL012 | 26 | 41 | 1,39 | 40,60 | 44,0 | 26 | 30 | 36 | 8 | 0,100 |
| 36T5/27-2 | 36T5027 | 6F | FL011 | 27 | | | 42,20 | 48,0 | 30 | 30 | 36 | 8 | 0,128 |
| 36T5/28-2 | 36T5028 | 6F | FL011 | 28 | | | 43,75 | 48,0 | 32 | 30 | 36 | 8 | 0,135 |
| 36T5/30-2 36T5/32-2 | 36T5030 36T5032 | 6F 6F | FL016 FL018 | 30 32 | | | 46,95 50,10 | 51,0 54,0 | 34 38 | 30 30 | 36 36 | 8 | 0,150 0,176 |
| 36T5/36-2 | 36T5036 | 6F | FL018 | 36 | | | 56,45 | 64,0 | 38 | 30 | 36 | 8 | 0,176 |
| 36T5/40-2 | 36T5040 | 6F | FL024 | 40 | | | 62,85 | 66.5 | 40 | 30 | 36 | 8 | 0,276 |
| 36T5/42-2 | 36T5042 | 6F | FL026 | 42 | 66 | 6,86 | 66,00 | 70,0 | 40 | 30 | 36 | 8 | 0,300 |
| 36T5/44-0 | 36T5044 | 6 | - | 44 | 70 | 0,05 | 69,20 | - | 45 | 30 | 36 | 8 | 0,300 |
| 36T5/48-0 | 36T5048 | 6 | - | 48 | 76 | 6,42 | 75,55 | - | 50 | 30 | 36 | 8 | 0,400 |
| 36T5/60-0 | 36T5060 | 6 | - | 60 | 95 | 5,52 | 94,65 | - | 65 | 30 | 36 | 8 | 0,614 |