WIRING DEVICES

GALION

—STYLE—

Without

BORDERS

-> CATALOGUE PAGES INSIDE

THE **GLOBAL SPECIALIST**
IN ELECTRICAL AND DIGITAL BUILDING INFRASTRUCTURES

L‌egrand®

Perfect

— FOR —

T R E N D Y

INTERIOR

DESIGNS

The Galion range of wiring devices is a reflection of contemporary style and functionality designed to marry borderless design with quality and function. **Crafted with excellence, it uses only the best quality components.**

CONTENTS

01

ELEGANT
DETAILS
That Make
THE
DIFFERENCE

DARK SILVER

WITH ITS FULL PLATE
AND ITS BORDERLESS
AESTHETICS GALION
SUITS ANY INTERIOR
DESIGN STYLE.

MATT BLACK

CHAMPAGNE

ROSE GOLD

WHITE

Slim and fine chamfering at the edges and a slightly curved plate: these details make the difference for an even more refined product.

The delicate silver or electroplated bar accentuates the modern and exquisite elements of a minimalist design.

minimalist
DESIGN
WITH
Maximum
FUNCTIONALITY

16 A single pole switches: 1 and 2-way and from 1 to 4-gang

20 A double pole switch:
2-way with LED power indicator

20 A double pole switch:
1-gang - 1-way with LED
and "water heater" marking

16 A push buttons with
or without bell marking

LED rotary dimmer

Stepless fan control

45 A double pole switch with
red rocker, 1-gang, 1-way

GALION OFFERS
A WIDE SELECTION
OF FUNCTIONS TO SATISFY
THE REQUIREMENTS
OF A WIDE RANGE
OF PROJECTS.

13 A British standard socket
outlet with Type-A USB charger

13 A British standard socket
outlet with Type-C USB charger

Euro-US standard socket outlet

13 A 2-gang British standard socket outlet with
Type-A and Type-C USB chargers

16 A 2-gang Multistandard socket outlet with Type-A
and Type-C USB chargers

TV-R-SAT socket

Television socket "F" type

Double USB Type-A charger

Data sockets: simple and double RJ 45 Cat. 5e and Cat. 6

A
GOOD
Place
TO STAY

DND/CUR control units for the guest room

Indicator lamp and bell button

THE DEDICATED HOSPITALITY FUNCTIONS MAKE GALION A SOLUTION PERFECTLY ADAPTED TO THE NEEDS OF A MODERN GUEST ROOM.


Electromechanical or RFID Keycard switches

USB and HDMI sockets

Shaver sockets

1 and 2-gang multistandard socket outlets with USB chargers

The multistandard socket outlets with USB charger combine standard power with the convenience of USB charging: your device plugs straight into the USB port, leaving the standard socket free. No need for bulky adaptors, and no need to compromise on running your other appliances as usual.

Equipped with two different USB charging ports, Type-A and Type-C, 15W. With USB Type-C making its way more and more into phones, tablets, etc. you are sure to be prepared for tomorrow - today.

TYPE-A

TYPE-C

06
07

GALION WIRING DEVICES

FEEL JUST LIKE — *Home*

FEEL JUST LIKE HOME, BUT WITH
THE ADDED CONVENIENCE
OF HOTEL SERVICES.
GALION PROVIDES ALL FUNCTIONS
REQUIRED FOR WELL-EQUIPPED
AND COMFORTABLE SERVICED
APARTMENTS.

The universal dimmer dims and controls dimmable LEDs and CFL, halogen or incandescent lamps. It enables customers to benefit from the entire potential of modern loads, helping them to create cosy interiors.

LED rotary dimmer

13 A 1-gang fused connection unit, with switch and LED power indicator

45 A double pole switch 1-gang - 1-way, with LED and red rocker

45 A cooker unit

THE ARTEOR ADAPTOR
It allows to integrate Arteor mechanisms like automatic switches, skirting lights, sensitive switches etc. for any installation requiring special functions.

08
09

legrand

FINEST
Quality
COMPONENTS
& MATERIAL

![Legrand logo]

RELIABLE PROTECTION

Shutters are encased in fibreglass nylon for reliable protection. Sockets are tested to withstand more than 10 000 operations.

13 A

INCREASED SAFETY

Made from best-in-class fire retardant PC material for greater safety.

PERFECT CONDUCTIVITY

With a finely-tuned ratio of phosphor bronze and silver-nickel alloy, it is the pinnacle of perfection for electrical conductivity and elasticity.

10
11

Strength
AND
EASY
INSTALLATION

COMPLETE PRODUCT

1 CATALOGUE **=** 1 READY TO INSTALL PRODUCT
NUMBER FOR QUICK SELECTION

STRENGTH IN ELEGANCE

A honeycomb design support frame ensures optimum stability and strength.

CLASSY SIMPLICITY

A soft protective film ensures devices stay neat and tidy during installation.

EASY INSTALLATION

The new saddle-shaped terminal can fix up to three 4 mm^2 wires. For easy and safe installation.

![Legrand logo]

Galion™

switches, push-buttons

| 2 824 00-C3 | 2 824 02-C | 2 824 04-C1 | 2 824 06-C2 | 2 824 12 |

Conform to IEC 60669-1 standard. Polycarbonate front cover plates
Supplied with 2 screws M 3.5 for BS boxes. Supplied complete with plate
Dim.: 86 x 88 mm

Single pole switches - 16 AX - 250 V∿

Pack	Cat.Nos	
		1 gang - 1-way
8	2 824 00	○ White (Silver bar)
8	2 824 00-C	● Matt Black (Electroplate bar)
8	2 824 00-C1	● Rose Gold (Electroplate bar)
8	2 824 00-C2	○ Champagne (Silver bar)
8	2 824 00-C3	● Dark Silver (Silver bar)
		1 gang - 2-way
8	2 824 01	○ White (Silver bar)
8	2 824 01-C	● Matt Black (Electroplate bar)
8	2 824 01-C1	● Rose Gold (Electroplate bar)
8	2 824 01-C2	○ Champagne (Silver bar)
8	2 824 01-C3	● Dark Silver (Silver bar)
		1 gang - intermediate
8	2 824 13	○ White (Silver bar)
8	2 824 13-C	● Matt Black (Electroplate bar)
8	2 824 13-C1	● Rose Gold (Electroplate bar)
8	2 824 13-C2	○ Champagne (Silver bar)
8	2 824 13-C3	● Dark Silver (Silver bar)
		2 gang - 1-way
8	2 824 02	○ White (Silver bar)
8	2 824 02-C	● Matt Black (Electroplate bar)
8	2 824 02-C1	● Rose Gold (Electroplate bar)
8	2 824 02-C2	○ Champagne (Silver bar)
8	2 824 02-C3	● Dark Silver (Silver bar)
		2 gang - 2-way
8	2 824 03	○ White (Silver bar)
8	2 824 03-C	● Matt Black (Electroplate bar)
8	2 824 03-C1	● Rose Gold (Electroplate bar)
8	2 824 03-C2	○ Champagne (Silver bar)
8	2 824 03-C3	● Dark Silver (Silver bar)
		3 gang - 1-way
8	2 824 04	○ White (Silver bar)
8	2 824 04-C	● Matt Black (Electroplate bar)
8	2 824 04-C1	● Rose Gold (Electroplate bar)
8	2 824 04-C2	○ Champagne (Silver bar)
8	2 824 04-C3	● Dark Silver (Silver bar)
		3 gang - 2-way
8	2 824 05	○ White (Silver bar)
8	2 824 05-C	● Matt Black (Electroplate bar)
8	2 824 05-C1	● Rose Gold (Electroplate bar)
8	2 824 05-C2	○ Champagne (Silver bar)
8	2 824 05-C3	● Dark Silver (Silver bar)
		4 gang - 1-way
8	2 824 06	○ White (Silver bar)
8	2 824 06-C	● Matt Black (Electroplate bar)
8	2 824 06-C1	● Rose Gold (Electroplate bar)
8	2 824 06-C2	○ Champagne (Silver bar)
8	2 824 06-C3	● Dark Silver (Silver bar)
		4 gang - 2-way
8	2 824 07	○ White (Silver bar)
8	2 824 07-C	● Matt Black (Electroplate bar)
8	2 824 07-C1	● Rose Gold (Electroplate bar)
8	2 824 07-C2	○ Champagne (Silver bar)
8	2 824 07-C3	● Dark Silver (Silver bar)

Double pole switches 20 A - 250 V∿

With amber LED power indicator

Pack	Cat.Nos	
		1 gang – 1-way – with earth link connector
8	2 824 08	○ White (Silver bar)
8	2 824 08-C	● Matt Black (Electroplate bar)
8	2 824 08-C1	● Rose Gold (Electroplate bar)
8	2 824 08-C2	○ Champagne (Silver bar)
8	2 824 08-C3	● Dark Silver (Silver bar)
		1 gang – 1-way – with "water heater" marking – with earth link connector
8	2 824 14	○ White (Silver bar)
8	2 824 14-C	● Matt Black (Electroplate bar)
8	2 824 14-C1	● Rose Gold (Electroplate bar)
8	2 824 14-C2	○ Champagne (Silver bar)
8	2 824 14-C3	● Dark Silver (Silver bar)
		1 gang - 2-way - with earth link connector
8	2 824 12	○ White (Silver bar)
8	2 824 12-C	● Matt Black (Electroplate bar)
8	2 824 12-C1	● Rose Gold (Electroplate bar)
8	2 824 12-C2	○ Champagne (Silver bar)
8	2 824 12-C3	● Dark Silver (Silver bar)

Push-buttons 16 A - 250 V∿

Pack	Cat.Nos	
		1 gang - with "bell" marking
8	2 824 11	○ White (Silver bar)
8	2 824 11-C	● Matt Black (Electroplate bar)
8	2 824 11-C1	● Rose Gold (Electroplate bar)
8	2 824 11-C2	○ Champagne (Silver bar)
8	2 824 11-C3	● Dark Silver (Silver bar)
		1 gang - without marking
8	2 824 10	○ White (Silver bar)
8	2 824 10-C	● Matt Black (Electroplate bar)
8	2 824 10-C1	● Rose Gold (Electroplate bar)
8	2 824 10-C2	○ Champagne (Silver bar)
8	2 824 10-C3	● Dark Silver (Silver bar)
		2 gang – without marking
8	2 824 91	○ White (Silver bar)
8	2 824 91-C	● Matt Black (Electroplate bar)
8	2 824 91-C1	● Rose Gold (Electroplate bar)
8	2 824 91-C2	○ Champagne (Silver bar)
8	2 824 91-C3	● Dark Silver (Silver bar)

Galion™

double pole switches 45 A, cooker units, dimmers, active compensator and fan controls

2 824 27-C

2 824 25

2 824 19-C1

2 824 90

Conform to IEC 60669-1 standard. Polycarbonate front cover plates
Supplied with 2 screws M 3.5 for BS boxes. Supplied complete with plate
Dim.: 86 x 88 mm

Double pole switches 45 A - 250 V∼

Pack	Cat.Nos	
		With red LED power indicator
		1 gang - 1-way
8	2 824 26	○ White
8	2 824 26-C	● Matt Black
8	2 824 26-C1	● Rose Gold
8	2 824 26-C2	● Champagne
8	2 824 26-C3	● Dark Silver
		1 gang - 1-way with red rocker
8	2 824 27	○ White
8	2 824 27-C	● Matt Black
8	2 824 27-C1	● Rose Gold
8	2 842 27-C2	● Champagne
8	2 842 27-C3	● Dark Silver
		1 gang - 1-way with "cooker" marking - with red rocker
8	2 824 28	○ White
8	2 824 28-C	● Matt Black
8	2 824 28-C1	● Rose Gold
8	2 824 28-C2	● Champagne
8	2 824 28-C3	● Dark Silver
		2 gang (vertical) - 1-way with red rocker Dim.: 86 x 146 mm
8	2 824 29	○ White
8	2 824 29-C	● Matt Black
8	2 824 29-C1	● Rose Gold
8	2 824 29-C2	● Champagne
8	2 824 29-C3	● Dark Silver

Cooker units - 250 V∼

Conform to IEC 60884-1 and IEC 60669-1
45 A double pole switch + 13 A British Standard
switched socket and amber LED power indicators
Dim.: 146 x 88 mm

Pack	Cat.Nos	
5	2 824 25	○ White
5	2 824 25-C	● Matt Black
5	2 824 25-C1	● Rose Gold
5	2 824 25-C2	● Champagne
5	2 824 25-C3	● Dark Silver

Dimmers

100-240 V∼, 50/60 Hz
Rotary dimmers without neutral 40-500W
For incandescent and halogen lamps 230V∼

Pack	Cat.Nos	
5	2 824 20	○ White
5	2 824 20-C	● Matt Black
5	2 824 20-C1	● Rose Gold
5	2 824 20-C2	● Champagne
5	2 824 20-C3	● Dark Silver

Rotary dimmers without neutral - 300 W RLC+LED
Conform to IEC 60669-2-1
For all types of lamps:
- dimmable LEDs: 5 W to 75 W
- dimmable compact fluorescent lamps: 5 W to 75 W
- halogen with ferromagnetic or electronic
transformer: 5 VA to 300 VA
- fluorescent tube - ballast: 5 VA to 300 VA
- halogen and incandescent 230 V∼: 5 W to 300 W

Pack	Cat.Nos	
5	2 824 19	○ White
5	2 824 19-C	● Matt Black
5	2 824 19-C1	● Rose Gold
5	2 824 19-C2	● Champagne
5	2 824 19-C3	● Dark Silver

Active compensator

Pack	Cat.Nos	
1	0 401 49	Makes 2-wire electronic lighting control units without neutral compatible with all commercially-available loads (LED, compact fluorescent, ELV halogen with ferromagnetic or electronic ballast, 230 V halogen, fluorescent tube, incandescent) Consumption: 0.4 W

Stepless fan controls

40-400 VA, 230 V∼, 50/60 Hz

Pack	Cat.Nos	
5	2 824 90	○ White
5	2 824 90-C	● Matt Black
5	2 824 90-C1	● Rose Gold
5	2 824 90-C2	● Champagne
5	2 824 90-C3	● Dark Silver

Galion™

socket outlets

---

2 824 32

2 824 33-C

2 824 83

2 824 43

Polycarbonate front cover plates. Supplied with 2 screws M 3.5 for BS boxes. Supplied complete with plate. All sockets integrate child protection
Dim.: 86 x 88 mm (1 gang) ; 146 x 88 mm (2 gang)

Pack	Cat.Nos	**British Standard socket outlets 13 A - 250 V∿**
		Conform to BS 1363-2
		1 gang single pole - unswitched
8	2 824 30	○ White
8	2 824 30-C	● Matt Black
8	2 824 30-C1	● Rose Gold
8	2 824 30-C2	● Champagne
8	2 824 30-C3	● Dark Silver
	NON SASO	**1 gang single pole - switched**
8	2 824 32*	○ White
8	2 824 32-C*	● Matt Black
8	2 824 32-C1*	● Rose Gold
8	2 824 32-C2*	● Champagne
8	2 824 32-C3*	● Dark Silver
		1 gang double pole - switched
8	2 824 86	○ White
8	2 824 86-C	● Matt Black
8	2 824 86-C1	● Rose Gold
8	2 824 86-C2	● Champagne
8	2 824 86-C3	● Dark Silver
	NON SASO	**1 gang single pole - switched - with LED power indicator**
8	2 824 80*	○ White
8	2 824 80-C*	● Matt Black
8	2 824 80-C1*	● Rose Gold
8	2 824 80-C2*	● Champagne
8	2 824 80-C3*	● Dark Silver
		2 gang unswitched socket
5	2 824 31	○ White
5	2 824 31-C	● Matt Black
5	2 824 31-C1	● Rose Gold
5	2 824 31-C2	● Champagne
5	2 824 31-C3	● Dark Silver
	NON SASO	**2 gang single pole - switched**
5	2 824 33*	○ White
5	2 824 33-C*	● Matt Black
5	2 824 33-C1*	● Rose Gold
5	2 824 33-C2*	● Champagne
5	2 824 33-C3*	● Dark Silver
		2 gang double pole - switched
5	2 824 87	○ White
5	2 824 87-C	● Matt Black
5	2 824 87-C1	● Rose Gold
5	2 824 87-C2	● Champagne
5	2 824 87-C3	● Dark Silver
	NON SASO	**2 gang single pole - switched - with LED power indicator**
5	2 824 81*	○ White
5	2 824 81-C*	● Matt Black
5	2 824 81-C1*	● Rose Gold
5	2 824 81-C2*	● Champagne
5	2 824 81-C3*	● Dark Silver

Pack	Cat.Nos	**British Standard socket outlets 13 A - 250 V∿ - with USB chargers**
		Conform to BS 1363-2
		Consumption in passive mode < 0.08W
		1 gang - unswitched, with USB charger Type-A
		2.4 A - 5V= - 12W
5	2 824 40	○ White
5	2 824 40-C	● Matt Black
5	2 824 40-C1	● Rose Gold
5	2 824 40-C2	● Champagne
5	2 824 40-C3	● Dark Silver
	NON SASO	**1 gang single pole - switched, with USB charger Type-A**
		2.4 A - 5V= - 12W
5	2 824 41*	○ White
5	2 824 41-C*	● Matt Black
5	2 824 41-C1*	● Rose Gold
5	2 824 41-C2*	● Champagne
5	2 824 41-C3*	● Dark Silver
		1 gang - unswitched, with USB charger Type-C
		3A - 5V= - 15W
5	2 824 82	○ White
5	2 824 82-C	● Matt Black
5	2 824 82-C1	● Rose Gold
5	2 824 82-C2	● Champagne
5	2 824 82-C3	● Dark Silver
	NON SASO	**1 gang single pole - switched, with USB charger Type-A**
		2.4 A - 5V= - 12W
5	2 824 83*	○ White
5	2 824 83-C*	● Matt Black
5	2 824 83-C1*	● Rose Gold
5	2 824 83-C2*	● Champagne
5	2 824 83-C3*	● Dark Silver
	NON SASO	**2 gang single pole - switched, with USB chargers Type-A and Type-C**
		3 A - 5V= - 15W
5	2 824 43*	○ White
5	2 824 43-C*	● Matt Black
5	2 824 43-C1*	● Rose Gold
5	2 824 43-C2*	● Champagne
5	2 824 43-C3*	● Dark Silver

Pack	Cat.Nos	**British Standard socket outlets 15 A - 250 V∿**
		Conform to BS 546
	NON SASO	**1 gang single pole - switched**
8	2 824 37*	○ White
8	2 824 37-C*	● Matt Black
8	2 824 37-C1*	● Rose Gold
8	2 824 37-C2*	● Champagne
8	2 824 37-C3*	● Dark Silver

Pack	Cat.Nos	**British Standard socket outlets 5 A - 250 V∿**
		Conform to BS 546
	NON SASO	**1 gang single pole - switched**
8	2 824 38*	○ White
8	2 824 38-C*	● Matt Black
8	2 824 38-C1*	● Rose Gold
8	2 824 38-C2*	● Champagne
8	2 824 38-C3*	● Dark Silver

*This reference is not in compliance with SASO and can not be imported in KSA

Galion™

socket outlets, fused connection units and cable outlets

| 2 824 36 | 2 824 34-C1 | 2 824 85 | 2 824 53 | 2 824 52-C1 |

Polycarbonate front cover plates. Supplied with 2 screws M 3.5 for BS boxes. Supplied complete with plate. All sockets integrate child protection
Dim.: 86 x 88 mm (1 gang) ; 146 x 88 mm (2 gang)

Pack	Cat.Nos	
		EURO-US standard socket outlet 16A-250 V∿
	NON SASO	2P+E - 2 gang
8	2 824 36*	○ White
8	2 824 36-C*	● Matt Black
8	2 824 36-C1*	● Rose Gold
8	2 824 36-C2*	○ Champagne
8	2 824 36-C3*	● Dark Silver
		Multistandard socket outlets 16 A - 250 V∿
	NON SASO	**1 gang - switched**
8	2 824 34*	○ White
8	2 824 34-C*	● Matt Black
8	2 824 34-C1*	● Rose Gold
8	2 824 34-C2*	○ Champagne
8	2 824 34-C3*	● Dark Silver
		2 gang - switched
5	2 824 35*	○ White
5	2 824 35-C*	● Matt Black
5	2 824 35-C1*	● Rose Gold
5	2 824 35-C2*	○ Champagne
5	2 824 35-C3*	● Dark Silver
		Multistandard socket outlets 16 A - 250 V∿ - with USB chargers
		Consumption in passive mode < 0.08 W
		1 gang - switched, with USB charger Type-A
	NON SASO	2.4 A - 5V⎓ - 12W
5	2 824 42*	○ White
5	2 824 42-C*	● Matt Black
5	2 824 42-C1*	● Rose Gold
5	2 824 42-C2*	○ Champagne
5	2 824 42-C3*	● Dark Silver
		1 gang - switched, with USB charger Type-C
	NON SASO	3A - 5V⎓ - 15W
5	2 824 85*	○ White
5	2 824 85-C*	● Matt Black
5	2 824 85-C1*	● Rose Gold
5	2824 85-C2*	○ Champagne
5	2 824 85-C3*	● Dark Silver
		2 gang - switched, with USB chargers Type-A and Type-C
	NON SASO	3A - 5V⎓ - 15 W
5	2 824 44*	○ White
5	2 824 44-C*	● Matt Black
5	2 824 44-C1*	● Rose Gold
5	2 824 44-C2*	○ Champagne
5	2 824 44-C3*	● Dark Silver

Pack	Cat.Nos	
		Fused connection units - 13 A
		Conform to BS 1363 part 4
		1 gang
8	2 824 50	○ White
8	2 824 50-C	● Matt Black
8	2 824 50-C1	● Rose Gold
8	2 824 50-C2	○ Champagne
8	2 824 50-C3	● Dark Silver
		1 gang - with switch
8	2 824 51	○ White
8	2 824 51-C	● Matt Black
8	2 824 51-C1	● Rose Gold
8	2 824 51-C2	○ Champagne
8	2 824 51-C3	● Dark Silver
		1 gang - with switch + LED power indicator
8	2 824 53	○ White
8	2 824 53-C	● Matt Black
8	2 824 53-C1	● Rose Gold
8	2 824 53-C2	○ Champagne
8	2 824 53-C3	● Dark Silver
		Cable outlets
		1 gang - 45 A
8	2 824 54	○ White
8	2 824 54-C	● Matt Black
8	2 824 54-C1	● Rose Gold
8	2 824 54-C2	○ Champagne
8	2 824 54-C3	● Dark Silver
		1 gang - 20 A
8	2 824 52	○ White
8	2 824 52-C	● Matt Black
8	2 824 52-C1	● Rose Gold
8	2 824 52-C2	○ Champagne
8	2 824 52-C3	● Dark Silver

*This reference is not in compliance with SASO and can not be imported in KSA

L1 legrand

Galion™

TV, telephone and data sockets, USB chargers

2 824 57-C   2 824 49-C2   2 824 63-C1   2 824 47

Polycarbonate front cover plates. Supplied with 2 screws M 3.5 for BS boxes
Supplied complete with plate. Dim.: 86 x 88 mm

Pack	Cat.Nos	Television sockets
		Single TV socket, Female
8	2 824 57	○ White
8	2 824 57-C	● Matt Black
8	2 824 57-C1	● Rose Gold
8	2 824 57-C2	○ Champagne
8	2 824 57-C3	● Dark Silver
		Single TV sockets "F" type with screws, star attenuation < 1dB
		SAT: 0 - 2400 MHz
8	2 824 49	○ White
8	2 824 49-C	● Matt Black
8	2 824 49-C1	● Rose Gold
8	2 824 49-C2	○ Champagne
8	2 824 49-C3	● Dark Silver
		TV-R-SAT sockets
		Low attenuation: 1.5 dB
8	2 824 59	○ White
8	2 824 59-C	● Matt Black
8	2 824 59-C1	● Rose Gold
8	2 824 59-C2	○ Champagne
8	2 824 59-C3	● Dark Silver

Pack	Cat.Nos	Telephone sockets
		RJ 11 socket
8	2 824 45	○ White
8	2 824 45-C	● Matt Black
8	2 824 45-C1	● Rose Gold
8	2 824 45-C2	○ Champagne
8	2 824 45-C3	● Dark Silver
		Double RJ11 socket
8	2 824 46	○ White
8	2 824 46-C	● Matt Black
8	2 824 46-C1	● Rose Gold
8	2 824 46-C2	○ Champagne
8	2 824 46-C3	● Dark Silver

Pack	Cat.Nos	Data sockets
		RJ 45 Cat. 5e UTP
8	2 824 60	○ White
8	2 824 60-C	● Matt Black
8	2 824 60-C1	● Rose Gold
8	2 824 60-C2	○ Champagne
8	2 824 60-C3	● Dark Silver
		Double RJ 45 Cat. 5e UTP
8	2 824 62	○ White
8	2 824 62-C	● Matt Black
8	2 824 62-C1	● Rose Gold
8	2 824 62-C2	○ Champagne
8	2 824 62-C3	● Dark Silver
		RJ 45 Cat.6 UTP
8	2 824 61	○ White
8	2 824 61-C	● Matt Black
8	2 824 61-C1	● Rose Gold
8	2 824 61-C2	○ Champagne
8	2 824 61-C3	● Dark Silver
		Double RJ 45 Cat.6 UTP
8	2 824 63	○ White
8	2 824 63-C	● Matt Black
8	2 824 63-C1	● Rose Gold
8	2 824 63-C2	○ Champagne
8	2 824 63-C3	● Dark Silver

Pack	Cat.Nos	Double USB Type-A chargers
		2.4 A - 5 V⎓ - 12 W
		Consumption in passive mode < 0.08 W
5	2 824 47	○ White
5	2 824 47-C	● Matt Black
5	2 824 47-C1	● Rose Gold
5	2 824 47-C2	○ Champagne
5	2 824 47-C3	● Dark Silver

Pack	Cat.Nos	USB and HDMI data sockets
8	2 824 48	○ White
8	2 824 48-C	● Matt Black
8	2 824 48-C1	● Rose Gold
8	2 824 48-C2	○ Champagne
8	2 824 48-C3	● Dark Silver

Galion™

hotel equipment

2 824 17   2 824 16   2 824 15-C1   2 824 39-C

Conform to IEC 60669 standard
Polycarbonate front cover plates
Supplied with 2 screws M 3.5 for BS boxes
Supplied complete with plate
Dim.: 86 x 88 mm

Pack	Cat.Nos	**Hotel guest room indicators**
		Enable the guest to inform hotel staff of the room status Two settings are possible: - do not disturb (DND) - please clean-up the room (CUR)
		Indicator lamp and bell button
1	2 824 17	Installed in the corridor Double functon: call indicator and bell button 1 gang, black touch plate
		DND/CUR control units for guest room
		Installed in the guest room Allow the user to select the desired setting
8	2 824 16	○ White (Silver bar)
8	2 824 16-C	● Matt Black (Electroplate bar)
8	2 824 16-C1	● Rose Gold (Electroplate bar)
8	2 824 16-C2	● Champagne (Silver bar)
8	2 824 16-C3	● Dark Silver (Silver bar)

Pack	Cat.Nos	**Keycard switches - 230 V∿ - 16 A**
		Supplied with one card
5	2 824 15	○ White
5	2 824 15-C	● Matt Black
5	2 824 15-C1	● Rose Gold
5	2 824 15-C2	● Champagne
5	2 824 15-C3	● Dark Silver

Pack	Cat.Nos	**RFID keycard switches - 230 V∿ - 16 A**
		Compatible with ISO type contactless keycards
5	2 824 18	○ White
5	2 824 18-C	● Matt Black
5	2 824 18-C1	● Rose Gold
5	2 824 18-C2	● Champagne
5	2 824 18-C3	● Dark Silver

Pack	Cat.Nos	**Shaver sockets**
		Conform to IEC 61558-2-8 115/230 V - 20 VA - 50/60 Hz Power supply: 230 V∿ - 50/60 Hz Suitable for use with European, British, Australian, Chinese and US 2-pin plugs Dim: 86 x 146 mm 2 outputs
1	2 824 39	○ White
1	2 824 39-C	● Matt Black
1	2 824 39-C1	● Rose Gold
1	2 824 39-C2	● Champagne
1	2 824 39-C3	● Dark Silver

2 824 70-C1

2 824 73-C2 + 2 824 01-C2 + 2 824 02-C2 + 2 824 83-C2

2 824 71-C2

Pack	Cat.Nos	**Blanking plates**
15	2 824 70	○ White
15	2 824 70-C	● Matt Black
15	2 824 70-C1	● Rose Gold
15	2 824 70-C2	● Champagne
15	2 824 70-C3	● Dark Silver

Frames for multi-gang installation

2 gang frame

Pack	Cat.Nos	
20	2 824 72	○ White
20	2 824 72-C	● Matt Black
20	2 824 72-C1	● Rose Gold
20	2 824 72-C2	● Champagne
20	2 824 72-C3	● Dark Silver

3 gang frame

Pack	Cat.Nos	
5	2 824 73	○ White
5	2 824 73-C	● Matt Black
5	2 824 73-C1	● Rose Gold
5	2 824 73-C2	● Champagne
5	2 824 73-C3	● Dark Silver

4 gang frame

Pack	Cat.Nos	
5	2 824 74	○ White
5	2 824 74-C	● Matt Black
5	2 824 74-C1	● Rose Gold
5	2 8247 4-C2	● Champagne
5	2 824 74-C3	● Dark Silver

5 gang frame

Pack	Cat.Nos	
5	2 824 75	○ White
5	2 824 75-C	● Matt Black
5	2 824 75-C1	● Rose Gold
5	2 824 75-C2	● Champagne
5	2 824 75-C3	● Dark Silver

Arteor adaptors

For 2-module products

Pack	Cat.Nos	
15	2 824 71	○ White
15	2 824 71-C	● Matt Black
15	2 824 71-C1	● Rose Gold
15	2 824 71-C2	● Champagne
15	2 824 71-C3	● Dark Silver

Notes

FOLLOW US ON

→ www.legrand.sa

▶ youtube.com/user/legrand

🐦 twitter.com/legrand_news

f facebook.com/legrandksa

in linkedin.com/company/legrand-ksa

Riyadh
Localizer Mall , Office No. F6, 1st Floor
P.O.Box:325099 - Prince Muhammad Ibn
Abd Al Aziz, Al Olaya, Riyadh 12222

Al-Khobar
Al-Khobar Mall
2nd Floor, office 362
P.O.Box 927, Al Khobar 31953, KSA
Tel: +966 13 887 89 50

L⅃ legrand®

Jeddah (Head Office)
Al-Reem Business Center, 2nd Floor
Al-Rawdah District
P.O.Box:51712
Jeddah, 21553, KSA
Tel: +966 12 261 96 96