

# Overview

	Passed	Failed	Undefined	%Passed
Features	0	1	0	0.00
Scenarios	6	2	2	60.00
Steps	56	2	26	66.67

Overall Duration: 0h 08m 04s

## Table of Contents

1. [This is new upgraded Mazda Europe Homepage](#)
  1. [Go on mazda canada homepage Find a Dealer](#)
  2. [I want to drive a mazda car](#)
  3. [I want to request a quote](#)
  4. [I want to request a quote](#)
  5. [I want to request a quote](#)
  6. [I want to request a quote](#)
  7. [I want to request a quote](#)
  8. [I want to request a quote](#)
  9. [I want to request a quote](#)
  10. [I want to request a quote](#)

## Detailed Results Report

Feature: <a href="#">This is new upgraded Mazda Europe Homepage</a>			
As a user i want to find a dealer and test drive a car			
Passed: 6	Failed: 2	Undefined: 2	Duration: 484.65s
	Scenario Outline: <a href="#">Go on mazda canada homepage Find a Dealer</a>		
	Passed: 10	Failed: 0	Undefined: 0
	Before		8.66s
	Given Its my first time on the mazda website		3.19s
	When click on 'Mazda Home'		0.70s
	Then I go to 'Find a Dealer'		4.89s
	Then I click on search by location i see the names of all the dealer		2.00s
	Then I click on search by postal code i enter postcode		0.77s
	Then I enter correct postal code M5P 2N7		5.33s
	Then I enter incorrect postal code E3 3LP		5.30s
	Then I get an error message		0.00s
	Then I search by dealer name		6.19s
	Then close browser		0.02s
After			0.01s
<a href="#">Back to Table of Contents</a>			
Scenario: <a href="#">I want to drive a mazda car</a>			

Passed: 2	Failed: 1	Undefined: 7	Duration: 69.56s
Before			6.96s
Given I want to test drive a car			1.52s
When I click Book a Test Drive			0.99s
Then I see collection of vehicles			60.08s
<div>org.openqa.selenium.NoSuchElementException: Unable to locate element: {"method":"xpath","selector":"html/body/div[1]/div[3]/div/div/div/section/div/ul/li[1]/div/a"} Command duration or timeout: 60.08 seconds For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: '2.53.0', revision: '35ae25b1534ae328c771e0856c93e187490ca824', time: '2016-03-15 10:43:46' System info: host: 'SYZYGY-1151', ip: '192.168.3.27', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_91' Driver info: org.openqa.selenium.firefox.FirefoxDriver Capabilities [{applicationCacheEnabled=true, rotatable=false, handlesAlerts=true, databaseEnabled=true, version=43.0.1, platform=WINDOWS, nativeEvents=false, acceptSslCerts=true, webStorageEnabled=true, locationContextEnabled=true, browserName=firefox, takesScreenshot=true, javascriptEnabled=true, cssSelectorsEnabled=true}] Session ID: 57eced27-8889-4631-a8b6-931bca85a870 *** Element info: {Using=xpath, value=html/body/div[1]/div[3]/div/div/div/section/div/ul/li[1]/div/a}</div> <div>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</div> <div>at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</div> <div>at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</div> <div>at java.lang.reflect.Constructor.newInstance(Constructor.java:423)</div> <div>at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:206)</div> <div>at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:158)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:678)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:363)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:500)</div> <div>at org.openqa.selenium.By\$ByXPath.findElement(By.java:361)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)</div> <div>at com.mazda.MXPPProject.Step_Definition.i_see_collection_of_vehicles(Step_Definition.java:311)</div> <div>at .Then I see collection of vehicles(Homepage.feature:28)</div> <div>Caused by: org.openqa.selenium.NoSuchElementException: Unable to locate element: {"method":"xpath","selector":"html/body/div[1]/div[3]/div/div/div/section/div/ul/li[1]/div/a"} For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: '2.53.0', revision: '35ae25b1534ae328c771e0856c93e187490ca824', time: '2016-03-15 10:43:46' System info: host: 'SYZYGY-1151', ip: '192.168.3.27', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_91' Driver info: driver.version: unknown</div> <div>at &lt;anonymous class&gt;.FirefoxDriver.prototype.findElementInternal_(file:///C:/Users/aoyedele/AppData/Local/Temp/anonymous7824242601832501735webdriver-profile/extensions/fxdriver@googlecode.com/components/driver-component.js:10770)</div> <div>at &lt;anonymous class&gt;.fxdriver.Timer.prototype.setTimeout/&lt;.notify(file:///C:/Users/aoyedele/AppData/Local/Temp/anonymous7824242601832501735webdriver-profile/extensions/fxdriver@googlecode.com/components/driver-component.js:625)</div>			
Then I select one vehicle			0.00s
Then I select a dealer			0.00s

	Then I select a date and time	0.00s
	Then I enter contact details	0.00s
	Then I request a Test Drive	0.00s
	Then I will see Thank You!	0.00s
	And I close the browser	0.00s
After		0.01s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: I want to request a quote		
Passed: 8	Failed: 0	Undefined: 0
Before		7.07s
	Given I am shopping Tools page	3.60s
	When I select vehicle	2.44s
	Then I see list of 2016 MAZDA3	0.00s
	And I select one mazda vehicle	0.00s
	And I select a dealer	1.76s
	And I Enter contact details	0.00s
	And I change Province	0.00s
	And I request quote	0.00s
After		0.01s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: I want to request a quote		
Passed: 0	Failed: 1	Undefined: 7
Before		9.76s
	Given I am shopping Tools page	266.81s
org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '2.53.0', revision: '35ae25b1534ae328c771e0856c93e187490ca824', time: '2016-03-15 10:43:46' System info: host: 'SYZYGY-1151', ip: '192.168.3.27', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_91' Driver info: driver.version: RemoteWebDriver Capabilities [{applicationCacheEnabled=true, rotatable=false, handlesAlerts=true, databaseEnabled=true, version=43.0.1, platform=WINDOWS, nativeEvents=false, acceptSslCerts=true, webStorageEnabled=true, locationContextEnabled=true, browserName=firefox, takesScreenshot=true, javascriptEnabled=true, cssSelectorsEnabled=true}] Session ID: c6413120-09c7-41a4-897a-677c2ba6fd2a at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:665) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:316) at com.mazda.MXPPProject.Step_Definition.i_am_shopping_Tools_page(Step_Definition.java:412) at .Given I am shopping Tools page(Hompage.feature:38) Caused by: java.net.SocketException: Connection reset at java.net.SocketInputStream.read(SocketInputStream.java:209) at java.net.SocketInputStream.read(SocketInputStream.java:141)		

at org.apache.http.impl.conn.LoggingInputStream.read(LoggingInputStream.java:87)  
at org.apache.http.impl.io.SessionInputBufferImpl.streamRead(SessionInputBufferImpl.java:139)  
at org.apache.http.impl.io.SessionInputBufferImpl.fillBuffer(SessionInputBufferImpl.java:155)  
at org.apache.http.impl.io.SessionInputBufferImpl.readLine(SessionInputBufferImpl.java:284)  
at org.apache.http.impl.conn.DefaultHttpResponseParser.parseHead(DefaultHttpResponseParser.java:140)  
at org.apache.http.impl.conn.DefaultHttpResponseParser.parseHead(DefaultHttpResponseParser.java:57)  
at org.apache.http.impl.io.AbstractMessageParser.parse(AbstractMessageParser.java:261)  
at org.apache.http.impl.DefaultBHttpClientConnection.receiveResponseHeader(DefaultBHttpClientConnection.java:165)  
at org.apache.http.impl.conn.CPoolProxy.receiveResponseHeader(CPoolProxy.java:167)  
at org.apache.http.protocol.HttpRequestExecutor.doReceiveResponse(HttpRequestExecutor.java:272)  
at org.apache.http.protocol.HttpRequestExecutor.execute(HttpRequestExecutor.java:124)  
at org.apache.http.impl.execchain.MainClientExec.execute(MainClientExec.java:271)  
at org.apache.http.impl.execchain.ProtocolExec.execute(ProtocolExec.java:184)  
at org.apache.http.impl.execchain.RetryExec.execute(RetryExec.java:88)  
at org.apache.http.impl.execchain.RedirectExec.execute(RedirectExec.java:110)  
at org.apache.http.impl.client.InternalHttpClient.doExecute(InternalHttpClient.java:184)  
at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:71)  
at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:55)  
at org.openqa.selenium.remote.internal.ApacheHttpClient.fallBackExecute(ApacheHttpClient.java:144)  
at org.openqa.selenium.remote.internal.ApacheHttpClient.execute(ApacheHttpClient.java:90)  
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:142)  
at org.openqa.selenium.firefox.internal.NewProfileExtensionConnection.execute(NewProfileExtensionConnection.java:160)  
at org.openqa.selenium.firefox.FirefoxDriver\$LazyCommandExecutor.execute(FirefoxDriver.java:380)  
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:644)  
at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:316)  
at com.mazda.MXPPProject.Step\_Definition.i\_am\_shopping\_Tools\_page(Step\_Definition.java:412)  
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)  
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  
at java.lang.reflect.Method.invoke(Method.java:498)  
at cucumber.runtime.Utls\$1.call(Utls.java:37)  
at cucumber.runtime.Timeout.timeout(Timeout.java:13)  
at cucumber.runtime.Utls.invoke(Utls.java:31)  
at cucumber.runtime.java.JavaStepDefinition.execute(JavaStepDefinition.java:38)  
at cucumber.runtime.StepDefinitionMatch.runStep(StepDefinitionMatch.java:37)  
at cucumber.runtime.Runtime.runStep(Runtime.java:299)  
at cucumber.runtime.model.StepContainer.runStep(StepContainer.java:44)  
at cucumber.runtime.model.StepContainer.runSteps(StepContainer.java:39)  
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:44)  
at com.github.mkolisnyk.cucumber.runner.ExtendedExecutionUnitRunner.run(ExtendedExecutionUnitRunner.java:35)  
at com.github.mkolisnyk.cucumber.runner.ExtendedExamplesRunner.runChild(ExtendedExamplesRunner.java:103)  
at com.github.mkolisnyk.cucumber.runner.ExtendedExamplesRunner.runChild(ExtendedExamplesRunner.java:19)

```

at org.junit.runners.ParentRunner$3.run(ParentRunner.java:290)
at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:71)
at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288)
at org.junit.runners.ParentRunner.access$000(ParentRunner.java:58)
at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:268)
at org.junit.runners.ParentRunner.run(ParentRunner.java:363)
at com.github.mkolisnyk.cucumber.runner.ExtendedExamplesRunner.run(
ExtendedExamplesRunner.java:87)
at org.junit.runners.Suite.runChild(Suite.java:128)
at com.github.mkolisnyk.cucumber.runner.ExtendedScenarioOutlineRunner.runChild(
ExtendedScenarioOutlineRunner.java:69)
at com.github.mkolisnyk.cucumber.runner.ExtendedScenarioOutlineRunner.runChild(
ExtendedScenarioOutlineRunner.java:17)
at org.junit.runners.ParentRunner$3.run(ParentRunner.java:290)
at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:71)
at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288)
at org.junit.runners.ParentRunner.access$000(ParentRunner.java:58)
at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:268)
at org.junit.runners.ParentRunner.run(ParentRunner.java:363)
at com.github.mkolisnyk.cucumber.runner.ExtendedScenarioOutlineRunner.run(
ExtendedScenarioOutlineRunner.java:64)
at com.github.mkolisnyk.cucumber.runner.ExtendedFeatureRunner.runChild(
ExtendedFeatureRunner.java:76)
at com.github.mkolisnyk.cucumber.runner.ExtendedFeatureRunner.runChild(
ExtendedFeatureRunner.java:22)
at org.junit.runners.ParentRunner$3.run(ParentRunner.java:290)
at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:71)
at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288)
at org.junit.runners.ParentRunner.access$000(ParentRunner.java:58)
at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:268)
at org.junit.runners.ParentRunner.run(ParentRunner.java:363)
at cucumber.runtime.junit.FeatureRunner.run(FeatureRunner.java:70)
at com.github.mkolisnyk.cucumber.runner.ExtendedCucumber.runChild(
ExtendedCucumber.java:72)
at com.github.mkolisnyk.cucumber.runner.ExtendedCucumber.runChild(
ExtendedCucumber.java:28)
at org.junit.runners.ParentRunner$3.run(ParentRunner.java:290)
at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:71)
at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288)
at org.junit.runners.ParentRunner.access$000(ParentRunner.java:58)
at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:268)
at org.junit.runners.ParentRunner.run(ParentRunner.java:363)
at com.github.mkolisnyk.cucumber.runner.ExtendedCucumber.run(ExtendedCucumber.java:
141)
at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:86
)
at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:38)
at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:
459)
at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:
675)
at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:382)
at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:192)

```

When I select vehicle	0.00s
Then I see list of 2016 MAZDA3 SPORT	0.00s

	And I select one mazda vehicle	0.00s
	And I select a dealer	0.00s
	And I Enter contact details	0.00s
	And I change Province	0.00s
	And I request quote	0.00s
After		1.01s
<pre> org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '2.53.0', revision: ' 35ae25b1534ae328c771e0856c93e187490ca824', time: '2016-03-15 10:43:46' System info: host: ' SYZYGY-1151', ip: '192.168.3.27', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_91' Driver info: driver.version: RemoteWebDriver Capabilities [{ applicationCacheEnabled=true, rotatable=false, handlesAlerts=true, databaseEnabled=true, version=43.0.1, platform=WINDOWS, nativeEvents=false, acceptSslCerts=true, webStorageEnabled=true, locationContextEnabled=true, browserName=firefox, takesScreenshot= true, javascriptEnabled=true, cssSelectorsEnabled=true}] Session ID: c6413120-09c7-41a4-897a- 677c2ba6fd2a at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:665) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:701) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:521) at com.mazda.MXPPProject.Step_Definition.kill(Step_Definition.java:406) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at cucumber.runtime.Utills\$1.call(Utills.java:37) at cucumber.runtime.Timeout.timeout(Timeout.java:13) at cucumber.runtime.Utills.invoke(Utills.java:31) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:223) at cucumber.runtime.Runtime.runHooks(Runtime.java:211) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:205) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at com.github.mkolisnyk.cucumber.runner.ExtendedExecutionUnitRunner.run( ExtendedExecutionUnitRunner.java:35) at com.github.mkolisnyk.cucumber.runner.ExtendedExamplesRunner.runChild( ExtendedExamplesRunner.java:103) at com.github.mkolisnyk.cucumber.runner.ExtendedExamplesRunner.runChild( ExtendedExamplesRunner.java:19) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at com.github.mkolisnyk.cucumber.runner.ExtendedExamplesRunner.run( ExtendedExamplesRunner.java:87) at org.junit.runners.Suite.runChild(Suite.java:128) at com.github.mkolisnyk.cucumber.runner.ExtendedScenarioOutlineRunner.runChild( ExtendedScenarioOutlineRunner.java:69) at com.github.mkolisnyk.cucumber.runner.ExtendedScenarioOutlineRunner.runChild( ExtendedScenarioOutlineRunner.java:17) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) </pre>		



```
at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288)
at org.junit.runners.ParentRunner.access$000(ParentRunner.java:58)
at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:268)
at org.junit.runners.ParentRunner.run(ParentRunner.java:363)
at com.github.mkolisnyk.cucumber.runner.ExtendedScenarioOutlineRunner.run(
ExtendedScenarioOutlineRunner.java:64)
at com.github.mkolisnyk.cucumber.runner.ExtendedFeatureRunner.runChild(
ExtendedFeatureRunner.java:76)
at com.github.mkolisnyk.cucumber.runner.ExtendedFeatureRunner.runChild(
ExtendedFeatureRunner.java:22)
at org.junit.runners.ParentRunner$3.run(ParentRunner.java:290)
at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:71)
at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288)
at org.junit.runners.ParentRunner.access$000(ParentRunner.java:58)
at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:268)
at org.junit.runners.ParentRunner.run(ParentRunner.java:363)
at cucumber.runtime.junit.FeatureRunner.run(FeatureRunner.java:70)
at com.github.mkolisnyk.cucumber.runner.ExtendedCucumber.runChild(
ExtendedCucumber.java:72)
at com.github.mkolisnyk.cucumber.runner.ExtendedCucumber.runChild(
ExtendedCucumber.java:28)
at org.junit.runners.ParentRunner$3.run(ParentRunner.java:290)
at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:71)
at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288)
at org.junit.runners.ParentRunner.access$000(ParentRunner.java:58)
at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:268)
at org.junit.runners.ParentRunner.run(ParentRunner.java:363)
at com.github.mkolisnyk.cucumber.runner.ExtendedCucumber.run(ExtendedCucumber.java:141
)
at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:86)
at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:38)
at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:459)
at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:675)
at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:382)
at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:192)
Caused by: org.apache.http.conn.HttpHostConnectException: Connect to 127.0.0.1:7056 [/
127.0.0.1] failed: Connection refused: connect
at org.apache.http.impl.conn.DefaultHttpClientConnectionOperator.connect(
DefaultHttpClientConnectionOperator.java:151)
at org.apache.http.impl.conn.PoolingHttpClientConnectionManager.connect(
PoolingHttpClientConnectionManager.java:353)
at org.apache.http.impl.execchain.MainClientExec.establishRoute(MainClientExec.java:380)
at org.apache.http.impl.execchain.MainClientExec.execute(MainClientExec.java:236)
at org.apache.http.impl.execchain.ProtocolExec.execute(ProtocolExec.java:184)
at org.apache.http.impl.execchain.RetryExec.execute(RetryExec.java:88)
at org.apache.http.impl.execchain.RedirectExec.execute(RedirectExec.java:110)
at org.apache.http.impl.client.InternalHttpClient.doExecute(InternalHttpClient.java:184)
at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:71)
at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:55)
at org.openqa.selenium.remote.internal.ApacheHttpClient.fallBackExecute(
ApacheHttpClient.java:144)
at org.openqa.selenium.remote.internal.ApacheHttpClient.execute(ApacheHttpClient.java:90)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:142
)
at org.openqa.selenium.firefox.internal.NewProfileExtensionConnection.execute(
```

NewProfileExtensionConnection.java:160)  
 at org.openqa.selenium.firefox.FirefoxDriver\$LazyCommandExecutor.execute(FirefoxDriver.java:380)  
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:644)  
 ... 59 more  
 Caused by: java.net.ConnectException: Connection refused: connect  
 at java.net.DualStackPlainSocketImpl.waitForConnect(Native Method)  
 at java.net.DualStackPlainSocketImpl.socketConnect(DualStackPlainSocketImpl.java:85)  
 at java.net.AbstractPlainSocketImpl.doConnect(AbstractPlainSocketImpl.java:350)  
 at java.net.AbstractPlainSocketImpl.connectToAddress(AbstractPlainSocketImpl.java:206)  
 at java.net.AbstractPlainSocketImpl.connect(AbstractPlainSocketImpl.java:188)  
 at java.net.PlainSocketImpl.connect(PlainSocketImpl.java:172)  
 at java.net.SocksSocketImpl.connect(SocksSocketImpl.java:392)  
 at java.net.Socket.connect(Socket.java:589)  
 at org.apache.http.conn.socket.PlainConnectionSocketFactory.connectSocket(PlainConnectionSocketFactory.java:74)  
 at org.apache.http.impl.conn.DefaultHttpClientConnectionOperator.connect(DefaultHttpClientConnectionOperator.java:134)  
 ... 74 more

[Back to Table of Contents](#)

### Scenario Outline: I want to request a quote

Passed: 8		Failed: 0	Undefined: 0	Duration: 14.46s
Before				6.98s
	Given I am shopping Tools page			3.52s
	When I select vehicle			2.27s
	Then I see list of 2016 MAZDA6			0.00s
	And I select one mazda vehicle			0.00s
	And I select a dealer			1.69s
	And I Enter contact details			0.00s
	And I change Province			0.00s
	And I request quote			0.00s
After				0.01s

[Back to Table of Contents](#)

### Scenario Outline: I want to request a quote

Passed: 8		Failed: 0	Undefined: 0	Duration: 15.25s
Before				6.92s
	Given I am shopping Tools page			4.33s
	When I select vehicle			2.30s
	Then I see list of 2016 MAZDA5			0.00s
	And I select one mazda vehicle			0.00s
	And I select a dealer			1.69s
	And I Enter contact details			0.00s
	And I change Province			0.00s
	And I request quote			0.00s
After				0.01s



[Back to Table of Contents](#)

**Scenario Outline: I want to request a quote**

Passed: 8	Failed: 0	Undefined: 0	Duration: 14.89s
Before			7.46s

Given I am shopping Tools page	3.55s
When I select vehicle	2.23s
Then I see list of 2017 CX3	0.00s
And I select one mazda vehicle	0.00s
And I select a dealer	1.65s
And I Enter contact details	0.00s
And I change Province	0.00s
And I request quote	0.00s

After	0.00s
-------	-------

[Back to Table of Contents](#)

**Scenario Outline: I want to request a quote**

Passed: 2	Failed: 0	Undefined: 6	Duration: 12.93s
Before			7.10s

Given I am shopping Tools page	3.58s
When I select vehicle	2.24s
Then I see list of 2016.5 CX-5	0.00s
And I select one mazda vehicle	0.00s
And I select a dealer	0.00s
And I Enter contact details	0.00s
And I change Province	0.00s
And I request quote	0.00s

After	0.01s
-------	-------

[Back to Table of Contents](#)

**Scenario Outline: I want to request a quote**

Passed: 2	Failed: 0	Undefined: 6	Duration: 12.96s
Before			6.98s

Given I am shopping Tools page	3.71s
When I select vehicle	2.26s
Then I see list of 2016 CX-9	0.00s
And I select one mazda vehicle	0.00s
And I select a dealer	0.00s
And I Enter contact details	0.00s
And I change Province	0.00s
And I request quote	0.00s

After		0.01s
<a href="#">Back to Table of Contents</a>		
Scenario Outline: <b>I want to request a quote</b>		
Passed: 8	Failed: 0	Undefined: 0
Duration: 15.10s		
Before		7.47s
	Given I am shopping Tools page	3.65s
	When I select vehicle	2.35s
	Then I see list of 2016 MX-5	0.00s
	And I select one mazda vehicle	0.00s
	And I select a dealer	1.63s
	And I Enter contact details	0.00s
	And I change Province	0.00s
	And I request quote	0.00s
After		0.01s
<a href="#">Back to Table of Contents</a>		