Exercise 5.

1 SELECT employees_id,
name,
If Null (salary, 0) AS salary_with_default
FROM employees;

| employee_id | name | salary_with_default |
|---|---|---|
| 1 | Alice | 5000 |
| 2 | Bob | 0 |
| 3 | Charlie | 7000 |
| 4 | Dana | 0 |

2. SELECT employee_id,
name,
IF Null (department, not assigned) AS department_name
FROM employees;

| employee_id | name | department_name |
|---|---|---|
| 1 | Alice | HR |
| 2 | Bob | IT |
| 3 | Charlie | Not Assigned |
| 4 | Dana | Finance |

3. SELECT order_id,
customer_id
FROM orders
WHERE customer_id IS Null;

| Order_id | customer_id |
|---|---|
| 103 | Null |

4. SELECT order_id,
customer_id
If Null (delivery_date, 'Pending'
FROM orders;

| Order_id | customer_id | delivery_status |
|---|---|---|
| 101 | 201 | 2024-12-01 |
| 102 | 202 | Pending |
| 103 | Null | 2024-12-03 |

5. SELECT student_id,
name,
IfNull (grade, 0) AS final_grade
FROM ~~Stude~~ Students;

| student_id | name | final_grade |
|---|---|---|
| 1 | Eran | 85 |
| 2 | Maya | 0 |
| 3 | Olivia | 90 |

6.
```
SELECT count(student_id) AS not_graded_count
FROM students
WHERE grade IS NULL;
```

| not_graded_count |
|---|
| 1 |

7.
```
SELECT product_id,
       name,
       price,
       IFNULL(discount,0) AS final price
FROM products;
```

| product_id | name | final_price |
|---|---|---|
| 501 | keyboard | 25 |
| 502 | Mouse | 10 |
| 503 | Monitor | 100 |

8. SELECT COUNT (email) AS missing_email_count
FROM Customers
WHERE email IS NULL;

| missing_email_count |
|---|
| 2 |

9. SELECT customer_id,
name,
IF NULL (email, 'No email') AS email_display
FROM Customers;

| customer_id | name | email_display |
|---|---|---|
| 1 | Linda | No email |
| 2 | Joseph | Joseph@mail.com |
| 3 | Nia | No email |

10. SELECT payment_id
IF NULL (method, 'Unknown') AS method_display,
status
FROM payments;

| payment_id | method_display | status |
|---|---|---|
| 301 | Credit | null |
| 302 | PayPal | Success |
| 303 | Unknown | Failed |

11. SELECT item_id,
    item_name,
IF Null (quality, 0) AS quality_checked
FROM inventory;

| item_id | item_name | quality_checked |
|---|---|---|
| 1 | Pen | 0 |
| 2 | notebook | 150 |
| 3 | eraser | 0 |

12. SELECT emp_id,
    COALESCE (bonus, commission) AS first_available_reward
FROM Employees_Extra;

| emp_id | first_available_room |
|---|---|
| 1 | 300 |
| 2 | 100 |
| 3 | Null |

13. SELECT count(room) AS no_room_count
FROM classes
Where room IS Null;

| no_room_count |
|---|
| 2 |

14. SELECT student_id, date
If Null (status, 'Not marked') AS attendance_status
From Attendance;

| student_id | date | attendance_status |
|---|---|---|
| 1 | 2025-04-01 | Not marked |
| 2 | 2025-04-01 | Present |
| 3 | 2025-04-01 | Absent |

15. SELECT account_id,

If Null (account_type, 'Unknown') AS type_display
If Null (balance, 0) AS balance_checked
FROM Bank_Accounts;

| account_id | type_display | balance_checked |
|---|---|---|
| A1 | Savings | 0 |
| A2 | Current | 5000 |
| A3 | Unknown | 2000 |

16. SELECT project_id, title,

IF Null (start_date, 'TBD') AS start_display
FROM Projects;

| project_id | title | start_display |
|---|---|---|
| 1 | Website Revamp | 2025-02-10 |
| 2 | Mobile App | TBD |
| 3 | Data Migration | TBD |

17. SELECT review_id, product_id,
IF Null (comment, 'No Comment') AS comment_display.
If Null (rating, 0) AS rating_display
FROM Reviews;

| review_id | product_id | comment_display | rating_display |
|---|---|---|---|
| 1 | 501 | Great product | 4 |
| 2 | 502 | No comment | 0 |
| 3 | 503 | Works fine | 3 |

18. SELECT supplier_id,
name,
COALESCE (phone, alt_phone, 'No_contact') AS contact_number
From Supplies

| Supplier_id | name | contact number |
|---|---|---|
| 1 | Global Goods | 123456789 |
| 2 | Best Supplies | 9876654321 |
| 3 | Value Source | No Con |

19. SELECT user_id,

IF Null (theme, 'Light') AS theme_set

IF Null (language, 'English') AS language_set

IF Null (timezone, 'UTC') AS timezone_set

FROM user_settings;

| user_id | theme_set | language_set | timezone_set |
|---|---|---|---|
| 1 | Light | English | UTC |
| 2 | Dark | English | UTC+1 |
| 3 | Light | English | UTC |

20. SELECT record_id,

machine_id,

IF Null (issue, 'Unknown Issue') AS issue_log

IF Null (technician, 'Not assigned') AS technician_name

FROM maintenance;

| record_id | machien id | issue_log | technician_name |
|---|---|---|---|
| 1 | M101 | Overheating | Not assigned |
| 2 | M102 | Unknown Issue | Not assigned |
| 3 | M103 | Jammed | ARDC |